



FINAL REPORT

Data Report for Geotechnical Investigation and Environmental Sampling

ARRC Depot Drive Development - Phase I (East)

Alaska Railroad Corporation

Anchorage, Alaska

Submitted to:

Paul Farnsworth

Alaska Railroad Corporation

Submitted by:

Golder Associates Inc.

2121 Abbott Road, Suite 100 Anchorage, Alaska, USA 99507

+1 907 344-6001

19132189

January 23, 2020




Table of Contents

1.0 INTRODUCTION	1
2.0 SURFICIAL GEOLOGY AND BACKGROUND REVIEW	1
2.1 Surficial Geology	1
2.2 Review of Historical Soil Borehole Logs	2
3.0 FIELD INVESTIGATION METHODS	2
3.1 Utility Locates Prior to Drilling	3
3.2 Subsurface Drilling	3
3.3 Geotechnical Sample Collection	3
3.4 Standpipe Piezometer Installation.....	3
3.5 Groundwater Level Monitoring	3
3.6 Falling Head Percolation Tests	4
3.7 PID Field Screening	4
3.8 Sample Collection for Analytical Testing.....	4
4.0 GEOTECHNICAL LABORATORY TESTING	5
5.0 GEOTECHNICAL SUBSURFACE CONDITIONS.....	5
5.1 Groundwater.....	7
6.0 RESULTS OF PID FIELD SCREENING AND ANALYTICAL TESTING.....	7
6.1 PID Field Screening Results	7
6.2 Results of Analytical Chemical Testing	8
7.0 LIMITATIONS AND USE OF REPORT	8
8.0 CLOSING	9

TABLES

Table 1: Borehole Summary	6
Table 2: Groundwater Measurement Summary	7
Table 3: PID Field-Screening Threshold Exceedance	7

FIGURES

Figure 1: Vicinity Map

Figure 2: Borehole Location Map

APPENDICES

APPENDIX A

Record of Borehole Logs

APPENDIX B

Laboratory Data

APPENDIX C

Historic Soil Borings from MOA GIS Database

APPENDIX D

Site Photographs

APPENDIX E

Analytical Testing Results

1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to present the results from our geotechnical investigation and environmental sampling to support the road design of Depot Drive for Alaska Railroad Corporation (ARRC). The project is located west of the Historical Railroad Depot in Anchorage Alaska. Depot Drive is near the northern bounds of Downtown Anchorage and is part of the greater Anchorage Rail Yard. The eastern portion of the gravel road, nearest the Historic Depot building, runs parallel to an active track that serves mostly passenger trains. A vicinity map of the project area is presented in Figure 1.

Much of the existing roadway has a gravel trafficked surface, excluding a middle segment that is located between the former sheet-pile wall and one recently added closer to Christensen Drive. The planned project includes upgrades to the existing Depot Drive, with plans for minor realignment to the south, betterment of the road including asphalt pavement and subgrade improvements, addition of accompanying pathway and bus-loading area, and stormwater management facilities. The attached Figure 2 shows the outline of the proposed realignment. We understand improvements may be phased over more than one construction season, with Phase I, encompassing the eastern half and closest to the Depot, happening first.

The geotechnical investigation was completed on behalf of ARRC and is in support of the civil design services being performed by CRW Engineering Group, LLC (CRW). The work described in this report was performed in general accordance with our proposal dated October 14, 2019 and your Task Order #20 issued October 28, 2019. Our scope of work included the following:

- Reviewing historic soil borings available through MOA GIS database
- Planning and executing a geotechnical field program, including drilling and sampling three boreholes at select locations along the alignment
- Percolation testing on one of the boreholes at two selected depths to determine infiltration rates for stormwater
- Installation of PVC standpipe piezometers in select boreholes for long-term groundwater monitoring
- Field screening soil samples for volatile organic compounds
- Collecting samples of soil for analytical chemical testing
- Geotechnical laboratory testing of select samples collected during the field program

Engineering recommendations for the road design are presented in a sperate document.

2.0 SURFICIAL GEOLOGY AND BACKGROUND REVIEW

The geologic setting and available historic borehole data are discussed in the following sections.

2.1 Surficial Geology

Anchorage and the surrounding region meet the edge of the Cook Inlet and are bound by Knik Arm to the north, the Chugach Mountains to the east, and Turnagain Arm to the south. Most of the surficial deposits in the region were deposited over the last several glaciations by way of glacial ice, water-deposited sediments from streams

and over deltas, and from sediments accumulated in quiet lakes or ponds within the ancestral Cook Inlet. The Anchorage lowlands extend from the Chugach Mountain front to the coastline. Within the lowlands an alluvial fan, identified as the Anchorage plain, consisting mainly of coarse-grained alluvial deposits, extends from the northeast to the southwest (Schmoll and Dobrovolny 1972).

Depot Drive surficial geology is predominately composed of alluvium sediments deposited by Ship Creek, which now occupies a channel north of the area of interest. These sediments are composed of primarily sand with some gravel. This thin veneer of alluvium is underlain by significant amounts of glacioestuarine silt and clay as a part of the Bootlegger Cove Clay formation (Schmoll and Dobrovolny 1972, Combellick, 1999). The sand deposits indicated in surficial geologic mapping were historically overlain by peat deposits mapped as commonly being 5-to 10-feet thick. Various pockets of peat deposits are known to exist within project, particularly toward the western end. No fibrous peat was observed in historical borehole logs, however, organic rich silt was noted in two of the boreholes, as discussed in Section 2.2. Various fill materials are also present across the roadway and rail yard. The tidal silt flats are located nearby to the northwest.

The site is positioned at the toe of a slope that descends from Downtown Anchorage. The slope height is 20 feet along 1st Avenue / Christensen Drive and overall 55 feet high to the top of F Street. This bluff line experienced land-sliding during the 1964 Great Alaska Earthquake, and is near the culmination between the L Street and Fourth Avenue Slides. Considering the proximity of the historic slides, there is potential for debris at this site.

2.2 Review of Historical Soil Borehole Logs

Golder conducted a review of historical borehole logs that are available through the Municipality of Anchorage GIS database (MOA, 2019). Copies of historic borehole logs near and relevant to the project are provided in Appendix C. Two historical boreholes close to the project corridor are MOA GIS I.D. # SW1230A022 (Boring No. 2) and SW1229B001 (Boring No. A1007), from east to west, respectively. SW1230A022 reveals a subsurface composed of sand and gravel fill material from 0 feet to 9 feet below ground surface (bgs) underlain by clayey silt with trace organic material to a depth of 25 feet bgs. Further west along the project corridor, SW1229B001 observed a subsurface composed of a 2-foot thick layer of organic silt at the surface, underlain by a 3-foot section of sand with gravel that overlies a 4-foot section of clayey silt, before transitioning back to sand and gravel for the remainder of the borehole to a depth of 10 feet bgs.

3.0 FIELD INVESTIGATION METHODS

A description of each element of the field investigation are presented in the following sections. The subsurface investigation for this phase included drilling and sampling four boreholes, and collecting one bulk sample along Depot Drive, between November 14 and 15, 2019. The portion of Depot Drive under investigation begins near the Historical Railroad Depot building, extending west for a quarter-of-a-mile. Borehole locations are shown in Figure 2. Site photographs are included in Appendix D. Standpipe piezometers were installed in two of the four boreholes. In addition, a pair of boreholes received 4-inch diameter PVC pipe installation, which facilitated falling-head percolation tests within. Methods of geotechnical drilling, testing, and monitoring are presented in the following subsections.

In conjunction with the geotechnical investigation, samples were screened in the field for potential volatile organics and soil samples were collected for chemical analytical testing.

3.1 Utility Locates Prior to Drilling

Utility locates were conducted prior to drilling activities using Alaska Dig Line services. Overhead utilities include powerlines running across Depot Drive, located west of the 49th State Brewery building. Additional utilities encountered in the area include but are not limited to the following: gas, electric, telecommunications, stormwater, water, sewer, fiber optic, and communications. Utilities were also located crossing the roadway in multiple locations. Proposed borehole locations were adjusted in the field as needed to avoid utility conflicts. A previously planned borehole (then named BH-03, planned location near Sta 23+50) was not advanced due to proximity to a buried power line running parallel to Depot Drive, south of the existing road. Subsequent boreholes were renamed accordingly with the removal of proposed Borehole BH-03.

3.2 Subsurface Drilling

The four boreholes completed in this phase, titled BH-01, BH-02, BH-03A, and BH-03B, were advanced by Discovery Drilling, Inc. of Anchorage, Alaska using a truck-mounted CME-75 drill rig equipped with 3.25-inch and 4.25-inch inside diameter (ID) hollow-stem augers. Soil conditions in the boreholes were logged by a Golder geologist and engineer who collected representative samples for laboratory testing. Borehole logs are presented in Appendix A.

3.3 Geotechnical Sample Collection

Drive samples were collected using a 3-inch outside diameter (OD) split-barrel (split-spoon) sampler, noted as "LS" on the borehole logs (Appendix A). The samplers were driven using an automatic hammer with a 340-pound drop weight and a free fall distance of 30 inches. The samplers were advanced 24 inches into the soil ahead of the auger or to effective refusal as determined by our field geologist and engineer. The number of blows required to drive the sampler each 6-inch interval of the sampling attempt was recorded on the borehole logs. In addition, the total number of blows required to advance the sampler through the 6-inch to 18-inch sampling interval is plotted as "uncorrected blows per foot" on the borehole logs. The blows recorded on the borehole logs are field values that have not been corrected for overburden, sampler size, or other factors.

Samples were collected at the surface, at 2.5-foot intervals to 10 feet, and at 5-foot intervals thereafter to 15 feet. A single surface sample was collected at a depth of approximately 3 feet bgs in a small excavation, which was collected in lieu of the proposed borehole that was eliminated due to utility conflicts. All sampled soil was visually classified in the field and described in general accordance with the Unified Soil Classification System (USCS), which is summarized in Appendix A. Each soil sample collected was double-bagged and sealed in polyethylene bags to preserve natural moisture content and transported to our Anchorage laboratory for further examination and testing.

3.4 Standpipe Piezometer Installation

PVC standpipes were installed in Boreholes BH-01 and BH-02 at completion of their drilling to allow for future groundwater measurements. The 1.5-inch diameter, Schedule 80 PVC standpipes were hand-slotted in the field using a hacksaw for the bottom 10 feet of installation. The annular space around the standpipes was backfilled with drill cuttings to ground surface and completed with 6-inch steel flush mount monuments.

3.5 Groundwater Level Monitoring

The depth at which groundwater was observed during drilling was noted on the borehole logs. An attempt was made to measure stabilized groundwater levels within the standpipes; however, the flush-mount caps were

covered in ice and frozen soil and not readily accessible at the time. A future trip to the site is planned to clear ice from the caps and measure groundwater levels.

3.6 Falling Head Percolation Tests

Four-inch diameter, non-slotted and open-ended PVC pipe was installed in Boreholes BH-03A and BH-03B to depths of 7 feet and 15 feet bgs, respectively. Boreholes BH-03A and BH-03B are located approximately 4.4 feet apart from each other. The percolation test conducted at 7 feet bgs in Borehole BH-03A targeted the proposed depth of the stormwater infiltration facility. However, a layer of Silt was observed between the 8- and 13-foot interval, which may hinder permeation of water through that strata. For that reason, the adjoining Borehole BH-03B was advanced to 15 feet bgs to allow for percolation testing at that lower strata.

Two falling head percolation tests were conducted on December 16 and 17, 2019, in general accordance with EPA'S Design Manual – Onsite Wastewater Treatment and Disposal Systems (1980). The exception to this procedure being a 4-inch inside diameter pipe was used instead of a 6- to 9-inch, whereas the smaller pipe fits better inside the hollow-stem augers. Despite the variance in method, the test is considered suitable for the application. A summary of the two percolation tests conducted in Boreholes BH-03A and BH-03B is as follows:

- Percolation test at 7-foot depth: percolation rate of 2.2 minutes per inch
 - Test conducted within gravel with sand and little silt (GW-GMs)
 - However, underlying observed silt layer, from 8- to 13-foot depths, is much less permeable, and is therefore not a suitable stratum for long-term infiltration
- Percolation test at 15-foot depth: percolation rate of 0.2 minutes per inch
 - Test conducted within gravel with sand (GPs) unit
 - Groundwater noted at 11.2-foot depth

3.7 PID Field Screening

Each of the soil samples collected were screened with a Photo Ionization Detector (PID), in order to estimate the presence of volatile organic compounds (VOCs) such as petroleum hydrocarbons. Upon collection, soil samples were placed directly into a sealed polyethylene bag, heated, and then the airspace captured inside was screened with a PID. Prior to screening, each sample was agitated for 15 seconds to assist volatilization. The PID sampling probe was then inserted to about one-half the headspace depth and the highest measurement was recorded. The highest measurement was typically obtained around five seconds after probe insertion. The field PID measurements are presented on the borehole logs in Appendix A and results discussed in Sub-Section 5.2 of this report. The PID was calibrated at the beginning of each field day to 0.0 ppm with fresh air then to 100.0 ppm with isobutylene calibration gas. The PID used was equipped with a 10.2 eV lamp.

3.8 Sample Collection for Analytical Testing

Four soil samples were collected from each of the four boreholes, taken within the top 4 feet of materials, and submitted to a State of Alaska certified analytical laboratory, SGS North America Inc. (SGS), for analytical chemical testing. The soil samples were tested for the following:

- Gasoline range organics (GRO) by method AK101

- Diesel range organics (DRO) by method AK102
- Residual range organics (RRO) by method AK103
- Metals by method 6020A
- Polychlorinated biphenyls (PCBs) by method 8082A
- Semi-volatile organic compounds (SVOCs) by method 8270D
- Volatile organic compounds (VOCs) by method 8260C

Soil samples for analytical testing were collected directly from spilt spoon samplers during the geotechnical investigation, handled using stainless steel spoons and placed in laboratory-supplied jars. Soil samples were collected following Alaska Department of Environmental Conservation (ADEC) sampling methods (ADEC, 2017). Analytical sample results from the borings are discussed in Section 6.0 and are included in Appendix E.

4.0 GEOTECHNICAL LABORATORY TESTING

Laboratory tests were performed to measure index properties of the soil samples, which are used to develop correlations with the engineering properties of the soil. Moisture content tests were completed for all samples and were conducted according to procedures described in ASTM D2216. In addition, the grain size distribution with hydrometer analysis (ASTM D6913 and D422), organic content (ASTM D2974), and fines content (percent passing No. 200 US sieve, 0.75 mm, ASTM D1140) were determined for selected samples.

Laboratory test results are summarized in Appendix B, Table B-1. Selected laboratory test results are also presented on the borehole logs. Results of particle size analyses tests are presented graphically in Figures B-1 and B-2.

Hydrometer analyses were tested at abbreviated duration suitable to define the amount finer than 0.02 mm. Grain size distribution results from hydrometer analyses and percent passing U.S. No. 200 sieve were used to estimate the soil frost classifications shown on the borehole logs. Frost classifications of the soil were described according to procedures in the US Army Corps of Engineers (1965/1997) and MOA Design Criteria Manual (DCM, 2014), as illustrated on the Frozen Soil Classification / Legend found in Appendix A Figure A-2.

5.0 GEOTECHNICAL SUBSURFACE CONDITIONS

The subsurface conditions encountered during the exploration were predominantly comprised of gravel and sand fill material underlain by poorly graded sand to silty sand and silt to silt with sand. Clay was encountered in Boreholes BH-02 between 15.0 and 17.0 feet bgs. A generalized description of subsurface conditions is presented below:

- **Granular Fill (GP, GM, GP-GM, GW-GM, SM):** Granular fill, mostly poorly to well graded gravel with sand to silty sand with varying fines content (material passing the U.S. number 200 sieve) was observed from the surface to depths between approximately 5.0 and 8.5 feet bgs. The average thickness of the fill was approximately 6.7 feet. Gravel content of the fill ranged from 23 to 60 percent. Fines content of the fill ranged from 4 to 24 percent. Moisture content of granular fill ranged from 4 to 15 percent (dry weight basis) with an average moisture content of 6.5 percent. Frost classification of the fill was mostly NFS to F2, but toward the west, contained areas with F3 frost class.

- **Unfilled Portions of the Existing Gravel Road:** The middle segment of the proposed road, between about Stations 22+00 and 25+00, along its southern portion, is outside of the existing gravel roadway, and occupies ground that has not been previously filled. Here, a former sheet-pile wall was removed and replaced in 2019 with another sheet-pile wall, which pulled the toe of the slope further south and revealed native soil in between. Within areas south of the existing roadway, soils noted at the surface were primarily silt / clayey silt.
- **Sand (SM, SP-SM):** Silty sand to poorly graded sand with silt and gravel was observed in borehole BH-02 underlying fill material from approximately 5.0 to 7.5 feet bgs, and in Borehole BH-01 from approximately 21.2 to 22.0 feet bgs. Gravel content of the sand ranged from 44 to 21 percent. Fines content of the sand ranged from 9 to 34 percent. Moisture content of the sand ranged from 7 to 24 percent with an average moisture content of 14 percent. The frost classification of the sand ranged from F2 to F3.
- **Organic Soil (PT):** Pockets of peat soils are known to exist along the western portion of Depot Drive, however, peat was not encountered within the borings in the eastern portion of the project.
- **Silt (ML):** Silt with varying amounts of sand was observed in all four boreholes between 7.5 and 22.0 feet bgs. Moisture content of the silt ranged from 8 to 86 percent with an average moisture content of 35 percent.
- **Gravel (GP, GM):** Poorly graded gravel with sand to silty gravel with sand was observed in two boreholes (BH-02, and BH-03A/3B) from approximately 8.5 to 16.5 feet bgs. Moisture content of tested gravel samples was 9 percent. However, moisture content was not tested for gravels retained from Borehole BH-02 due PID readings above 40 ppm. Frost classification of the gravel was Potentially Frost-Susceptible (PFS).
- **Clay (CL):** Lean clay was observed in Borehole BH-02 from approximately 15.0 to 17.0 feet bgs. Moisture content of the clay ranged from 28 to 29 percent.
- **Groundwater:** Groundwater was observed in Borehole BH-03A/-03B at a depth of 11.2 feet bgs. Stabilized groundwater levels in the other two borings is unknown at this time, and future monitoring is planned.

Table 1 presents a summary of borehole depth, location, fill depth below ground surface, and PVC installation depth below ground surface. Subsurface conditions are detailed in the borehole logs provided in Appendix A. Select representative photographs taken during the field investigation are included in Appendix D.

Table 1: Borehole Summary

Borehole ID	Drill Date	Borehole Depth (feet bgs)	Location	Fill Depth (feet bgs)	PVC Depth (feet bgs)
BH-01	11/14/19	22.0	Depot Drive, west of the historic ARRC building	8.5	22.0
BH-02	11/14/19	17.0	Depot Drive, west of the historic ARRC building	6.0	17.0
¹ BH-03A/-03B	11/15/18	7.0 and 15.0	Depot Drive, east of The Boardroom building	8.0	7.0 and 15.0

Notes: 1) Boreholes BH-03A and -03B were completed within a 4.4-foot distance of each other.

5.1 Groundwater

Groundwater was observed in Boreholes BH-03A/-3B and BH-04 at depths of approximately 13 and 10 feet bgs while drilling, respectively. Upon two return visits to the site, groundwater was noted at 11.2 and 12.0 feet bgs in Borehole BH-03A/-03B. No groundwater was observed in the other two boreholes while drilling, but in a post-drilling/stabilized condition, is expected to be present at similar levels as the nearby boreholes. Groundwater within BH-02 may be partially influenced by the nearby sheet pile wall. Attempts were made to measure groundwater levels after drilling; however, the well caps were covered in frozen material and ice and not readily available. Additional measurements of groundwater levels are planned. Observed groundwater levels are listed in Table 2.

Table 2: Groundwater Measurement Summary

Borehole ID	During Drilling		Subsequent Measurements	
	Date	Depth (feet bgs)	Date	Depth (feet bgs)
BH-01	14 November 2019	None	¹ TBD	--
BH-02	14 November 2019	None	¹ TBD	--
BH-03A/-03B	15 November 2019	13.0	16 December 2019 13 January 2020	11.2 12.0

Notes: 1) Not measured yet due to access issues, including ice.

6.0 RESULTS OF PID FIELD SCREENING AND ANALYTICAL TESTING

6.1 PID Field Screening Results

PID field-screening was performed to identify potential areas which may contain petroleum or other volatile organic contaminated soils, and more specifically, such soils that may be within the limits of the planned excavations. A field-screening threshold level of 20-ppm was selected as an indicator of potential contamination, based on experience with Anchorage road projects. However, the actual presence of soil or groundwater contamination requires environmental sampling and testing in accordance with Alaska Department of Environmental Conservation (ADEC) guidelines, which was not part of our scope of work.

The measured headspace concentrations were less than the 20-ppm screening level in all, but three samples as indicated in Table 3. The headspace results (Appendix A) were relatively low within a few feet of the ground surface, where soil may be excavated prior to paving.

Table 3: PID Field-Screening Threshold Exceedance

Borehole ID	Depth (feet bgs)	PID Reading (ppm)
BH-02	8.5	43
BH-02	10.0	100
BH-03	2.0	32

Although elevated headspace readings can indicate possible petroleum hydrocarbon contamination in the soil, care must be applied to the interpretation of the results, since the response of the PID is sensitive to environmental variables (temperature and humidity) as well as the type of contaminants present and the nature of the soil (i.e., moisture content and natural organic content) (ADEC 2017). The headspace readings may also be elevated because the boreholes were executed using conventional geotechnical drilling methods in which we minimize the use of oil and grease that can influence the field screening results, rather than in accordance with strict environmental sampling and decontamination protocols. In addition, headspace readings may be elevated due to asphalt contamination from sluff or proximity to the asphalt layer. Because of these factors, the headspace results should only be used as a semi-quantitative indication of the potential presence of petroleum hydrocarbons (ADEC 2017).

6.2 Results of Analytical Chemical Testing

A total of four discrete analytical soil samples (includes one blind field duplicate sample) were collected from the four boreholes. The blind field duplicate sample was collected from Borehole BH-03A. At least one sample was collected from each boring advanced, and each within the upper 4 foot depth. Analytical results for compounds that were detected are summarized in Table E-1, and copies of the laboratory test reports are included in Appendix E.

Of the samples collected from Boreholes BH-01, BH-02, and BH-03A, Naphthalene was detected above the most stringent of the ADEC Method 2 Cleanup Levels for the “Under 40-inch Zone” annual precipitation (ADEC 2019). Naphthalene was detected in Borehole BH-01 at a concentration of 93.3 µg/kg, which is above the ADEC Cleanup Level of 38 µg/kg. No other analytes were detected above ADEC Cleanup Levels.

7.0 LIMITATIONS AND USE OF REPORT

This report has been prepared exclusively for the use of ARRC and CRW in their design of the planned road development of Depot Drive west of the historic ARRC Depot. If there are significant changes in the nature, design, or location of the facilities, Golder should be notified in order to review conclusions and recommendations considering the proposed changes and provide a written modification or verification of the changes.

Variations are likely in subsurface conditions between explorations and also with time. Therefore, inspection and testing by a qualified geotechnical engineer should be included during construction to provide corrective recommendations adapted to the conditions revealed during the work. A contingency for unanticipated conditions should be included in the construction budget and schedule in the event corrective measures are necessary based on conditions revealed in the excavations.

This work program followed the standard of care expected of professionals undertaking similar work in the State of Alaska under similar conditions. No warranty expressed or implied is made.

8.0 CLOSING

Thank you for the opportunity to assist with this project. If you have any questions or additional information, please contact Travis at 907-865-2509.

Golder Associates Inc.



Robert T. Sanders
Staff Engineer



Travis E. Ross, PE
Senior Geotechnical Engineer



Thomas G Krzewinski, PE, D.GE, F.ASCE
Principal, Senior Geotechnical Engineering Consultant


RTS/TER/TGK/mlp

Golder and the G logo are trademarks of Golder Associates Corporation

REFERENCES

- Alaska Department of Environmental Conservation (ADEC). 2017, August. Field Sampling Guidance.
- ADEC. 2019. 18 AAC 75 Oil and Other Hazardous Substances Pollution Control. As amended through January 2019.
- Alaska Department of Transportation and Public Facilities. Statewide Functional Classification GIS Map. <http://dot.alaska.gov/stwdplng/fclass/fclassmaps.shtml> (accessed February 25, 2019).
- Municipality of Anchorage (MOA), GIS Web Mapping Application, Soil Boring database, accessed via <https://hub.arcgis.com/datasets/6f7e3d141ef5468580d4077a893b8bcd>
- Municipality of Anchorage (MOA) Project Management & Engineering (PM&E) Department. 2007. Design Criteria Manual (DCM), Chapter 1, Streets.
- Municipality of Anchorage (MOA) Project Management & Engineering Department. 2015. Municipality of Anchorage Standard Specifications (MASS).
- Naval Facilities Engineering Command (NAVFAC).1986. Design Manual 7.02, Foundations and Earth Structures. Revised September 1, 1986.
- Occupational Health and Safety Administration (OSHA). 2012. Regulations (Standards-29 CFR 1926 Subpart P).
- Schmoll, H.R., and Dobrovolny, E., 1972. Generalized geologic map of Anchorage and vicinity, Alaska: US Geological Survey Miscellaneous Geologic Investigations Map 787-A, 1 sheet, scale 1:24,000.

FIGURES



0 1000 2000
SCALE FEET

CLIENT
ALASKA RAILROAD CORPORATION

PROJECT
DEPOT DRIVE DEVELOPMENT

ANCHORAGE, ALASKA

TITLE
VICINITY MAP

CONSULTANT

YYYY-MM-DD 2020-01-16

DESIGNED

-

PREPARED APG

REVIEWED TER

APPROVED TGK

PROJECT NO.
19132189

CONTROL


REV.
0

FIGURE
1

REFERENCES

1. IMAGERY PROVIDED BY 2015 ANCHORAGE LIDAR AND AERIAL IMAGERY PROJECT.
2. ROAD DATA PROVIDED BY ALASKA DOT&PF.

 **GOLDER**



LEGEND
BH-0#
2017 GEOTECHNICAL BOREHOLE LOCATION AND NAME

0 40 80 120
SCALE FEET

REFERENCE
1. BASEMAP PROVIDED BY CRW ENGINEERING GROUP LLC. ON NOVEMBER 11, 2019.
2. ORTHOIMAGERY ACQUIRED IN JULY 2015 BY THE ANCHORAGE LIDAR AND IMAGERY PROJECT AND WAS DISTRIBUTED BY ALASKA DIVISION OF GEOLOGICAL AND GEOPHYSICAL SURVEYS (DGGS) ONLINE MAP.

CLIENT
ALASKA RAILROAD CORPORATION

 **GOLDER**

CONSULTANT
YYYY-MM-DD 2020-01-16
DESIGNED -
PREPARED APG
REVIEWED TER
APPROVED TGK

PROJECT
DEPOT DRIVE DEVELOPMENT
ANCHORAGE, ALASKA

TITLE
BOREHOLE LOCATION MAP

PROJECT NO. 19132189
CONTROL
REV. 0

APPENDIX A

Record of Borehole Logs

UNIFIED SOIL CLASSIFICATION (adapted from ASTM D2487)

MATERIAL TYPES	CRITERIA FOR ASSIGNING SOIL GROUP NAMES AND GROUP SYMBOLS USING LABORATORY TESTS			GROUP SYMBOL	SOIL GROUP NAMES & LEGEND		
COARSE-GRAINED SOILS >50% RETAINED ON NO. 200 SIEVE	GRAVELS >50% OF COARSE FRACTION RETAINED ON NO 4. SIEVE	CLEAN GRAVELS <5% FINES	$C_u \geq 4$ AND $1 \leq C_c \leq 3$	GW	WELL-GRADED GRAVEL		
			$C_u < 4$ AND/OR $[C_c < 1 \text{ OR } C_c > 3]$	GP	POORLY GRADED GRAVEL		
		GRAVELS WITH FINES >12% FINES	FINES CLASSIFY AS ML OR MH	GM	SILTY GRAVEL		
			FINES CLASSIFY AS CL OR CH	GC	CLAYEY GRAVEL		
	SANDS ≥50% OF COARSE FRACTION PASSES ON NO 4. SIEVE	CLEAN SANDS <5% FINES	$C_u \geq 6$ AND $1 \leq C_c \leq 3$	SW	WELL-GRADED SAND		
			$C_u < 6$ AND/OR $[C_c < 1 \text{ OR } C_c > 3]$	SP	POORLY GRADED SAND		
		SANDS AND FINES >12% FINES	FINES CLASSIFY AS ML OR MH	SM	SILTY SAND		
			FINES CLASSIFY AS CL OR CH	SC	CLAYEY SAND		
FINE-GRAINED SOILS >50% PASSES NO. 200 SIEVE	SILTS AND CLAYS LIQUID LIMIT <50				CL	LEAN CLAY	
					ML	SILT	
	SILTS AND CLAYS LIQUID LIMIT ≥ 50				OL	ORGANIC CLAY OR SILT	
					CH	FAT CLAY	
					MH	ELASTIC SILT	
					OH	ORGANIC CLAY OR SILT	
HIGHLY ORGANIC SOILS		PRIMARILY ORGANIC MATTER, DARK IN COLOR, AND ORGANIC ODOR			PT	PEAT	

$$C_u = \frac{D_{60}}{D_{10}}$$

$$C_c = \frac{(D_{30})^2}{D_{10} \times D_{60}}$$

NOTES:
Gravels or sands with 5% to 12% fines require dual symbols (GW-GM, GW-GC, GP-GM, GP-GC, SW-SM, SW-SC, SP-SM, SP-SC) and add "with clay" or "with silt" to group name. If fines classify as CL-ML for GM or SM, use dual symbol GC-GM or SC-SM. The coefficient of uniformity, C_u , and coefficient of curvature, C_c , equations are given above where $D_{(X\%)}$ is soil particle diameter where X% is finer. Optional Abbreviations: Lower case "s" after USCS group symbol denotes either "sandy" or "with sand" while "g" denotes either "gravelly" or "with gravel"

CRITERIA FOR DESCRIBING MOISTURE CONDITION (adapted from ASTM D2488)

DRY	ABSENCE OF MOISTURE, DUSTY, DRY TO THE TOUCH
MOIST	
WET	VISIBLE FREE WATER, USUALLY SOIL IS BELOW WATER TABLE

COMPONENT DEFINITIONS BY GRADATION

COMPONENT	SIZE RANGE
BOULDERS	GREATER THAN 12 in.
COBBLES	12 in. to 3 in.
GRAVEL	3 in. to #4 Sieve (4.76 mm)
COARSE GRAVEL	3 in. to 3/4 in.
FINE GRAVEL	3/4 in. to #4 (4.76 mm)
SAND	#4 (4.76 mm) to #200 (0.074 mm)
COARSE SAND	#4 (4.76 mm) to #10 (2.0 mm)
MEDIUM SAND	#10 (2.0 mm) to #40 (0.42 mm)
FINE SAND	#40 (0.42 mm) to #200 (0.074 mm)
SILT & CLAY (FINES)	SMALLER THAN #200 (0.074 mm)

RELATIVE DENSITY / CONSISTENCY ESTIMATE USING STANDARD PENETRATION TEST (SPT) VALUES (adapted from Terzaghi and Peck 1967 and NAVFAC DM 7.1)

COHESIONLESS SOILS ^(a)		COHESIVE SOILS ^(b)		UNCONFINED COMPRESSIVE STRENGTH (TSF) ^(d)
RELATIVE DENSITY	$(N_1)_{60}$ (blows/ft) ^(c)	CONSISTENCY	$(N_1)_{60}$ (blows/ft) ^(c)	
VERY LOOSE	0 - 4	VERY SOFT	0 - 2	0 - 0.25
LOOSE	4 - 10	SOFT	2 - 4	0.25 - 0.50
COMPACT	10 - 30	FIRM	4 - 8	0.50 - 1.0
(MEDIUM DENSE)		STIFF	8 - 15	1.0 - 2.0
DENSE	30 - 50	VERY STIFF	15 - 30	2.0 - 4.0
VERY DENSE	OVER 50	HARD	OVER 30	OVER 4.0

(a) Soils consisting of gravel, sand, and silt, either separately or in combination possessing no characteristics of plasticity, and exhibiting drained behavior.
(b) Soils possessing the characteristics of plasticity, and exhibiting undrained behavior.
(c) Refer to ASTM D1586 for a definition of N value. $(N_1)_{60}$ is the N value corrected for hammer energy and overburden pressure, and is detailed in ASTM D6066. N values may be affected by a number of factors including: material size, sampler size, hammer weight and type, depth, drilling method, and borehole disturbance. N values are only an approximate guide for cohesive soil and do not apply to frozen soil.
(d) Undrained shear strength, s_u / 2 unconfined compression strength, U_c . Note that Torvane (TV) measures s_u and pocket penetrometer (PP) measures U_c .

SAMPLER ABBREVIATIONS

AR	Air Rotary cuttings	GB	Grab sample (disturbed from surface/test pit)	SC	Soil core (continuous sampler)
AS	Auger Sample, cuttings	LS	LPT sampler (3-in. OD split spoon, 300 or 340-lb hammer)	SS	SPT sampler (2-in. OD, 140-lb hammer)
CS	Chunk/block sample (undisturbed from surface/test pit)	DO	Drive Open (split spoon other than SS or MC)	TO	Thin-walled, open (Shelby tube)
PTLD	Point Load	MS	Modified Shelby tube	TP	Thin-walled, piston
PP	Pocket Penetrometer (Field)	RC	Refusal when driving	WS	Rock core
SA	Sieve Analysis				
SpG	Specific Gravity				
TC	Thaw Consolidation/Strain				
TV	Torvane (Field)				

DESCRIPTIVE TERMINOLOGY FOR PERCENTAGES (ASTM D2488)

DESCRIPTIVE TERMS	RANGE OF PROPORTION
TRACE	0 - 5%
FEW	5 - 10%
LITTLE	10 - 25%
SOME	30 - 45%
MOSTLY	50 - 100%

LABORATORY TEST AND NOTES ABBREVIATIONS / SYMBOLS

Con	Consolidation	PID	Photoionization Detector	TXCD	Triaxial, Consolidated Drained
Dd	Dry Density	PM	Modified Proctor (D1557)	TXCU	Triaxial, Consolidated Undrained
K	Thermal Conductivity	PP	Pocket Penetrometer (Field)	TXUU	Triaxial, Unconsolidated Undrained
MA	Sieve and Hydrometer	PTLD	Point Load	W _L	Liquid Limit (LL)
NP	Non-plastic	SA	Sieve Analysis	W _p	Plastic Limit (PL)
OL	Organic Loss	SpG	Specific Gravity	Ω	Soil Resistivity (Res.)
P200	Passing #200 Sieve (D1140)	TC	Thaw Consolidation/Strain	▽	Water Level
pH	Soil pH	TV	Torvane (Field)	▽	Water Level at time of drilling
PI	Plasticity Index (D4318)				

FROZEN SOIL CLASSIFICATION (ASTM D4083)					ICE BONDING SYMBOLS
2. MODIFY SOIL DESCRIPTION BY DESCRIPTION OF FROZEN SOIL	CLASSIFY SOIL BY THE UNIFIED SOIL CLASSIFICATION SYSTEM				
	MAJOR GROUP		SUBGROUP		
	DESCRIPTION	DESIGNATION	DESCRIPTION	DESIGNATION	
	Segregated ice not visible by eye	N	Poorly bonded of friable	Nf	No ice-bonded soil observed
			Well bonded	Nbn	Poorly bonded or friable
			Excess ice	Nbe	Well bonded
	Segregated ice visible by eye (ice less than 25 mm thick)	V	Individual ice crystals or inclusions	Vx	DEFINITIONS
			Ice coatings on particles	Vc	Candled Ice is ice which has rotted or otherwise formed into long columnar crystals, very loosely bonded together.
			Random or irregularly oriented ice formations	Vr	Clear Ice is transparent and contains only a moderate number of air bubbles.
			Stratified or distinctly oriented ice formations	Vs	Cloudy Ice is translucent, but essentially sound and non-pervious
			Uniformly distributed ice	Vu	Friable denotes a condition in which material is easily broken up under light to moderate pressure.
3. MODIFY SOIL DESCRIPTION BY DESCRIPTION OF SUBSTANTIAL ICE STRATA	Ice greater than 25 mm thick	ICE	Ice with soil inclusions	ICE+soil type	Granular Ice is composed of coarse, more or less equidimensional, ice crystals weakly bonded together.
			Ice without soil inclusions	ICE	Ice Coatings on particles are discernible layers of ice found on or below the larger soil particles in a frozen soil mass. They are sometimes associated with hoarfrost crystals, which have grown into voids produced by the freezing action.
FROST DESIGN SOIL CLASSIFICATION ⁽¹⁾					Ice Crystal is a very small individual ice particle visible in the face of a soil mass. Crystals may be present alone or in a combination with other ice formations.
FROST GROUP	GENERAL SOIL TYPE	% FINER THAN 0.02 mm BY WEIGHT	TYPICAL USCS SOIL CLASS		Ice Inclusions are individual ice masses visible in the face of a soil mass. Inclusions may be present alone or in a combination with other ice formations.
NFS (non-frost susceptible)	(a) Gravels Crushed stone Crushed rock	0 to 1.5	GW, GP		Ice Lenses are lenticular ice formations in soil occurring essentially parallel to each other, generally normal to the direction of heat loss and commonly in repeated layers.
	(b) Sands	0 to 3	SW, SP		Ice Segregation is the growth of ice as distinct lenses, layers, veins and masses in soils, commonly but not always oriented normal to direction of heat loss.
NFS [PFS ⁽³⁾⁽²⁾]	(a) Gravels Crushed stone Crushed rock	1.5 to 3	GW, GP		Massive Ice is a large mass of ice, typically nearly pure and relatively homogeneous.
F1 [S1] ⁽²⁾	Gravelly soils	3 to 6	GW, GP, GW-GM, GP-GM, GW-GC, GP-GC		Poorly-bonded signifies that the soil particles are weakly held together by the ice and that the frozen soil consequently has poor resistance to chipping or breaking.
F1	Gravelly soils	6 to 10	GM, GC, GM-GC, GW-GM, GP-GM, GW-GC, GP-GC		Porous Ice contains numerous voids, usually interconnected and usually resulting from melting at air bubbles or along crystal interfaces from presence of salt or other materials in the water, or from the freezing of saturated snow. Though porous, the mass retains its structural unity.
F2 [PFS ^{(3)/S2]⁽²⁾}	Sandy soils	3 to 6	SW, SP, SW-SM, SP-SM, SW-SC, SP-SC		Thaw-Stable frozen soils do not, on thawing, show loss of strength below normal, long-time thawed values nor produce detrimental settlement.
	(a) Gravelly soils	10 to 20	GW, GP, GW-GM, GP-GM, GW-GC, GP-GC		Thaw-Unstable frozen soils show on thawing, significant loss of strength below normal, long-time thawed values and/or significant settlement, as a direct result of the melting of the excess ice in the soil.
F2	(b) Sands	6 to 15	SM, SW-SM, SP-SM, SC, SW-SC, SP-SC, SM-SC		Well-Bonded signifies that the soil particles are strongly held together by the ice and that the frozen soil possesses relatively high resistance to chipping or breaking.
	(a) Gravelly soils	Over 20	GM, GC, GM-GC		
	(b) Sands, except very fine silty sands	Over 15	SM, SC, SM-SC		
F3	(c) Clays, PI>12	--	CL, CH		
	(a) Silts	--	ML, MH, ML-CL		
	(b) Very fine silty sands	Over 15	SM, SC, SM-SC		
	(c) Clays, PI<12	--	CL, ML-CL		
F4	(d) Varved clays or other fine-grained banded sediments	--	CL or CH layered with ML, MH, ML-CL, SM, SC, or SM-SC		

(1) From Municipality of Anchorage (MOA) Design Criteria Manual (DCM), 2007 and 2014; Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5320-6E; U.S. Army Corps of Engineers (USACE) "Arctic and Subarctic Construction, Runway and Road Design," Technical Manual TM 5-852-3, 1965; and USACE "Military Soils Engineering" Field Manual FM 5-410, 1997

(2) PFS, S1, and S2 frost groups from USACE, EM 1110-3-138, "Pavement Criteria for Seasonal Frost Conditions," April 1984

(3) Possibly frost susceptible, requires lab test for void ratio to determine frost design soil classification. Gravel with void ratio > 0.25 would be NFS; Gravel with void ratio < 0.25 would be S1; Sands with void ratio > 0.30 would be NFS; Sands with void ratio < 0.30 would be S2 or F2


RECORD OF BOREHOLE BH-01


SHEET 1 of 1

PROJECT: ARRC Depot Drive Development
PROJECT NUMBER: 19132189
LOCATION: Anchorage, AK

CLIENT: Alaska Railroad Corporation
DRILLING DATE: 11/14/2019
EQUIPMENT: CME-75, Truck Mount

DATUM: NAD83, AK State Plane Zone 4
ELEVATION: n/a
COORDS: N: 2,638,442 E: 1,659,488






RECORD OF BOREHOLE BH-03A

SHEET 1 of 1

PROJECT: ARRC Depot Drive Development
PROJECT NUMBER: 19132189
LOCATION: Anchorage, AK

CLIENT: Alaska Railroad Corporation
DRILLING DATE: 11/15/2019
EQUIPMENT: CME-75, Truck Mount

DATUM: NAD83, AK State Plane Zone 4
ELEVATION: n/a
COORDS: N: 2,638,481 E: 1,658,822

DEPTH (ft)	BORING METHOD	SOIL PROFILE				SAMPLES				UNCORRECTED BLOWS / FT ■				NOTES TESTS WATER LEVELS																			
		DESCRIPTION	ICE BOND	USCS	GRAPHIC LOG	ELEV.	NUMBER	TYPE	BLOWS per 6 in 340 lb Hammer (Automatic) 30 in. Drop	BLOWS PER FT REC ATT (inch)	SALINITY (ppt) △																						
											10	20	30	40																			
0	3.25-inch ID Hollow Stem Auger	0.0 - 5.0 Compact, moist, brown, SILTY SAND with gravel; fine to coarse-grained sand, some subrounded to subangular gravel up to 1.5 inch diameter, little silt (SMg, F2) [FILL]	SMg		5.0	340 lb Hammer (Automatic) 30 in. Drop	1	LS	5-5-5-6	10	22 24	○	■	PID=13.2 ppm, Gravel =40%, Sand =48%, Fines =12.1%																	
5	5.0 - 7.0 Compact, moist, brown, well-graded GRAVEL with silt and sand; subrounded to subangular gravel up to 2 inch diameter, some fine to coarse-grained sand, few silt (GW-GMs, F1/F2) [FILL]	2					LS	9-7-6-3	13	24 24	○	■	PID=32.3 ppm																		
7	Borehole completed at 7.0 ft.	3					LS	6-6-7-7	13	24 24	○	■	PID=6.6 ppm, Gravel =54%, Sand =38%, Fines =8.4%, MA																		
10	1) No groundwater observed while drilling. 2) 4-inch, open-ended and non-slotted PVC installed to 7 feet below ground surface. 3) Annulus backfilled with cuttings. 4) Borehole completed with 6-inch steel flush mount at surface. 5) Lithology based on nearby Borehole BH-03. 6) PID: Photoionization Detector.																																
15																																	
20																																	
25																																	
30																																	
DEPTH SCALE: 1 inch to 3.75 feet DRILLING CONTRACTOR: Discovery Drilling Inc. DRILLER: D. Banzhof																																	
LOGGED: R. Sanders CHECKED: T. Ross CHECK DATE: 12/4/2019																																	


RECORD OF BOREHOLE BH-03B

SHEET 1 of 1

PROJECT: ARRC Depot Drive Development
PROJECT NUMBER: 19132189
LOCATION: Anchorage, AK

CLIENT: Alaska Railroad Corporation
DRILLING DATE: 11/15/2019
EQUIPMENT: CME-75, Truck Mount

DATUM: NAD83, AK State Plane Zone 4
ELEVATION: n/a
COORDS: N: 2,638,482 E: 1,658,818



APPENDIX B

Geotechnical Laboratory Testing


TABLE B-1: SAMPLE SUMMARY

Client:	Alaska Railroad Corporation								Project No.:	19132189								
Project:	ARRC Depot Drive Development																	
Location:	Anchorage, AK								Reviewed By:	J. Karp								
SAMPLING DATA												CLASSIFICATION AND INDEX TEST RESULTS						
SAMPLE LOCATION	SAMPLE NUMBER	DEPTH (ft)		RECOVERY (%)	SAMPLE TYPE	BLOWS PER FOOT	NATURAL MOISTURE CONTENT (%)	LIQUID LIMIT (LL) (%)	PLASTIC LIMIT (PL) (%)	PLASTICITY INDEX (PI) (%)	GRADATION (%)		ORGANIC CONTENT (%)	AMOUNT FINER THAN 0.02 mm (%)	FROST CLASSIFICATION	PID HEADSPACE (ppm)	DESCRIPTION (USCS)	TESTS / OTHER TESTS
		TOP	BOTTOM								GRAVEL	SAND						
1/22/2020 LIBRARY-ANC(11-22-19)GLB (ANC SAMPLE SUMMARY) RSanders	BH-01	1	0.0	2.0	100	LS	19	10								1		
	BH-01	2	2.0	4.0	75	LS	13	4			60	35	4.9		NFS	1.1	GPs	
	BH-01	3	5.0	7.0	100	LS	23	6			48	40	12.0		F1/F2	0.6	GMs	
	BH-01	4A	7.5	8.5	75	LS	4	8			31	53	16.2		F2/F3	1.5	SMg	
	BH-01	4B	8.5	9.5				58								0.9		
	BH-01	5	10.0	12.0	100	LS	5	20								0.2		
	BH-01	6	15.0	17.0	100	LS	6	19								0.7		
	BH-01	7A	20.0	21.2	100	LS	10	20								1.1		
	BH-01	7B	21.2	22.0				24								0.8		
	BH-02	1	0.0	2.0	100	LS	46	3								10.5		
	BH-02	2	2.0	4.0	100	LS	55	5			30	56	13.6		F2	2	SMg	
	BH-02	3A	5.0	6.0	100	LS	11	15					6			2.1		
	BH-02	3B	6.0	7.0				7			44	47	9.1		6.8	F2	0.7 SP-SMg MA	
	BH-02	4A	7.5	8.5	100	LS	23	21								1.5		
	BH-02	4B	8.5	9.5												43		
	BH-02	5	10.0	12.0	100	LS	27									100		
	BH-02	6	15.0	17.0	100	LS	5	28								0.8		
	BH-03A	1	0.0	2.0	92	LS	10	6			40	48	12.1		F2	13.2	SMg	
	BH-03A	2	2.0	4.0	100	LS	13	4								32.3		
	BH-03A	3	5.0	7.0	100	LS	13	6			54	38	8.4		7.6	F1/F2	6.6 GW-GMs MA	
	BH-03B	1	0.0	2.0	92	LS	10	6			40	48	12.1		F2	13.2	SMg	
	BH-03B	2	2.0	4.0	100	LS	13	4								32.3		
	BH-03B	3	5.0	7.0	100	LS	13	6			54	38	8.4		7.6	F1/F2	6.6 GW-GMs MA	
	BH-03B	4	8.0	10.0	25	LS	8	22								9.3		
	BH-03B	5	13.0	15.0	100	LS	21	9								8.6		

FIGURE B-1: SUMMARY OF PARTICLE SIZE DISTRIBUTION RESULTS

 Reference(s)
 ASTM C136, D422,
 D7928 and D6913

Client: Alaska Railroad Corporation	Location: Anchorage, AK	
Project: ARRC Depot Drive Development	Project No.: 19132189	Reviewed By: J. Karp Date: 11/26/2019



Sample Location	●	☒	▲
Sample #	BH-02	BH-03A	BH-03B
Depth (ft)	6.0	5.0	5.0
Total Sample (g)	1163.7	2754.0	2754.0
MC (%)	6.8	5.5	5.5
LL			
PI			
% Passing Sieve (interpolated if not measured)	3"	100	100
	2"	97	97
	1.5"	100	83
	1"	87	77
	3/4"	78	67
	1/2"	72	60
	3/8"	56	46
	#4	45	31
	#10	37	23
	#20	23	17
	#40	13	12
	#60	10	10
	#100	10	9
	#140	9	9
	#200	8	8
% <0.02 mm	7	8	8
% Gravel	44	54	54
% Sand	47	38	38
% Fines	9	8	8
D100	25	50	50
D60	5.61	9.55	9.55
D50	2.88	5.7	5.7
D30	0.6	1.76	1.76
D10	0.12	0.14	0.14
Cc	0.5	2.2	2.2
Cu	46.3	66.3	66.3
USCS Classification	poorly graded sand with silt and gravel (SP-SMg)	well-graded gravel with silt and sand (GW-GMs)	well-graded gravel with silt and sand (GW-GMs)

APPENDIX C

**Historic Soil Borings from MOA GIS
Database**




Sign In

[ArcGIS Hub](#) [Learn More](#) [Gallery](#)

Soil Boring Map


Last updated 2 months ago




Municipality of Anchorage, DigitalGlobe, Fed GIS, GeoEye, Microsoft | Matanuska-Susitna Borough GIS, Municipal... Powered by Esri

[Esri.com](#)[Blog](#)[Documentation](#)[Privacy Policy](#)[Contact Us](#)

D. A133




BORING NO. A133 (CONTINUED)



1231-C

BORING NO. A1007



1229-B

For complete report see
Shannon & Wilson Report
Report Drawer A

LEGEND

Shear strength:	
Lub vane	Standard penetration resistance ▲
A hole □	Liquid limit
B hole □	Natural water content
Supplementary Notes □	Plastic limit
Field vane □	Sensitivity less than 10 L
Tube vane □	Penetrometer tip □
Pocket penetrometer □	Water table □

SHANNON & WILSON, INC.
SOIL MECHANICS AND FOUNDATION ENGINEERS
SEATTLE, WASHINGTON

ANCHORAGE AREA SOILS STUDIES

LOGS FOR BORINGS A133 & A1007



PHUKAN CONSULTING ENGINEERS & ASSOCIATES, INC.

Civil • Geotechnical • Surveying • Environmental

2702 Gambell, Suite 201, Anchorage, AK, 99503
Tele: (907) 272-7111 Fax: (907) 277-3177

PROJECT:- Coastal Trail Northern Extension

LOCATION:- West 1st Avenue and Christensen Drive


W.O.: - 97304.1

DATE: 11/12/97
BORING NO.: 2


TOP ELEV.: - N/A

SOIL DESCRIPTION

COMMENTS:



PER CENT FINER BY WEIGHT



SAMPLE NO.	DEPTH-FT.	U.S.C.	CLASSIFICATION	NAT. W.C. %	LL	PL	PI	CBD-1 Sanitary Sewer Trunk Phase III Anchorage, Alaska		
								GRAIN SIZE CLASSIFICATION		
31, S2	4.0-5.5	SM-SC	• Medium dense, dark brown, slightly silty, gravelly SAND	12.5						
35, S1	5.0-6.5	SP-SM	△ Medium dense, brown, slightly silty, gravelly SAND	4.3						
35, S3	12.5-14.0	SP	■ Dense, brown-black, clean, gravelly SAND	10.6				SEPT 1983		A-126

PROJECT: MOA-Christensen Dr.

RECORD OF BOREHOLE BH-4

SHEET: 1 OF 2



PROJECT LOCATION: Anchorage, AK

BORING DATE: 12/22/95

DATUM: Ground Surface

PROJECT NUMBER: 953-5254x020

BORING LOCATION: See Figure 2

DEPTH SCALE FEET	BORING METHOD	SOIL PROFILE				SAMPLES				PENETRATION RESISTANCE BLOWS/FT ■				PIEZOMETER OR STANDPIPE INSTALLATION	
		DESCRIPTION	ICE BOND GRAPHIC LOG	ELEV	DEPTH	NUMBER	TYPE	BLOWS / 6 in	N	REC/ATT	10	20	30	40	
				DEPTH							Wp	W	Wt		
0		Frozen and becoming thawed and compact to loose below 3 ft, brown, well-graded sand with silt and gravel. Gravel is subround to 1 in. diam. Trace organics includes brown leaves to 6.5 ft; organic odor to 11.5 ft. (SW-SM, Nbn, F2)		0.0		1	B	N/A	-	-	■	O			Slotted PVC Bentonite
5						2	HD	6,11,14	25	6/18		O	■		
10						3	HD	3,8,8	14	6/18		O	■		Cuttings
15		Firm, gray, lean clay. (CL, F3) Some brown medium-fine sand intermixed with gray, lean clay at top of unit.		15.0		5	HD	4,4,4	8	12/18	■	O			
20															

CONTINUED ON NEXT PAGE

DRILL RIG: Mobile B-81

DRILLING CONTRACTOR: Denali Drilling

DRILLER: Ryan Ralston

Figure 8
Golder Associates

LOGGED: G. Eberle
CHECKED: M. M. Sirk
DATE: 1-10-76

PROJECT: MOA-Christensen Dr.
 PROJECT LOCATION: Anchorage, AK
 PROJECT NUMBER: 953-5254x020

RECORD OF BOREHOLE BH-4

BORING DATE: 12/22/95

BORING LOCATION: See Figure 2

SHEET: 2 OF 2
DATUM: Ground Surface

DEPTH SCALE FEET	BORING METHOD	SOIL PROFILE			SAMPLES				PENETRATION RESISTANCE BLOWS/FT				PIEZOMETER OR STANDPIPE INSTALLATION	
		ICE BOND	GRAPHIC LOG	ELEV DEPTH	NUMBER	TYPE	BLOWS / 6 in	N	REC/ATT	10	20	30	40	
- 20					8	HD	4,3,4	7	18/18	■	O			Cuttings 1130 h 1/4/96
- 25	4.25 In. ID HSA				7	HD	2,5,3	8	18/18	■	O			Sandpack
- 30					8	HD	2,2,2	4	18/18	■	O			
- 35				31.5										
- 40														

DRILL RIG: Mobile B-81
 DRILLING CONTRACTOR: Denali Drilling
 DRILLER: Ryan Ralston

Figure 8 (Continued)
 Golder Associates

LOGGED: G. Eberle
 CHECKED: M. M. Sizel
 DATE: 1-10-96

PROJECT: MOA-Christensen Dr.
 PROJECT LOCATION: Anchorage, AK
 PROJECT NUMBER: 953-5254x020

RECORD OF BOREHOLE BH-6

BORING DATE: 12/22/95

BORING LOCATION: See Figure 2

SHEET: 1 OF 1
DATUM: Ground Surface


DEPTH SCALE FEET	BORING METHOD	SOIL PROFILE		SAMPLES				PENETRATION RESISTANCE BLOWS/FT				PIEZOMETER OR STANDPIPE INSTALLATION	
		DESCRIPTION		ICE BOND	GRAPHIC LOG	ELEV	DEPTH	NUMBER	TYPE	BLOWS / 6 in	N	REC/ATT	
0		Black Asphalt Concrete				0.0							
		Frozen, brown, silty sand with gravel. Gravel is subround to 0.75 in. diam. (SM, Nbn, F2) (Fill)				0.3		1	B	N/A	-	-	O
5		Compact, brown to reddish-brown, medium-fine, poorly graded sand. (SP, F2)				4.0							O
10		Firm, mottled gray to light brown, lean clay. (CL, F3)				8.5							O
15		Compact, gray, fine silty sand. (SM, F4)				13.0							O
20		BOH @ 17.0 ft at 1255 hours. No water encountered while drilling.				18.5							

DRILL RIG: Mobile B-81
 DRILLING CONTRACTOR: Denali Drilling
 DRILLER: Ryan Ralston

Figure 10
 Golder Associates

LOGGED: G. Eberle
 CHECKED: M. MUSICK
 DATE: 1-8-96


RING NO. A124



BORING NO. A124 (CONTINUED)


1230-C

BORING NO. A1005



1230-A

BORING NO. A1006



1230-C

LEGEND

- Shear strength:
- L60 hole □
- A hole □
- B hole □
- Supplementary holes ○
- Fold vane □
- Tube vane □
- Pocket penetrometer $\frac{1}{2}$ □
- Water table ▲

For complete information
see Shannon & Wilson
Report Drawer 19.

SHANNON & WILSON, INC.
SOIL MECHANICS AND FOUNDATION ENGINEERS
SEATTLE, WASHINGTON

ANCHORAGE AREA SOILS STUDIES

LOGS FOR BORINGS - A124, A1005 & A1006

APPENDIX D

Site Photographs

Project Title: ARRC Depot Drive Development**PHOTO 1**


Truck-mounted CME-75 in typical drilling set-up in Depot Drive at Borehole BH-03. Viewed northeast.

**PHOTO 2**

Representative sample of fill material (silty sand with gravel) observed in Borehole BH-02 from 2 to 4 feet bgs (Sample 2).



Project Title: ARRC Depot Drive Development

PHOTO 3 Surface sample taken at approximate proposed Borehole BH-03 (not advanced).	
PHOTO 4 Location of surface sample at approximate proposed Borehole BH-03 (not advanced). Viewed east.	

Project Title: ARRC Depot Drive Development**PHOTO 5**

Typical borehole completion with 6-inch flush mount at ground surface.



APPENDIX E

Analytical Testing Results

Table E-1: Analytical Laboratory Results Summary

Boreholes BH-01, BH-02, and BH-03A - ARRC Depot Drive Development

Golder Sample Id:				BH-01	BH-02	BH-03A	BH-03A-1	PW7-25-11
Lab Sample Id:				1196897001	1196897002	1196897003	1196897004	1196897009
Borehole / Sample Location:				BH-01	BH-02	BH-03A	BH-03A	Trip Blank
Depth Interval (ft bgs):				2 - 4	0 - 2	0 - 4	0 - 4	--
Analysis Method	Analyte	Unit	ADEC Cleanup Level ¹	Result	Result	Result	Result	Result
AK101	GRO	mg/kg	300	2.67	0.987J	ND	ND	ND
AK102	DRO	mg/kg	250	64.3J	205	18.4J	23.1	ND
AK103	RRO	mg/kg	11,000	481	2020	27.4	39.6	ND
SW6020A	Lead	mg/kg	400	--	--	--	--	--
SW6020A ⁽²⁾	Lead	mg/L	--	--	--	--	--	--
SW8082A	Aroclor-1260	µg/kg	1,000	--	--	--	--	--
SW8260C	1,2,4-Trimethylbenzene	µg/kg	610	79.3	19.6J	ND	ND	ND
SW8260C	1,3,5-Trimethylbenzene	µg/kg	660	12.2J	ND	ND	ND	ND
SW8260C	4-Isopropyltoluene	µg/kg	--	49.8J	ND	ND	ND	ND
SW8260C	Acetone	µg/kg	38,000	ND	ND	ND	ND	ND
SW8260C	Benzene	µg/kg	22	18.5	4.09J	ND	ND	ND
SW8260C	Ethylbenzene	µg/kg	130	37.9	8.19J	ND	ND	ND
SW8260C	Isopropylbenzene	µg/kg	5,600	12.4J	ND	ND	ND	ND
SW8260C	Naphthalene	µg/kg	38	93.3	29.3	ND	ND	ND
SW8260C	n-Propylbenzene	µg/kg	9,100	8.63J	ND	ND	ND	ND
SW8260C	o-Xylene	µg/kg	1,500	107	23.7	ND	ND	ND
SW8260C	P & M -Xylene	µg/kg	1,500	186	40.9J	ND	ND	ND
SW8260C	sec-Butylbenzene	µg/kg	28,000	ND	ND	ND	ND	ND
SW8260C	Toluene	µg/kg	6,700	139	26.3	ND	ND	ND
SW8260C	Xylenes (total)	µg/kg	1,500	293	64.6	ND	ND	ND
SW8270D	Fluorene	µg/kg	36,000	ND	ND	ND	ND	ND
SW8270D	Phenanthrene	µg/kg	39,000	ND	ND	ND	ND	ND
SW8270D	Pyrene	µg/kg	87,000	ND	ND	ND	ND	ND

Notes:

-- = Not analyzed

Red Values exceed the cleanup level

U - Not detected at concentrations above the limit of detection (LOD)

J - Value is an estimation because detected below limit of quantitation (LOQ)

GRO, DRO, and RRO results in mg/kg (milligrams per kilogram) and VOC results in µg/kg (micrograms per kilogram).

⁽¹⁾ Tables B1 and B2. Method Two, Under 40-inch Zone, Migration to Groundwater Cleanup Level "18AAC75, Oil and Other Hazardous Substances Pollution Control," ADEC, as amended through January 2019.⁽²⁾ Maximum theoretical leachate concentration in accordance with USEPA Memotandum #36, "Total Analysis vs. TCLP," dated January 12, 1995. Analyte compounds where results were not detected above the detection limit in any of the samples are not listed in the table for brevity.

Laboratory Report of Analysis

To: Golder Associates Inc.
2121 Abbott Road, #100
Anchorage, AK 99507
(907)344-6001

Report Number: **1196897**

Client Project: **ARRC DEPOT DR. Drilling Sample**

Dear Chris Valentine,

Enclosed are the results of the analytical services performed under the referenced project for the received samples and associated QC as applicable. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of ten years in the event they are required for future reference. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. Any samples submitted to our laboratory will be retained for a maximum of fourteen (14) days from the date of this report unless other archiving requirements were included in the quote.

If there are any questions about the report or services performed during this project, please call Justin at (907) 562-2343. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS North America Inc. for your analytical services. We look forward to working with you again on any additional analytical needs.

Sincerely,
SGS North America Inc.

Justin Nelson Date
Project Manager
Justin.Nelson@sgs.com

Case Narrative

SGS Client: **Golder Associates Inc.**

SGS Project: **1196897**

Project Name/Site: **ARRC DEPOT DR. Drilling Sample**

Project Contact: **Chris Valentine**

Refer to sample receipt form for information on sample condition.

BH-01 (1196897001) PS

8270D - The LOQs are elevated due to sample dilution. The sample was analyzed at a dilution due to matrix interference with internal standards.

LCS for HBN 1802587 [XXX/42629 (1545011) LCS

8270D - LCS recovery for 2,4-dinitrophenol does not meet QC criteria. The associated sample concentrations for this analyte are less than the LOQ.

8270D - LCS recovery for aniline does not meet QC criteria.

1196897001MS (1544068) MS

8260C - MS recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MS (1545012) MS

8270D - MS recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

1196897001MSD (1544069) MSD

8260C - MSD recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MSD (1545013) MSD

8270D - MSD recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

8270D - MSD RPD for 4-chloroaniline does not meet QC criteria. Results for this analyte are less than the LOQ in the parent sample.

Report of Manual Integrations

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Analytical Batch</u>	<u>Analyte</u>	<u>Reason</u>
SW8082A				
1545125	LCS for HBN 1802613 [XXX/42632	XGC10544	Aroclor-1016	BLC, SP
1545127	1196876010MSD	XGC10544	Aroclor-1016	SP
SW8260C				
1196897005	BH-04	VMS19671	4-Isopropyltoluene	SP
1196897005	BH-04	VMS19671	Naphthalene	SP
SW8270D				
1545011	LCS for HBN 1802587 [XXX/42629	XMS11885	1-Chloronaphthalene	SP
1545012	1196867001MS	XMS11889	1-Chloronaphthalene	SP
1545013	1196867001MSD	XMS11889	1,4-Dichlorobenzene	RP
1545013	1196867001MSD	XMS11889	1-Chloronaphthalene	SP

Manual Integration Reason Code Descriptions

Code	Description
O	Original Chromatogram
M	Modified Chromatogram
SS	Skimmed surrogate
BLG	Closed baseline gap
RP	Reassign peak name
PIR	Pattern integration required
IT	Included tail
SP	Split peak
RSP	Removed split peak
FPS	Forced peak start/stop
BLC	Baseline correction
PNF	Peak not found by software

All DRO/RRO analysis are integrated per SOP.

Laboratory Qualifiers

Enclosed are the analytical results associated with the above work order. The results apply to the samples as received. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. This document is issued by the Company under its General Conditions of Service accessible at <<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS maintains a formal Quality Assurance/Quality Control (QA/QC) program. A copy of our Quality Assurance Plan (QAP), which outlines this program, is available at your request. The laboratory certification numbers are AK00971 (DW Chemistry & Microbiology) & 17-021 (CS) for ADEC and 2944.01 for DOD ELAP/ISO17025 (RCRA methods: 1020B, 1311, 3010A, 3050B, 3520C, 3550C, 5030B, 5035A, 6020A, 7470A, 7471B, 8015C, 8021B, 8082A, 8260C, 8270D, 8270D-SIM, 9040C, 9045D, 9056A, 9060A, AK101 and AK102/103). SGS is only certified for the analytes listed on our Drinking Water Certification (DW methods: 200.8, 2130B, 2320B, 2510B, 300.0, 4500-CN-C,E, 4500-H-B, 4500-NO3-F, 4500-P-E and 524.2) and only those analytes will be reported to the State of Alaska for compliance. Except as specifically noted, all statements and data in this report are in conformance to the provisions set forth by the SGS QAP and, when applicable, other regulatory authorities.

The following descriptors or qualifiers may be found in your report:

*	The analyte has exceeded allowable regulatory or control limits.
!	Surrogate out of control limits.
B	Indicates the analyte is found in a blank associated with the sample.
CCV/CVA/CVB	Continuing Calibration Verification
CCCV/CVC/CVCA/CVCB	Closing Continuing Calibration Verification
CL	Control Limit
DF	Analytical Dilution Factor
DL	Detection Limit (i.e., maximum method detection limit)
E	The analyte result is above the calibrated range.
GT	Greater Than
IB	Instrument Blank
ICV	Initial Calibration Verification
J	The quantitation is an estimation.
LCS(D)	Laboratory Control Spike (Duplicate)
LLQC/LLIQC	Low Level Quantitation Check
LOD	Limit of Detection (i.e., 1/2 of the LOQ)
LOQ	Limit of Quantitation (i.e., reporting or practical quantitation limit)
LT	Less Than
MB	Method Blank
MS(D)	Matrix Spike (Duplicate)
ND	Indicates the analyte is not detected.
RPD	Relative Percent Difference
U	Indicates the analyte was analyzed for but not detected.

Note: Sample summaries which include a result for "Total Solids" have already been adjusted for moisture content. All DRO/RRO analyses are integrated per SOP.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
BH-01	1196897001	11/14/2019	11/15/2019	Soil/Solid (dry weight)

<u>Method</u>	<u>Method Description</u>
AK102	Diesel/Residual Range Organics
AK103	Diesel/Residual Range Organics
AK101	Gasoline Range Organics (S)
SW6020A	Metals by ICP-MS (S)
SM21 2540G	Percent Solids SM2540G
SW8082A	SW8082 PCB's
SW8270D	SW846 8270 Semi-Volatiles by GC/MS (S)
SW8260C	VOC 8260 (S) Field Extracted

Print Date: 12/13/2019 3:40:09PM

SGS North America Inc.

200 West Potter Drive, Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-01

Client Sample ID: **BH-01**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897001
Lab Project ID: 1196897

Collection Date: 11/14/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.2
Location:

Results by Semivolatile Organic Fuels

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Diesel Range Organics	64.3 J	84.0	26.0	mg/Kg	4		11/21/19 18:58

Surrogates

5a Androstane (surr)	100	50-150	%	4	11/21/19 18:58
----------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Analyst: DSD
Analytical Date/Time: 11/21/19 18:58
Container ID: 1196897001-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.011 g
Prep Extract Vol: 5 mL

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Residual Range Organics	481	84.0	26.0	mg/Kg	4		11/21/19 18:58

Surrogates

n-Triacontane-d62 (surr)	97.4	50-150	%	4	11/21/19 18:58
--------------------------	------	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Analyst: DSD
Analytical Date/Time: 11/21/19 18:58
Container ID: 1196897001-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.011 g
Prep Extract Vol: 5 mL

Results of **BH-01**

Client Sample ID: **BH-01**

Client Project ID: **ARRC DEPOT DR. Drilling Sample**

Lab Sample ID: 1196897001

Lab Project ID: 1196897

Collection Date: 11/14/19 09:15

Received Date: 11/15/19 16:00

Matrix: Soil/Solid (dry weight)

Solids (%):95.2

Location:

Results by **Semivolatile Organics GC/MS**

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
1,2,4-Trichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
1,2-Dichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
1,3-Dichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
1,4-Dichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
1-Chloronaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
1-Methylnaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,4,5-Trichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,4,6-Trichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,4-Dichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,4-Dimethylphenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,4-Dinitrophenol	1.56 U	3.12	0.979	mg/Kg	1		12/09/19 20:10
2,4-Dinitrotoluene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,6-Dichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2,6-Dinitrotoluene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2-Chloronaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2-Chlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2-Methyl-4,6-dinitrophenol	5.20 U	10.4	3.23	mg/Kg	5		12/11/19 16:45
2-Methylnaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2-Methylphenol (o-Cresol)	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2-Nitroaniline	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
2-Nitrophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
3&4-Methylphenol (p&m-Cresol)	0.520 U	1.04	0.323	mg/Kg	1		12/09/19 20:10
3,3-Dichlorobenzidine	1.30 U	2.60	0.781	mg/Kg	5		12/11/19 16:45
3-Nitroaniline	0.261 U	0.521	0.156	mg/Kg	1		12/09/19 20:10
4-Bromophenyl-phenylether	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
4-Chloro-3-methylphenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
4-Chloroaniline	0.520 U	1.04	0.323	mg/Kg	1		12/09/19 20:10
4-Chlorophenyl-phenylether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
4-Nitroaniline	1.56 U	3.12	0.979	mg/Kg	1		12/09/19 20:10
4-Nitrophenol	1.04 U	2.08	0.646	mg/Kg	1		12/09/19 20:10
Acenaphthene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Acenaphthylene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Aniline	1.04 U	2.08	0.646	mg/Kg	1		12/09/19 20:10
Anthracene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Azobenzene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Benzo(a)Anthracene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Benzo[a]pyrene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-01

Client Sample ID: **BH-01**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897001
Lab Project ID: 1196897

Collection Date: 11/14/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.2
Location:

Results by Semivolatile Organics GC/MS

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Benzo[b]Fluoranthene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Benzo[g,h,i]perylene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Benzo[k]fluoranthene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Benzoic acid	0.780 U	1.56	0.489	mg/Kg	1		12/09/19 20:10
Benzyl alcohol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Bis(2chloro1methylethyl)Ether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Bis(2-Chloroethoxy)methane	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Bis(2-Chloroethyl)ether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
bis(2-Ethylhexyl)phthalate	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Butylbenzylphthalate	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Carbazole	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Chrysene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Dibenzo[a,h]anthracene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Dibenzofuran	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Diethylphthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Dimethylphthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Di-n-butylphthalate	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
di-n-Octylphthalate	1.30 U	2.60	0.781	mg/Kg	5		12/11/19 16:45
Fluoranthene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Fluorene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Hexachlorobenzene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Hexachlorobutadiene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Hexachlorocyclopentadiene	0.364 U	0.729	0.208	mg/Kg	1		12/09/19 20:10
Hexachloroethane	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Indeno[1,2,3-c,d] pyrene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Isophorone	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Naphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Nitrobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
N-Nitrosodimethylamine	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
N-Nitroso-di-n-propylamine	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
N-Nitrosodiphenylamine	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Pentachlorophenol	5.20 U	10.4	3.23	mg/Kg	5		12/11/19 16:45
Phenanthrene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45
Phenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 20:10
Pyrene	0.650 U	1.30	0.406	mg/Kg	5		12/11/19 16:45

Surrogates

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-01

Client Sample ID: **BH-01**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897001
Lab Project ID: 1196897

Collection Date: 11/14/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.2
Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
2,4,6-Tribromophenol (surr)	85.8	35-125		%	5		12/11/19 16:45
2-Fluorobiphenyl (surr)	95.5	44-115		%	1		12/09/19 20:10
2-Fluorophenol (surr)	68.4	35-115		%	1		12/09/19 20:10
Nitrobenzene-d5 (surr)	74.9	37-122		%	1		12/09/19 20:10
Phenol-d6 (surr)	75.4	33-122		%	1		12/09/19 20:10
Terphenyl-d14 (surr)	89.1	54-127		%	5		12/11/19 16:45

Batch Information

Analytical Batch: XMS11889
Analytical Method: SW8270D
Analyst: JMG
Analytical Date/Time: 12/11/19 16:45
Container ID: 1196897001-A

Prep Batch: XXX42629
Prep Method: SW3550C
Prep Date/Time: 11/26/19 14:52
Prep Initial Wt./Vol.: 22.705 g
Prep Extract Vol: 1 mL

Analytical Batch: XMS11885
Analytical Method: SW8270D
Analyst: JMG
Analytical Date/Time: 12/09/19 20:10
Container ID: 1196897001-A

Prep Batch: XXX42629
Prep Method: SW3550C
Prep Date/Time: 11/26/19 14:52
Prep Initial Wt./Vol.: 22.705 g
Prep Extract Vol: 1 mL

Results of BH-01

Client Sample ID: **BH-01**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897001
Lab Project ID: 1196897

Collection Date: 11/14/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.2
Location:

Results by Volatile Fuels

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Gasoline Range Organics	2.67	2.01	0.602	mg/Kg	1		11/18/19 19:47

Surrogates

4-Bromofluorobenzene (surr)	93	50-150	%	1	11/18/19 19:47
-----------------------------	----	--------	---	---	----------------

Batch Information

Analytical Batch: VFC15044
Analytical Method: AK101
Analyst: ST
Analytical Date/Time: 11/18/19 19:47
Container ID: 1196897001-B

Prep Batch: VXX35268
Prep Method: SW5035A
Prep Date/Time: 11/14/19 09:15
Prep Initial Wt./Vol.: 74.927 g
Prep Extract Vol: 28.6196 mL

Results of **BH-01**

Client Sample ID: **BH-01**

Client Project ID: **ARRC DEPOT DR. Drilling Sample**

Lab Sample ID: 1196897001

Lab Project ID: 1196897

Collection Date: 11/14/19 09:15

Received Date: 11/15/19 16:00

Matrix: Soil/Solid (dry weight)

Solids (%):95.2

Location:

Results by **Volatile GC/MS**

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	8.05 U	16.1	4.98	ug/Kg	1		11/16/19 19:22
1,1,1-Trichloroethane	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,1,2,2-Tetrachloroethane	0.805 U	1.61	0.498	ug/Kg	1		11/16/19 19:22
1,1,2-Trichloroethane	0.321 U	0.642	0.201	ug/Kg	1		11/16/19 19:22
1,1-Dichloroethane	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,1-Dichloroethene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,1-Dichloropropene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,2,3-Trichlorobenzene	20.1 U	40.1	12.0	ug/Kg	1		11/16/19 19:22
1,2,3-Trichloropropane	0.805 U	1.61	0.498	ug/Kg	1		11/16/19 19:22
1,2,4-Trichlorobenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,2,4-Trimethylbenzene	79.3	40.1	12.0	ug/Kg	1		11/16/19 19:22
1,2-Dibromo-3-chloropropane	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
1,2-Dibromoethane	0.402 U	0.803	0.249	ug/Kg	1		11/16/19 19:22
1,2-Dichlorobenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,2-Dichloroethane	0.805 U	1.61	0.498	ug/Kg	1		11/16/19 19:22
1,2-Dichloropropene	4.01 U	8.03	2.49	ug/Kg	1		11/16/19 19:22
1,3,5-Trimethylbenzene	12.2 J	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,3-Dichlorobenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
1,3-Dichloropropane	4.01 U	8.03	2.49	ug/Kg	1		11/16/19 19:22
1,4-Dichlorobenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
2,2-Dichloropropene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
2-Butanone (MEK)	101 U	201	62.6	ug/Kg	1		11/16/19 19:22
2-Chlorotoluene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
2-Hexanone	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
4-Chlorotoluene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
4-Isopropyltoluene	49.8 J	80.3	20.1	ug/Kg	1		11/16/19 19:22
4-Methyl-2-pentanone (MIBK)	101 U	201	62.6	ug/Kg	1		11/16/19 19:22
Acetone	101 U	201	62.6	ug/Kg	1		11/16/19 19:22
Benzene	18.5	10.0	3.13	ug/Kg	1		11/16/19 19:22
Bromobenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
Bromochloromethane	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
Bromodichloromethane	0.805 U	1.61	0.498	ug/Kg	1		11/16/19 19:22
Bromoform	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
Bromomethane	8.05 U	16.1	4.98	ug/Kg	1		11/16/19 19:22
Carbon disulfide	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
Carbon tetrachloride	5.00 U	10.0	3.13	ug/Kg	1		11/16/19 19:22
Chlorobenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-01

Client Sample ID: **BH-01**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897001
 Lab Project ID: 1196897

Collection Date: 11/14/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.2
 Location:

Results by Volatile GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Chloroethane	80.5 U	161	49.8	ug/Kg	1		11/16/19 19:22
Chloroform	0.805 U	1.61	0.498	ug/Kg	1		11/16/19 19:22
Chloromethane	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
cis-1,2-Dichloroethene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
cis-1,3-Dichloropropene	5.00 U	10.0	3.13	ug/Kg	1		11/16/19 19:22
Dibromochloromethane	0.805 U	1.61	0.498	ug/Kg	1		11/16/19 19:22
Dibromomethane	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
Dichlorodifluoromethane	20.1 U	40.1	12.0	ug/Kg	1		11/16/19 19:22
Ethylbenzene	37.9	20.1	6.26	ug/Kg	1		11/16/19 19:22
Freon-113	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
Hexachlorobutadiene	8.05 U	16.1	4.98	ug/Kg	1		11/16/19 19:22
Isopropylbenzene (Cumene)	12.4 J	20.1	6.26	ug/Kg	1		11/16/19 19:22
Methylene chloride	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
Methyl-t-butyl ether	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
Naphthalene	93.3	20.1	6.26	ug/Kg	1		11/16/19 19:22
n-Butylbenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
n-Propylbenzene	8.63 J	20.1	6.26	ug/Kg	1		11/16/19 19:22
o-Xylene	107	20.1	6.26	ug/Kg	1		11/16/19 19:22
P & M -Xylene	186	40.1	12.0	ug/Kg	1		11/16/19 19:22
sec-Butylbenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
Styrene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
tert-Butylbenzene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
Tetrachloroethene	5.00 U	10.0	3.13	ug/Kg	1		11/16/19 19:22
Toluene	139	20.1	6.26	ug/Kg	1		11/16/19 19:22
trans-1,2-Dichloroethene	10.1 U	20.1	6.26	ug/Kg	1		11/16/19 19:22
trans-1,3-Dichloropropene	5.00 U	10.0	3.13	ug/Kg	1		11/16/19 19:22
Trichloroethene	2.00 U	4.01	1.20	ug/Kg	1		11/16/19 19:22
Trichlorofluoromethane	20.1 U	40.1	12.0	ug/Kg	1		11/16/19 19:22
Vinyl acetate	40.1 U	80.3	24.9	ug/Kg	1		11/16/19 19:22
Vinyl chloride	0.321 U	0.642	0.201	ug/Kg	1		11/16/19 19:22
Xylenes (total)	293	60.2	18.3	ug/Kg	1		11/16/19 19:22
Surrogates							
1,2-Dichloroethane-D4 (surr)	102	71-136	%	1			11/16/19 19:22
4-Bromofluorobenzene (surr)	84.6	55-151	%	1			11/16/19 19:22
Toluene-d8 (surr)	98.5	85-116	%	1			11/16/19 19:22

Results of BH-01

Client Sample ID: **BH-01**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897001
Lab Project ID: 1196897

Collection Date: 11/14/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.2
Location:

Results by Volatile GC/MS**Batch Information**

Analytical Batch: VMS19671
Analytical Method: SW8260C
Analyst: KAJ
Analytical Date/Time: 11/16/19 19:22
Container ID: 1196897001-B

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/14/19 09:15
Prep Initial Wt./Vol.: 74.927 g
Prep Extract Vol: 28.6196 mL

Method Blank

Blank ID: MB for HBN 1802379 [MXX/33000]
Blank Lab ID: 1544246

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW6020A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Lead	0.100U	0.200	0.0620	mg/Kg

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:44:07PM

Prep Batch: MXX33000
Prep Method: SW3050B
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1 g
Prep Extract Vol: 50 mL

Print Date: 12/13/2019 3:40:17PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [MXX33000]

Blank Spike Lab ID: 1544247

Date Analyzed: 11/21/2019 18:48

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW6020A

Blank Spike (mg/Kg)

Parameter	Spike	Result	Rec (%)	CL
Lead	50	51.8	104	(84-118)

Batch Information

Analytical Batch: MMS10690

Prep Batch: MXX33000

Analytical Method: SW6020A

Prep Method: SW3050B

Instrument: Perkin Elmer Nexlon P5

Prep Date/Time: 11/20/2019 11:25

Analyst: DMM

Spike Init Wt./Vol.: 50 mg/Kg Extract Vol: 50 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:20PM

Matrix Spike Summary

Original Sample ID: 1544248
MS Sample ID: 1544254 MS
MSD Sample ID: 1544255 MSD

QC for Samples: 1196897008

Analysis Date: 11/21/2019 18:53
Analysis Date: 11/21/2019 18:58
Analysis Date: 11/21/2019 19:02
Matrix: Solid/Soil (Wet Weight)

Results by SW6020A

Parameter	Matrix Spike (mg/Kg)				Spike Duplicate (mg/Kg)				CL	RPD (%)	RPD CL (< 20)
	Sample	Spike	Result	Rec (%)	Spike	Result	Rec (%)				
Lead	3.76	46.9	50.6	100	46.5	45.9	91	84-118	9.92		(< 20)

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:58:12PM

Prep Batch: MXX33000
Prep Method: Soils/Solids Digest for Metals by ICP-MS
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1.07g
Prep Extract Vol: 50.00mL

Method Blank

Blank ID: MB for HBN 1802346 [SPT/10940]
Blank Lab ID: 1544092

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Total Solids	100			%

Batch Information

Analytical Batch: SPT10940
Analytical Method: SM21 2540G
Instrument:
Analyst: A.A
Analytical Date/Time: 11/18/2019 5:09:00PM

Print Date: 12/13/2019 3:40:23PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Duplicate Sample Summary

Original Sample ID: 1196869007

Analysis Date: 11/18/2019 17:09

Duplicate Sample ID: 1544093

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>NAME</u>	<u>Original</u>	<u>Duplicate</u>	<u>Units</u>	<u>RPD (%)</u>	<u>RPD CL</u>
Total Solids	94.3	94.5	%	0.23	(< 15)

Batch Information

Analytical Batch: SPT10940

Analytical Method: SM21 2540G

Instrument:

Analyst: A.A

Print Date: 12/13/2019 3:40:25PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,1,1,2-Tetrachloroethane	10.0U	20.0	6.20	ug/Kg
1,1,1-Trichloroethane	12.5U	25.0	7.80	ug/Kg
1,1,2,2-Tetrachloroethane	1.00U	2.00	0.620	ug/Kg
1,1,2-Trichloroethane	0.400U	0.800	0.250	ug/Kg
1,1-Dichloroethane	12.5U	25.0	7.80	ug/Kg
1,1-Dichloroethene	12.5U	25.0	7.80	ug/Kg
1,1-Dichloropropene	12.5U	25.0	7.80	ug/Kg
1,2,3-Trichlorobenzene	25.0U	50.0	15.0	ug/Kg
1,2,3-Trichloropropane	1.00U	2.00	0.620	ug/Kg
1,2,4-Trichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2,4-Trimethylbenzene	25.0U	50.0	15.0	ug/Kg
1,2-Dibromo-3-chloropropane	50.0U	100	31.0	ug/Kg
1,2-Dibromoethane	0.500U	1.00	0.310	ug/Kg
1,2-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2-Dichloroethane	1.00U	2.00	0.620	ug/Kg
1,2-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,3,5-Trimethylbenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,4-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
2,2-Dichloropropane	12.5U	25.0	7.80	ug/Kg
2-Butanone (MEK)	125U	250	78.0	ug/Kg
2-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
2-Hexanone	50.0U	100	31.0	ug/Kg
4-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
4-Isopropyltoluene	50.0U	100	25.0	ug/Kg
4-Methyl-2-pentanone (MIBK)	125U	250	78.0	ug/Kg
Acetone	125U	250	78.0	ug/Kg
Benzene	6.25U	12.5	3.90	ug/Kg
Bromobenzene	12.5U	25.0	7.80	ug/Kg
Bromochloromethane	12.5U	25.0	7.80	ug/Kg
Bromodichloromethane	1.00U	2.00	0.620	ug/Kg
Bromoform	12.5U	25.0	7.80	ug/Kg
Bromomethane	10.0U	20.0	6.20	ug/Kg
Carbon disulfide	50.0U	100	31.0	ug/Kg
Carbon tetrachloride	6.25U	12.5	3.90	ug/Kg
Chlorobenzene	12.5U	25.0	7.80	ug/Kg
Chloroethane	100U	200	62.0	ug/Kg

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Chloroform	1.00U	2.00	0.620	ug/Kg
Chloromethane	12.5U	25.0	7.80	ug/Kg
cis-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
cis-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Dibromochloromethane	1.00U	2.00	0.620	ug/Kg
Dibromomethane	12.5U	25.0	7.80	ug/Kg
Dichlorodifluoromethane	25.0U	50.0	15.0	ug/Kg
Ethylbenzene	12.5U	25.0	7.80	ug/Kg
Freon-113	50.0U	100	31.0	ug/Kg
Hexachlorobutadiene	10.0U	20.0	6.20	ug/Kg
Isopropylbenzene (Cumene)	12.5U	25.0	7.80	ug/Kg
Methylene chloride	50.0U	100	31.0	ug/Kg
Methyl-t-butyl ether	50.0U	100	31.0	ug/Kg
Naphthalene	12.5U	25.0	7.80	ug/Kg
n-Butylbenzene	12.5U	25.0	7.80	ug/Kg
n-Propylbenzene	12.5U	25.0	7.80	ug/Kg
o-Xylene	12.5U	25.0	7.80	ug/Kg
P & M -Xylene	25.0U	50.0	15.0	ug/Kg
sec-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Styrene	12.5U	25.0	7.80	ug/Kg
tert-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Tetrachloroethene	6.25U	12.5	3.90	ug/Kg
Toluene	12.5U	25.0	7.80	ug/Kg
trans-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
trans-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Trichloroethene	2.50U	5.00	1.50	ug/Kg
Trichlorofluoromethane	25.0U	50.0	15.0	ug/Kg
Vinyl acetate	50.0U	100	31.0	ug/Kg
Vinyl chloride	0.400U	0.800	0.250	ug/Kg
Xylenes (total)	37.5U	75.0	22.8	ug/Kg

Surrogates

1,2-Dichloroethane-D4 (surr)	102	71-136	%
4-Bromofluorobenzene (surr)	101	55-151	%
Toluene-d8 (surr)	97	85-116	%

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]
Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
------------------	----------------	---------------	-----------	--------------

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 3:23:00PM

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 50 g
Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:29PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
1,1,1,2-Tetrachloroethane	750	726	97	(78-125)
1,1,1-Trichloroethane	750	768	102	(73-130)
1,1,2,2-Tetrachloroethane	750	751	100	(70-124)
1,1,2-Trichloroethane	750	737	98	(78-121)
1,1-Dichloroethane	750	707	94	(76-125)
1,1-Dichloroethene	750	691	92	(70-131)
1,1-Dichloropropene	750	833	111	(76-125)
1,2,3-Trichlorobenzene	750	788	105	(66-130)
1,2,3-Trichloropropane	750	726	97	(73-125)
1,2,4-Trichlorobenzene	750	805	107	(67-129)
1,2,4-Trimethylbenzene	750	781	104	(75-123)
1,2-Dibromo-3-chloropropane	750	732	98	(61-132)
1,2-Dibromoethane	750	737	98	(78-122)
1,2-Dichlorobenzene	750	763	102	(78-121)
1,2-Dichloroethane	750	701	93	(73-128)
1,2-Dichloropropene	750	814	108	(76-123)
1,3,5-Trimethylbenzene	750	786	105	(73-124)
1,3-Dichlorobenzene	750	760	101	(77-121)
1,3-Dichloropropane	750	728	97	(77-121)
1,4-Dichlorobenzene	750	764	102	(75-120)
2,2-Dichloropropane	750	751	100	(67-133)
2-Butanone (MEK)	2250	2340	104	(51-148)
2-Chlorotoluene	750	761	101	(75-122)
2-Hexanone	2250	2360	105	(53-145)
4-Chlorotoluene	750	755	101	(72-124)
4-Isopropyltoluene	750	822	110	(73-127)
4-Methyl-2-pentanone (MIBK)	2250	2200	98	(65-135)
Acetone	2250	1920	85	(36-164)
Benzene	750	779	104	(77-121)
Bromobenzene	750	754	101	(78-121)
Bromochloromethane	750	690	92	(78-125)
Bromodichloromethane	750	812	108	(75-127)
Bromoform	750	733	98	(67-132)
Bromomethane	750	650	87	(53-143)

Print Date: 12/13/2019 3:40:32PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C****Blank Spike (ug/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Carbon disulfide	1130	1030	91	(63-132)
Carbon tetrachloride	750	787	105	(70-135)
Chlorobenzene	750	770	103	(79-120)
Chloroethane	750	734	98	(59-139)
Chloroform	750	707	94	(78-123)
Chloromethane	750	717	96	(50-136)
cis-1,2-Dichloroethene	750	734	98	(77-123)
cis-1,3-Dichloropropene	750	733	98	(74-126)
Dibromochloromethane	750	745	99	(74-126)
Dibromomethane	750	725	97	(78-125)
Dichlorodifluoromethane	750	707	94	(29-149)
Ethylbenzene	750	776	104	(76-122)
Freon-113	1130	1070	95	(66-136)
Hexachlorobutadiene	750	853	114	(61-135)
Isopropylbenzene (Cumene)	750	806	107	(68-134)
Methylene chloride	750	695	93	(70-128)
Methyl-t-butyl ether	1130	1180	105	(73-125)
Naphthalene	750	761	101	(62-129)
n-Butylbenzene	750	840	112	(70-128)
n-Propylbenzene	750	783	104	(73-125)
o-Xylene	750	785	105	(77-123)
P & M -Xylene	1500	1570	105	(77-124)
sec-Butylbenzene	750	810	108	(73-126)
Styrene	750	795	106	(76-124)
tert-Butylbenzene	750	790	105	(73-125)
Tetrachloroethene	750	804	107	(73-128)
Toluene	750	767	102	(77-121)
trans-1,2-Dichloroethene	750	716	96	(74-125)
trans-1,3-Dichloropropene	750	734	98	(71-130)
Trichloroethene	750	733	98	(77-123)
Trichlorofluoromethane	750	715	95	(62-140)
Vinyl acetate	750	756	101	(50-151)
Vinyl chloride	750	695	93	(56-135)
Xylenes (total)	2250	2350	105	(78-124)

Print Date: 12/13/2019 3:40:32PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Surrogates				
1,2-Dichloroethane-D4 (surr)	750	94.1	94	(71-136)
4-Bromofluorobenzene (surr)	750	91.2	91	(55-151)
Toluene-d8 (surr)	750	101	101	(85-116)

Batch Information

Analytical Batch: VMS19671

Analytical Method: SW8260C

Instrument: VQA 7890/5975 GC/MS

Analyst: KAJ

Prep Batch: VXX35248

Prep Method: SW5035A

Prep Date/Time: 11/16/2019 06:00

Spike Init Wt./Vol.: 750 ug/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:32PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,1,1,2-Tetrachloroethane	8.05U	525	480	91	525	528	101	78-125	9.60	(< 20)
1,1,1-Trichloroethane	10.1U	525	539	103	525	546	104	73-130	1.30	(< 20)
1,1,2,2-Tetrachloroethane	0.805U	525	508	97	525	554	105	70-124	8.40	(< 20)
1,1,2-Trichloroethane	0.321U	525	513	98	525	563	107	78-121	9.50	(< 20)
1,1-Dichloroethane	10.1U	525	487	93	525	498	95	76-125	2.10	(< 20)
1,1-Dichloroethene	10.1U	525	486	93	525	488	93	70-131	0.29	(< 20)
1,1-Dichloropropene	10.1U	525	572	109	525	591	113	76-125	3.40	(< 20)
1,2,3-Trichlorobenzene	20.1U	525	568	108	525	682	130	66-130	18.10	(< 20)
1,2,3-Trichloropropane	0.805U	525	502	96	525	550	105	73-125	9.10	(< 20)
1,2,4-Trichlorobenzene	10.1U	525	564	107	525	651	124	67-129	14.30	(< 20)
1,2,4-Trimethylbenzene	79.3	525	596	98	525	647	108	75-123	8.20	(< 20)
1,2-Dibromo-3-chloropropane	40.1U	525	504	96	525	555	105	61-132	9.50	(< 20)
1,2-Dibromoethane	0.402U	525	495	94	525	538	102	78-122	8.40	(< 20)
1,2-Dichlorobenzene	10.1U	525	513	98	525	553	105	78-121	7.50	(< 20)
1,2-Dichloroethane	0.805U	525	483	92	525	497	95	73-128	2.70	(< 20)
1,2-Dichloropropane	4.01U	525	555	106	525	586	111	76-123	5.50	(< 20)
1,3,5-Trimethylbenzene	12.2J	525	541	101	525	598	111	73-124	9.90	(< 20)
1,3-Dichlorobenzene	10.1U	525	514	98	525	547	104	77-121	6.20	(< 20)
1,3-Dichloropropane	4.01U	525	488	93	525	533	101	77-121	8.70	(< 20)
1,4-Dichlorobenzene	10.1U	525	512	97	525	557	106	75-120	8.30	(< 20)
2,2-Dichloropropane	10.1U	525	536	102	525	546	104	67-133	2.00	(< 20)
2-Butanone (MEK)	101U	1576	1681	106	1576	1859	118	51-148	10.30	(< 20)
2-Chlorotoluene	10.1U	525	515	98	525	553	105	75-122	7.00	(< 20)
2-Hexanone	40.1U	1576	1565	99	1576	1744	111	53-145	10.80	(< 20)
4-Chlorotoluene	10.1U	525	513	98	525	549	104	72-124	6.90	(< 20)
4-Isopropyltoluene	49.8J	525	592	103	525	636	111	73-127	7.10	(< 20)
4-Methyl-2-pentanone (MIBK)	101U	1576	1471	93	1576	1607	102	65-135	9.10	(< 20)
Acetone	101U	1576	1408	89	1576	1534	97	36-164	8.70	(< 20)
Benzene	18.5	525	527	97	525	567	104	77-121	7.40	(< 20)
Bromobenzene	10.1U	525	503	96	525	532	101	78-121	5.40	(< 20)
Bromochloromethane	10.1U	525	478	91	525	492	94	78-125	2.80	(< 20)
Bromodichloromethane	0.805U	525	562	107	525	581	110	75-127	3.30	(< 20)
Bromoform	10.1U	525	498	95	525	539	103	67-132	7.80	(< 20)
Bromomethane	8.05U	525	499	95	525	512	97	53-143	2.50	(< 20)
Carbon disulfide	40.1U	789	757	96	789	727	92	63-132	4.20	(< 20)
Carbon tetrachloride	5.00U	525	557	106	525	563	107	70-135	1.20	(< 20)
Chlorobenzene	10.1U	525	502	96	525	550	105	79-120	9.10	(< 20)

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Chloroethane	80.5U	525	613	117	525	503	96	59-139	19.60	(< 20)
Chloroform	0.805U	525	486	93	525	498	95	78-123	2.20	(< 20)
Chloromethane	10.1U	525	516	98	525	516	98	50-136	0.10	(< 20)
cis-1,2-Dichloroethene	10.1U	525	495	94	525	502	96	77-123	1.50	(< 20)
cis-1,3-Dichloropropene	5.00U	525	503	96	525	530	101	74-126	5.20	(< 20)
Dibromochloromethane	0.805U	525	502	96	525	545	104	74-126	8.20	(< 20)
Dibromomethane	10.1U	525	504	96	525	517	98	78-125	2.40	(< 20)
Dichlorodifluoromethane	20.1U	525	527	100	525	506	96	29-149	4.10	(< 20)
Ethylbenzene	37.9	525	528	93	525	581	103	76-122	9.50	(< 20)
Freon-113	40.1U	789	753	96	789	752	95	66-136	0.12	(< 20)
Hexachlorobutadiene	8.05U	525	854	162 *	525	837	159 *	61-135	1.90	(< 20)
Isopropylbenzene (Cumene)	12.4J	525	524	97	525	580	108	68-134	10.10	(< 20)
Methylene chloride	40.1U	525	457	87	525	477	91	70-128	4.30	(< 20)
Methyl-t-butyl ether	40.1U	789	795	101	789	857	109	73-125	7.50	(< 20)
Naphthalene	93.3	525	583	93	525	696	115	62-129	17.90	(< 20)
n-Butylbenzene	10.1U	525	582	111	525	620	118	70-128	6.20	(< 20)
n-Propylbenzene	8.63J	525	521	98	525	564	106	73-125	8.00	(< 20)
o-Xylene	107	525	607	95	525	650	103	77-123	6.80	(< 20)
P & M -Xylene	186	1050	1176	94	1050	1261	102	77-124	7.40	(< 20)
sec-Butylbenzene	10.1U	525	543	103	525	584	111	73-126	7.30	(< 20)
Styrene	10.1U	525	529	101	525	561	107	76-124	5.90	(< 20)
tert-Butylbenzene	10.1U	525	520	99	525	570	109	73-125	9.30	(< 20)
Tetrachloroethene	5.00U	525	516	98	525	576	109	73-128	10.80	(< 20)
Toluene	139	525	608	89	525	666	100	77-121	9.20	(< 20)
trans-1,2-Dichloroethene	10.1U	525	514	98	525	502	96	74-125	2.30	(< 20)
trans-1,3-Dichloropropene	5.00U	525	499	95	525	540	103	71-130	7.90	(< 20)
Trichloroethene	2.00U	525	492	93	525	520	99	77-123	5.60	(< 20)
Trichlorofluoromethane	20.1U	525	523	100	525	507	97	62-140	3.00	(< 20)
Vinyl acetate	40.1U	525	523	99	525	564	107	50-151	7.50	(< 20)
Vinyl chloride	0.321U	525	512	97	525	501	95	56-135	2.00	(< 20)
Xylenes (total)	293	1576	1775	94	1576	1912	103	78-124	7.20	(< 20)
Surrogates										
1,2-Dichloroethane-D4 (surr)		525	511	97	525	492	94	71-136	3.60	
4-Bromofluorobenzene (surr)		876	593	68	876	629	72	55-151	5.80	
Toluene-d8 (surr)		525	524	100	525	528	101	85-116	0.87	

Print Date: 12/13/2019 3:40:34PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date:
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	<u>Sample</u>	Matrix Spike (%)		Spike Duplicate (%)		<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>		

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 5:43:00PM

Prep Batch: VXX35248
Prep Method: Vol. Extraction SW8260 Field Extracted L
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 74.93g
Prep Extract Vol: 25.00mL

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802510 [VXX/35268]

Blank Lab ID: 1544772

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by AK101

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Gasoline Range Organics	1.25U	2.50	0.750	mg/Kg

Surrogates

4-Bromofluorobenzene (surr)	75	50-150	%
-----------------------------	----	--------	---

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Analytical Date/Time: 11/18/2019 6:54:00PM

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 8:00:00AM

Prep Initial Wt./Vol.: 50 g

Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:35PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35268]

Blank Spike Lab ID: 1544773

Date Analyzed: 11/18/2019 18:18

Spike Duplicate ID: LCSD for HBN 1196897

[VXX35268]

Spike Duplicate Lab ID: 1544774

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by AK101**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Gasoline Range Organics	12.5	13.6	109	12.5	13.7	110	(60-120)	0.85	(< 20)
4-Bromofluorobenzene (surr)	1.25	80.7	81	1.25	80.5	81	(50-150)	0.25	

Surrogates

4-Bromofluorobenzene (surr) 1.25 80.7 81 1.25 80.5 81 (50-150) 0.25

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 08:00

Spike Init Wt./Vol.: 12.5 mg/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: 12.5 mg/Kg Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:38PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK102

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Diesel Range Organics	8.65J	20.0	6.20	mg/Kg

Surrogates

5a Androstane (surr)	94	60-120	%
----------------------	----	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:41PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK102**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Diesel Range Organics	833	891	107	833	884	106	(75-125)	0.80	(< 20)
5a Androstane (surr)	16.7	109	109	16.7	114	114	(60-120)	3.80	

Surrogates

5a Androstane (surr) 16.7 109 109 16.7 114 114 (60-120) 3.80

Batch Information

Analytical Batch: XFC15480

Prep Batch: XXX42611

Analytical Method: AK102

Prep Method: SW3550C

Instrument: Agilent 7890B F

Prep Date/Time: 11/20/2019 09:06

Analyst: DSD

Spike Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:44PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK103

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Residual Range Organics	8.16J	20.0	6.20	mg/Kg

Surrogates

n-Triacontane-d62 (surr)	87.2	60-120	%
--------------------------	------	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:47PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK103**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Residual Range Organics	833	845	101	833	831	100	(60-120)	1.70	(< 20)
n-Triacontane-d62 (surr)	16.7	96.8	97	16.7	92.5	93	(60-120)	4.60	

Surrogates

Analytical Batch:	XFC15480	Prep Batch:	XXX42611
Analytical Method:	AK103	Prep Method:	SW3550C
Instrument:	Agilent 7890B F	Prep Date/Time:	11/20/2019 09:06
Analyst:	DSD	Spike Init Wt./Vol.:	833 mg/Kg Extract Vol: 5 mL
		Dupe Init Wt./Vol.:	833 mg/Kg Extract Vol: 5 mL

Batch Information

Print Date: 12/13/2019 3:40:49PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518

t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,2,4-Trichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,2-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,3-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,4-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
1-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2,4,5-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4,6-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dimethylphenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dinitrophenol	1.50U	3.00	0.940	mg/Kg
2,4-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2,6-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,6-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Chlorophenol	0.125U	0.250	0.0780	mg/Kg
2-Methyl-4,6-dinitrophenol	1.00U	2.00	0.620	mg/Kg
2-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Methylphenol (o-Cresol)	0.125U	0.250	0.0780	mg/Kg
2-Nitroaniline	0.125U	0.250	0.0780	mg/Kg
2-Nitrophenol	0.125U	0.250	0.0780	mg/Kg
3&4-Methylphenol (p&m-Cresol)	0.500U	1.00	0.310	mg/Kg
3,3-Dichlorobenzidine	0.250U	0.500	0.150	mg/Kg
3-Nitroaniline	0.250U	0.500	0.150	mg/Kg
4-Bromophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Chloro-3-methylphenol	0.125U	0.250	0.0780	mg/Kg
4-Chloroaniline	0.500U	1.00	0.310	mg/Kg
4-Chlorophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Nitroaniline	1.50U	3.00	0.940	mg/Kg
4-Nitrophenol	1.00U	2.00	0.620	mg/Kg
Acenaphthene	0.125U	0.250	0.0780	mg/Kg
Acenaphthylene	0.125U	0.250	0.0780	mg/Kg
Aniline	1.00U	2.00	0.620	mg/Kg
Anthracene	0.125U	0.250	0.0780	mg/Kg
Azobenzene	0.125U	0.250	0.0780	mg/Kg
Benzo(a)Anthracene	0.125U	0.250	0.0780	mg/Kg
Benzo[a]pyrene	0.125U	0.250	0.0780	mg/Kg
Benzo[b]Fluoranthene	0.125U	0.250	0.0780	mg/Kg

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Benzog[h,i]perylene	0.125U	0.250	0.0780	mg/Kg
Benzo[k]fluoranthene	0.125U	0.250	0.0780	mg/Kg
Benzoic acid	0.750U	1.50	0.470	mg/Kg
Benzyl alcohol	0.125U	0.250	0.0780	mg/Kg
Bis(2chloro1methylethyl)Ether	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethoxy)methane	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethyl)ether	0.125U	0.250	0.0780	mg/Kg
bis(2-Ethylhexyl)phthalate	0.125U	0.250	0.0780	mg/Kg
Butylbenzylphthalate	0.125U	0.250	0.0780	mg/Kg
Carbazole	0.125U	0.250	0.0780	mg/Kg
Chrysene	0.125U	0.250	0.0780	mg/Kg
Dibenz[a,h]anthracene	0.125U	0.250	0.0780	mg/Kg
Dibenzofuran	0.125U	0.250	0.0780	mg/Kg
Diethylphthalate	0.125U	0.250	0.0780	mg/Kg
Dimethylphthalate	0.125U	0.250	0.0780	mg/Kg
Di-n-butylphthalate	0.125U	0.250	0.0780	mg/Kg
di-n-Octylphthalate	0.250U	0.500	0.150	mg/Kg
Fluoranthene	0.125U	0.250	0.0780	mg/Kg
Fluorene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobenzene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobutadiene	0.125U	0.250	0.0780	mg/Kg
Hexachlorocyclopentadiene	0.350U	0.700	0.200	mg/Kg
Hexachloroethane	0.125U	0.250	0.0780	mg/Kg
Indeno[1,2,3-c,d] pyrene	0.125U	0.250	0.0780	mg/Kg
Isophorone	0.125U	0.250	0.0780	mg/Kg
Naphthalene	0.125U	0.250	0.0780	mg/Kg
Nitrobenzene	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodimethylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitroso-di-n-propylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodiphenylamine	0.125U	0.250	0.0780	mg/Kg
Pentachlorophenol	1.00U	2.00	0.620	mg/Kg
Phenanthrene	0.125U	0.250	0.0780	mg/Kg
Phenol	0.125U	0.250	0.0780	mg/Kg
Pyrene	0.125U	0.250	0.0780	mg/Kg
Surrogates				
2,4,6-Tribromophenol (surr)	95.9	35-125		%
2-Fluorobiphenyl (surr)	79.9	44-115		%
2-Fluorophenol (surr)	68.5	35-115		%

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Matrix: Soil/Solid (dry weight)

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Nitrobenzene-d5 (surr)	71.6	37-122		%
Phenol-d6 (surr)	73.2	33-122		%
Terphenyl-d14 (surr)	92.8	54-127		%

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Analytical Date/Time: 12/9/2019 5:21:00PM

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 2:52:08PM

Prep Initial Wt./Vol.: 22.5 g

Prep Extract Vol: 1 mL

Print Date: 12/13/2019 3:40:52PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518

t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D**

<u>Parameter</u>	Blank Spike (mg/Kg)			<u>CL</u>
	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	
1,2,4-Trichlorobenzene	4.44	2.65	60	(34-118)
1,2-Dichlorobenzene	4.44	2.39	54	(33-117)
1,3-Dichlorobenzene	4.44	2.33	52	(30-115)
1,4-Dichlorobenzene	4.44	2.36	53	(31-115)
1-Chloronaphthalene	1.78	1.41	79	(48-115)
1-Methylnaphthalene	4.44	3.21	72	(40-119)
2,4,5-Trichlorophenol	4.44	3.84	86	(41-124)
2,4,6-Trichlorophenol	4.44	3.84	86	(39-126)
2,4-Dichlorophenol	4.44	3.43	77	(40-122)
2,4-Dimethylphenol	4.44	2.91	65	(30-127)
2,4-Dinitrophenol	8	10.2	127 *	(62-113)
2,4-Dinitrotoluene	4.44	3.65	82	(48-126)
2,6-Dichlorophenol	1.78	1.39	78	(41-117)
2,6-Dinitrotoluene	4.44	3.45	78	(46-124)
2-Chloronaphthalene	4.44	3.02	68	(41-114)
2-Chlorophenol	4.44	2.94	66	(34-121)
2-Methyl-4,6-dinitrophenol	8	8.58	107	(29-132)
2-Methylnaphthalene	4.44	2.77	62	(38-122)
2-Methylphenol (o-Cresol)	4.44	3.05	69	(32-122)
2-Nitroaniline	4.44	4.12	93	(44-127)
2-Nitrophenol	4.44	3.50	79	(36-123)
3&4-Methylphenol (p&m-Cresol)	6.22	4.97	80	(34-119)
3,3-Dichlorobenzidine	4.44	3.69	83	(22-121)
3-Nitroaniline	4.44	4.10	92	(33-119)
4-Bromophenyl-phenylether	4.44	4.07	92	(46-124)
4-Chloro-3-methylphenol	4.44	3.72	84	(45-122)
4-Chloroaniline	4.44	2.47	56	(17-106)
4-Chlorophenyl-phenylether	4.44	3.75	85	(45-121)
4-Nitroaniline	4.44	3.98	90	(77-120)
4-Nitrophenol	6.22	5.83	94	(30-132)
Acenaphthene	4.44	3.59	81	(40-123)
Acenaphthylene	4.44	3.55	80	(32-132)
Aniline	4.44	0.943J	21 *	(24-89)
Anthracene	4.44	3.72	84	(47-123)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Azobenzene	4.44	3.64	82	(39-125)
Benzo(a)Anthracene	4.44	4.18	94	(49-126)
Benzo[a]pyrene	4.44	4.03	91	(45-129)
Benzo[b]Fluoranthene	4.44	4.64	104	(45-132)
Benzo[g,h,i]perylene	4.44	3.93	88	(43-134)
Benzo[k]fluoranthene	4.44	4.54	102	(47-132)
Benzoic acid	6.22	5.38	86	(53-124)
Benzyl alcohol	4.44	2.82	63	(29-122)
Bis(2chloro1methylethyl)Ether	4.44	2.44	55	(33-131)
Bis(2-Chloroethoxy)methane	4.44	3.15	71	(36-121)
Bis(2-Chloroethyl)ether	4.44	2.41	54	(31-120)
bis(2-Ethylhexyl)phthalate	4.44	4.58	103	(51-133)
Butylbenzylphthalate	4.44	4.74	107	(48-132)
Carbazole	4.44	4.27	96	(50-123)
Chrysene	4.44	4.24	95	(50-124)
Dibenzo[a,h]anthracene	4.44	4.11	93	(45-134)
Dibenzofuran	4.44	3.24	73	(44-120)
Diethylphthalate	4.44	4.10	92	(50-124)
Dimethylphthalate	4.44	4.27	96	(48-124)
Di-n-butylphthalate	4.44	4.31	97	(51-128)
di-n-Octylphthalate	4.44	4.28	96	(45-140)
Fluoranthene	4.44	3.80	86	(50-127)
Fluorene	4.44	3.87	87	(43-125)
Hexachlorobenzene	4.44	3.61	81	(45-122)
Hexachlorobutadiene	4.44	2.86	64	(32-123)
Hexachlorocyclopentadiene	4.44	2.44	55	(34-74)
Hexachloroethane	4.44	2.31	52	(28-117)
Indeno[1,2,3-c,d] pyrene	4.44	4.03	91	(45-133)
Isophorone	4.44	3.04	68	(30-122)
Naphthalene	4.44	2.96	67	(35-123)
Nitrobenzene	4.44	2.56	58	(34-122)
N-Nitrosodimethylamine	4.44	2.56	58	(23-120)
N-Nitroso-di-n-propylamine	4.44	3.31	74	(36-120)
N-Nitrosodiphenylamine	4.44	3.15	71	(38-127)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Pentachlorophenol	6.22	6.10	98	(25-133)
Phenanthrene	4.44	3.92	88	(50-121)
Phenol	4.44	3.09	70	(34-121)
Pyrene	4.44	4.49	101	(47-127)

Surrogates

2,4,6-Tribromophenol (surr)	8.89	103	103	(35-125)
2-Fluorobiphenyl (surr)	4.44	79	79	(44-115)
2-Fluorophenol (surr)	8.89	61	61	(35-115)
Nitrobenzene-d5 (surr)	4.44	68.2	68	(37-122)
Phenol-d6 (surr)	8.89	68.4	68	(33-122)
Terphenyl-d14 (surr)	4.44	104	104	(54-127)

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 14:52

Spike Init Wt./Vol.: 4.44 mg/Kg Extract Vol: 1 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:55PM

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,2,4-Trichlorobenzene	3.72U	5.26	4.32J	82	5.28	4.31J	82	34-118	0.28	(< 20)
1,2-Dichlorobenzene	3.72U	5.26	3.84J	73	5.28	3.89J	74	33-117	1.40	(< 20)
1,3-Dichlorobenzene	3.72U	5.26	3.90J	74	5.28	3.71J	70	30-115	5.20	(< 20)
1,4-Dichlorobenzene	3.72U	5.26	3.95J	75	5.28	3.74J	71	31-115	5.50	(< 20)
1-Chloronaphthalene	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	48-115	0.00	(< 20)
1-Methylnaphthalene	3.72U	5.26	4.89J	93	5.28	4.81J	91	40-119	1.80	(< 20)
2,4,5-Trichlorophenol	3.72U	5.26	4.81J	91	5.28	4.84J	92	41-124	0.88	(< 20)
2,4,6-Trichlorophenol	3.72U	5.26	4.98J	95	5.28	5.36J	102	39-126	7.50	(< 20)
2,4-Dichlorophenol	3.72U	5.26	5.19J	99	5.28	5.23J	99	40-122	0.84	(< 20)
2,4-Dimethylphenol	3.72U	5.26	4.89J	93	5.28	5.11J	97	30-127	4.30	(< 20)
2,4-Dinitrophenol	44.6U	9.46	44.6U	0 *	9.50	44.6U	0 *	62-113	0.00	(< 20)
2,4-Dinitrotoluene	3.72U	5.26	4.53J	86	5.28	4.17J	79	48-126	8.10	(< 20)
2,6-Dichlorophenol	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	41-117	0.00	(< 20)
2,6-Dinitrotoluene	3.72U	5.26	5.29J	101	5.28	5.20J	99	46-124	1.70	(< 20)
2-Chloronaphthalene	3.72U	5.26	4.55J	86	5.28	4.33J	82	41-114	4.70	(< 20)
2-Chlorophenol	3.72U	5.26	4.45J	85	5.28	4.44J	84	34-121	0.26	(< 20)
2-Methyl-4,6-dinitrophenol	29.8U	9.46	29.8U	0 *	9.50	29.8U	0 *	29-132	0.00	(< 20)
2-Methylnaphthalene	3.72U	5.26	4.29J	82	5.28	4.16J	79	38-122	3.10	(< 20)
2-Methylphenol (o-Cresol)	3.72U	5.26	4.41J	84	5.28	4.41J	84	32-122	0.03	(< 20)
2-Nitroaniline	3.72U	5.26	5.66J	108	5.28	5.33J	101	44-127	5.90	(< 20)
2-Nitrophenol	3.72U	5.26	5.25J	100	5.28	5.28J	100	36-123	0.33	(< 20)
3&4-Methylphenol (p&m-Cresol)	14.9U	7.36	14.9U	0 *	7.38	14.9U	0 *	34-119	0.00	(< 20)
3,3-Dichlorobenzidine	7.45U	5.26	5.28J	100	5.28	5.33J	101	22-121	1.10	(< 20)
3-Nitroaniline	7.45U	5.26	5.29J	101	5.28	5.36J	102	33-119	1.30	(< 20)
4-Bromophenyl-phenylether	3.72U	5.26	5.67J	108	5.28	5.25J	100	46-124	7.60	(< 20)
4-Chloro-3-methylphenol	3.72U	5.26	4.92J	93	5.28	5.08J	96	45-122	3.50	(< 20)
4-Chloroaniline	14.9U	5.26	14.9U	0 *	5.28	14.9U	0 *	17-106	0.00	(< 20)
4-Chlorophenyl-phenylether	3.72U	5.26	5.12J	97	5.28	4.90J	93	45-121	4.40	(< 20)
4-Nitroaniline	44.6U	5.26	44.6U	0 *	5.28	44.6U	0 *	77-120	0.00	(< 20)
4-Nitrophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	30-132	0.00	(< 20)
Acenaphthene	3.72U	5.26	5.31J	101	5.28	5.24J	99	40-123	1.20	(< 20)
Acenaphthylene	3.72U	5.26	5.37J	102	5.28	5.36J	102	32-132	0.16	(< 20)
Aniline	29.8U	5.26	29.8U	0 *	5.28	29.8U	0 *	24-89	0.00	(< 20)
Anthracene	3.72U	5.26	5.38J	102	5.28	5.22J	99	47-123	3.10	(< 20)
Azobenzene	3.72U	5.26	5.77J	110	5.28	5.85J	111	39-125	1.50	(< 20)
Benzo(a)Anthracene	3.72U	5.26	5.10J	97	5.28	5.28J	100	49-126	3.40	(< 20)
Benzo[a]pyrene	3.72U	5.26	4.80J	91	5.28	4.77J	90	45-129	0.50	(< 20)

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Benzo[b]Fluoranthene	3.72U	5.26	4.92J	93	5.28	4.76J	90	45-132	3.20	(< 20)
Benzo[g,h,i]perylene	3.72U	5.26	5.44J	103	5.28	5.25J	100	43-134	3.40	(< 20)
Benzo[k]fluoranthene	3.72U	5.26	5.06J	96	5.28	5.20J	99	47-132	2.90	(< 20)
Benzoic acid	22.3U	7.36	22.3U	0 *	7.38	22.3U	0 *	53-124	0.00	(< 20)
Benzyl alcohol	3.72U	5.26	3.88J	74	5.28	3.84J	73	29-122	1.00	(< 20)
Bis(2chloro1methylethyl)Ether	3.72U	5.26	3.95J	75	5.28	4.20J	80	33-131	6.10	(< 20)
Bis(2-Chloroethoxy)methane	3.72U	5.26	5.06J	96	5.28	4.90J	93	36-121	3.10	(< 20)
Bis(2-Chloroethyl)ether	3.72U	5.26	4.06J	77	5.28	4.13J	78	31-120	1.60	(< 20)
bis(2-Ethylhexyl)phthalate	3.72U	5.26	6.42J	122	5.28	6.59J	125	51-133	2.60	(< 20)
Butylbenzylphthalate	3.72U	5.26	6.32J	120	5.28	5.69J	108	48-132	10.40	(< 20)
Carbazole	3.72U	5.26	6.02J	114	5.28	5.83J	110	50-123	3.20	(< 20)
Chrysene	3.72U	5.26	5.49J	104	5.28	5.42J	103	50-124	1.40	(< 20)
Dibenz[a,h]anthracene	3.72U	5.26	5.39J	103	5.28	5.71J	108	45-134	5.50	(< 20)
Dibenzofuran	3.72U	5.26	4.59J	87	5.28	4.44J	84	44-120	3.50	(< 20)
Diethylphthalate	3.72U	5.26	5.50J	105	5.28	5.44J	103	50-124	1.10	(< 20)
Dimethylphthalate	3.72U	5.26	5.94J	113	5.28	6.02J	114	48-124	1.20	(< 20)
Di-n-butylphthalate	3.72U	5.26	5.94J	113	5.28	5.75J	109	51-128	3.30	(< 20)
di-n-Octylphthalate	7.45U	5.26	8.15J	155 *	5.28	7.78J	147 *	45-140	4.60	(< 20)
Fluoranthene	3.72U	5.26	4.55J	86	5.28	4.43J	84	50-127	2.60	(< 20)
Fluorene	3.72U	5.26	5.28J	100	5.28	5.20J	99	43-125	1.40	(< 20)
Hexachlorobenzene	3.72U	5.26	4.59J	87	5.28	4.26J	81	45-122	7.70	(< 20)
Hexachlorobutadiene	3.72U	5.26	4.47J	85	5.28	4.53J	86	32-123	1.20	(< 20)
Hexachlorocyclopentadiene	10.4U	5.26	10.4U	0 *	5.28	10.4U	0 *	34-74	0.00	(< 20)
Hexachloroethane	3.72U	5.26	3.68J	70	5.28	3.88J	73	28-117	4.90	(< 20)
Indeno[1,2,3-c,d] pyrene	3.72U	5.26	5.31J	101	5.28	5.28J	100	45-133	0.66	(< 20)
Isophorone	3.72U	5.26	4.87J	93	5.28	4.58J	87	30-122	6.10	(< 20)
Naphthalene	3.72U	5.26	5.14J	98	5.28	5.05J	96	35-123	2.00	(< 20)
Nitrobenzene	3.72U	5.26	4.29J	82	5.28	4.14J	78	34-122	3.70	(< 20)
N-Nitrosodimethylamine	3.72U	5.26	3.79J	72	5.28	3.54J	67	23-120	6.80	(< 20)
N-Nitroso-di-n-propylamine	3.72U	5.26	4.94J	94	5.28	4.95J	94	36-120	0.33	(< 20)
N-Nitrosodiphenylamine	3.72U	5.26	5.01J	95	5.28	5.18J	98	38-127	3.20	(< 20)
Pentachlorophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	25-133	0.00	(< 20)
Phenanthrene	3.72U	5.26	5.37J	102	5.28	5.28J	100	50-121	1.90	(< 20)
Phenol	3.72U	5.26	4.38J	83	5.28	4.39J	83	34-121	0.33	(< 20)
Pyrene	3.72U	5.26	4.98J	95	5.28	5.08J	96	47-127	2.20	(< 20)
Surrogates										
2,4,6-Tribromophenol (surr)		10.5	10.2	97	10.6	10.9	104	35-125	6.40	

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date:
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Sample</u>	Matrix Spike (%)			Spike Duplicate (%)			<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>			
2-Fluorobiphenyl (surr)		5.26	5.56	106	5.28	5.45	103	44-115	2.10	
2-Fluorophenol (surr)		10.5	8.03	76	10.6	7.36	70	35-115	8.70	
Nitrobenzene-d5 (surr)		5.26	4.86	92	5.28	4.81	91	37-122	1.00	
Phenol-d6 (surr)		10.5	9.45	90	10.6	9.31	88	33-122	1.60	
Terphenyl-d14 (surr)		5.26	4.86	92	5.28	5.19	98	54-127	6.60	

Batch Information

Analytical Batch: XMS11889
Analytical Method: SW8270D
Instrument: HP 6890/5973 SSA
Analyst: JMG
Analytical Date/Time: 12/11/2019 3:37:00PM

Prep Batch: XXX42629
Prep Method: Sonication Extraction Soil SW8270
Prep Date/Time: 11/26/2019 2:52:08PM
Prep Initial Wt./Vol.: 22.75g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802613 [XXX/42632]
Blank Lab ID: 1545124

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW8082A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Aroclor-1016	25.0U	50.0	12.5	ug/Kg
Aroclor-1221	50.0U	100	25.0	ug/Kg
Aroclor-1232	25.0U	50.0	12.5	ug/Kg
Aroclor-1242	25.0U	50.0	12.5	ug/Kg
Aroclor-1248	25.0U	50.0	12.5	ug/Kg
Aroclor-1254	25.0U	50.0	12.5	ug/Kg
Aroclor-1260	25.0U	50.0	12.5	ug/Kg

Surrogates

Decachlorobiphenyl (surr) 110 60-125 %

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 12:07:00PM

Prep Batch: XXX42632
Prep Method: SW3550C
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.5 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:58PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42632]

Blank Spike Lab ID: 1545125

Date Analyzed: 12/03/2019 12:17

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Blank Spike (ug/Kg)

Parameter	Spike	Result	Rec (%)	CL
Aroclor-1016	222	198	89	(47-134)
Aroclor-1260	222	235	106	(53-140)

Surrogates

Decachlorobiphenyl (surr)	222	112	112	(60-125)
---------------------------	-----	-----	-----	------------

Batch Information

Analytical Batch: XGC10544

Prep Batch: XXX42632

Analytical Method: SW8082A

Prep Method: SW3550C

Instrument: Agilent 7890B GC ECD SW F

Prep Date/Time: 11/27/2019 10:48

Analyst: BMZ

Spike Init Wt./Vol.: 222 ug/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:41:01PM

Matrix Spike Summary

Original Sample ID: 1196876010
MS Sample ID: 1545126 MS
MSD Sample ID: 1545127 MSD

Analysis Date: 12/03/2019 13:09
Analysis Date: 12/03/2019 13:19
Analysis Date: 12/03/2019 13:29
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Aroclor-1016	25.8U	229	251	110	228	253	111	47-134	0.56	(< 30)
Aroclor-1260	25.8U	229	227	99	228	226	99	53-140	0.65	(< 30)

Surrogates

Decachlorobiphenyl (surr) 229 241 105 228 237 104 60-125 1.40

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 1:19:00PM

Prep Batch: XXX42632
Prep Method: Sonication Extraction Soil SW8082 PCB
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.63g
Prep Extract Vol: 5.00mL



1196897

North America Inc.
F CUSTODY RECORD

Locations Nationwide

Alaska	Revised Report	Maryland
New Jersey		- Revision 2
North Carolina		Indiana
West Virginia		Kentucky

www.us.sgs.com

Profile: 334945

CLIENT: Golder Associates					Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.										Page <u>1</u> of <u>1</u>				
Section 1	CONTACT: Jessa Karp	PHONE NO:				Section 3		Preservative								REMARKS/ LOC ID			
	PROJECT// NAME: ARRC Depot Dr. Drilling Samples	PWSID/ PERMIT#:				#	C O N T A I N E R S	Type C = COMP G = GRAB M = Multi Incremental Soils	me001 B	VOC (SW8260C)	D20 (PPO (AK02/03))	SVOC (SW8270D)	PCBs (SW8082)	Lead (SW1020)					
	REPORTS TO:	E-MAIL: jkarp@golder.com																	
	INVOICE TO:	QUOTE #: Golder Associates P.O. #: 19132189																	
Section 2	RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE														
	(1AB)	BH-01	11/14/19	9:15		2		X	X	X									
	(2AB)	BH-02	11/14/19	12:30		2		X	X	X									
	(3AB)	BH-03A	11/15/19	9:15		2		X	X	X									
	(4AB)	BH-03A-1	11/15/19	9:15		2		X	X	X									
	(5AB)	BH-04	11/14/19	15:00		2		X	X	X									
	(6AB)	BH-05	11/14/19	13:45		2		X	X	X									
	(7AB)	BH-05-1	11/14/19	13:45		2		X	X	X									
	(8AB)	Composit	11/15/19	9:30		2	C	X	X	X	X								
	(9AB)	PW7-25-11				2		X	X	X	X								
															Trip Blank				
Section 5	Relinquished By: (1) Jessa Karp	Date 11/15/19	Time 16:00	Received By:				Section 4	DOD Project? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Data Deliverable Requirements:									
	Relinquished By: (2)	Date	Time	Received By:				Cooler ID:											
	Relinquished By: (3)	Date	Time	Received By:				Requested Turnaround Time and/or Special Instructions:											
	Relinquished By: (4)	Date	Time	Received For Laboratory By: 11/15/19 16:00				Temp Blank °C: 27° DG3 or Ambient []	Chain of Custody Seal: (Circle) INTACT <input checked="" type="checkbox"/> BROKEN <input type="checkbox"/> ABSENT <input checked="" type="checkbox"/>										

(See attached Sample Receipt Form) (See attached Sample Receipt Form)

SGS**Returned Bottles Inventory****Name of individual returning bottles:**Tessa Karp**Date Received:**11/13/19**Client Name:**Golder Associates**Received by:****Project Name:**ARRC Depot Dr.
Drilling Samples**SGS PM:**

HDPE/Nalgene:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz						
	60-ml or 2-oz						
	other						
Amber glass:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz with or without septa	10					
	40-ml VOA vial	12					
	other						
Subtotal:		22					

Note: Returned bottles (regardless of size/pres.) are billed back at \$4/bottle unless otherwise quoted.

Amount to Invoice Client \$:88**1196897**

Wt



SGS Workorder #:

1196897

1 1 9 6 8 9 7

Review Criteria		Condition (Yes, No, N/A)	Exceptions Noted below				
Chain of Custody / Temperature Requirements		<input checked="" type="checkbox"/> Yes	Exemption permitted if sampler hand carries/delivers.				
Were Custody Seals intact? Note # & location		<input type="checkbox"/> N/A	<input type="checkbox"/> Absent				
COC accompanied samples?		<input checked="" type="checkbox"/> Yes					
DOD: Were samples received in COC corresponding coolers?		<input type="checkbox"/> N/A					
Temperature blank compliant* (i.e., 0-6 °C after CF)?		<input checked="" type="checkbox"/> Yes	Cooler ID:	1	@	2.2 °C	Therm. ID: D63
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
*If >6°C, were samples collected <8 hours ago?		<input type="checkbox"/> N/A					
If <0°C, were sample containers ice free?		<input type="checkbox"/> N/A					
Note: Identify containers received at non-compliant temperature . Use form FS-0029 if more space is needed.							
Holding Time / Documentation / Sample Condition Requirements		Note: Refer to form F-083 "Sample Guide" for specific holding times.					
Were samples received within holding time?		<input checked="" type="checkbox"/> Yes					
Do samples match COC** (i.e.,sample IDs,dates/times collected)?		<input type="checkbox"/> No	Trip Blanks 9A-B were scheduled with PCB, DRO/RRO, and Lead 6020. Proceeding with GRO & VOC.				
**Note: If times differ <1hr, record details & login per COC.							
***Note: If sample information on containers differs from COC, SGS will default to COC information							
Were analytical requests clear? (i.e., method is specified for analyses with multiple option for analysis (Ex: BTEX, Metals)		<input checked="" type="checkbox"/> Yes					
Were proper containers (type/mass/volume/preservative***)used?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> N/A	***Exemption permitted for metals (e.g.200.8/6020A).			
Volatile / LL-Hg Requirements							
Were Trip Blanks (i.e., VOAs, LL-Hg) in cooler with samples?		<input checked="" type="checkbox"/> Yes					
Were all water VOA vials free of headspace (i.e., bubbles ≤ 6mm)?		<input type="checkbox"/> N/A					
Were all soil VOAs field extracted with MeOH+BFB?		<input checked="" type="checkbox"/> Yes					
Note to Client: Any "No", answer above indicates non-compliance with standard procedures and may impact data quality.							
Additional notes (if applicable):							

Sample Containers and Preservatives

<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>	<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>
1196897001-A	No Preservative Required	OK			
1196897001-B	Methanol field pres. 4 C	OK			
1196897002-A	No Preservative Required	OK			
1196897002-B	Methanol field pres. 4 C	OK			
1196897003-A	No Preservative Required	OK			
1196897003-B	Methanol field pres. 4 C	OK			
1196897004-A	No Preservative Required	OK			
1196897004-B	Methanol field pres. 4 C	OK			
1196897005-A	No Preservative Required	OK			
1196897005-B	Methanol field pres. 4 C	OK			
1196897006-A	No Preservative Required	OK			
1196897006-B	Methanol field pres. 4 C	OK			
1196897007-A	No Preservative Required	OK			
1196897007-B	Methanol field pres. 4 C	OK			
1196897008-A	No Preservative Required	OK			
1196897008-B	Methanol field pres. 4 C	OK			
1196897009-A	Methanol field pres. 4 C	OK			
1196897009-B	Methanol field pres. 4 C	OK			

Container Condition Glossary

Containers for bacteriological, low level mercury and VOA vials are not opened prior to analysis and will be assigned condition code OK unless evidence indicates than an inappropriate container was submitted.

OK - The container was received at an acceptable pH for the analysis requested.

BU - The container was received with headspace greater than 6mm.

DM - The container was received damaged.

FR - The container was received frozen and not usable for Bacteria or BOD analyses.

IC - The container provided for microbiology analysis was not a laboratory-supplied, pre-sterilized container and therefore was not suitable for analysis.

NC - The container provided was not preserved or was under-preserved. The method does not allow for additional preservative added after collection.

PA - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt and the container is now at the correct pH. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

PH - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt, but was insufficient to bring the container to the correct pH for the analysis requested. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

QN - Insufficient sample quantity provided.

Laboratory Report of Analysis

To: Golder Associates Inc.
2121 Abbott Road, #100
Anchorage, AK 99507
(907)344-6001

Report Number: **1196897**

Client Project: **ARRC DEPOT DR. Drilling Sample**

Dear Chris Valentine,

Enclosed are the results of the analytical services performed under the referenced project for the received samples and associated QC as applicable. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of ten years in the event they are required for future reference. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. Any samples submitted to our laboratory will be retained for a maximum of fourteen (14) days from the date of this report unless other archiving requirements were included in the quote.

If there are any questions about the report or services performed during this project, please call Justin at (907) 562-2343. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS North America Inc. for your analytical services. We look forward to working with you again on any additional analytical needs.

Sincerely,
SGS North America Inc.

Justin Nelson Date
Project Manager
Justin.Nelson@sgs.com

Case Narrative

SGS Client: **Golder Associates Inc.**

SGS Project: **1196897**

Project Name/Site: **ARRC DEPOT DR. Drilling Sample**

Project Contact: **Chris Valentine**

Refer to sample receipt form for information on sample condition.

BH-02 (1196897002) PS

8270D - Surrogate recovery for 2-fluorobiphenyl does not meet QC criteria. The associated sample concentrations for all analytes are less than the LOQ.

8270D - The LOQs are elevated due to sample dilution. The sample was analyzed at a dilution due to matrix interference with internal standards.

LCS for HBN 1802587 [XXX/42629 (1545011) LCS

8270D - LCS recovery for 2,4-dinitrophenol does not meet QC criteria. The associated sample concentrations for this analyte are less than the LOQ.

8270D - LCS recovery for aniline does not meet QC criteria.

1196897001MS (1544068) MS

8260C - MS recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MS (1545012) MS

8270D - MS recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

1196897001MSD (1544069) MSD

8260C - MSD recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MSD (1545013) MSD

8270D - MSD recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

8270D - MSD RPD for 4-chloroaniline does not meet QC criteria. Results for this analyte are less than the LOQ in the parent sample.

Report of Manual Integrations

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Analytical Batch</u>	<u>Analyte</u>	<u>Reason</u>
SW8082A				
1545125	LCS for HBN 1802613 [XXX/42632	XGC10544	Aroclor-1016	BLC, SP
1545127	1196876010MSD	XGC10544	Aroclor-1016	SP
SW8260C				
1196897005	BH-04	VMS19671	4-Isopropyltoluene	SP
1196897005	BH-04	VMS19671	Naphthalene	SP
SW8270D				
1545011	LCS for HBN 1802587 [XXX/42629	XMS11885	1-Chloronaphthalene	SP
1545012	1196867001MS	XMS11889	1-Chloronaphthalene	SP
1545013	1196867001MSD	XMS11889	1,4-Dichlorobenzene	RP
1545013	1196867001MSD	XMS11889	1-Chloronaphthalene	SP

Manual Integration Reason Code Descriptions

Code	Description
O	Original Chromatogram
M	Modified Chromatogram
SS	Skimmed surrogate
BLG	Closed baseline gap
RP	Reassign peak name
PIR	Pattern integration required
IT	Included tail
SP	Split peak
RSP	Removed split peak
FPS	Forced peak start/stop
BLC	Baseline correction
PNF	Peak not found by software

All DRO/RRO analysis are integrated per SOP.

Laboratory Qualifiers

Enclosed are the analytical results associated with the above work order. The results apply to the samples as received. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. This document is issued by the Company under its General Conditions of Service accessible at <<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS maintains a formal Quality Assurance/Quality Control (QA/QC) program. A copy of our Quality Assurance Plan (QAP), which outlines this program, is available at your request. The laboratory certification numbers are AK00971 (DW Chemistry & Microbiology) & 17-021 (CS) for ADEC and 2944.01 for DOD ELAP/ISO17025 (RCRA methods: 1020B, 1311, 3010A, 3050B, 3520C, 3550C, 5030B, 5035A, 6020A, 7470A, 7471B, 8015C, 8021B, 8082A, 8260C, 8270D, 8270D-SIM, 9040C, 9045D, 9056A, 9060A, AK101 and AK102/103). SGS is only certified for the analytes listed on our Drinking Water Certification (DW methods: 200.8, 2130B, 2320B, 2510B, 300.0, 4500-CN-C,E, 4500-H-B, 4500-NO3-F, 4500-P-E and 524.2) and only those analytes will be reported to the State of Alaska for compliance. Except as specifically noted, all statements and data in this report are in conformance to the provisions set forth by the SGS QAP and, when applicable, other regulatory authorities.

The following descriptors or qualifiers may be found in your report:

*	The analyte has exceeded allowable regulatory or control limits.
!	Surrogate out of control limits.
B	Indicates the analyte is found in a blank associated with the sample.
CCV/CVA/CVB	Continuing Calibration Verification
CCCV/CVC/CVCA/CVCB	Closing Continuing Calibration Verification
CL	Control Limit
DF	Analytical Dilution Factor
DL	Detection Limit (i.e., maximum method detection limit)
E	The analyte result is above the calibrated range.
GT	Greater Than
IB	Instrument Blank
ICV	Initial Calibration Verification
J	The quantitation is an estimation.
LCS(D)	Laboratory Control Spike (Duplicate)
LLQC/LLIQC	Low Level Quantitation Check
LOD	Limit of Detection (i.e., 1/2 of the LOQ)
LOQ	Limit of Quantitation (i.e., reporting or practical quantitation limit)
LT	Less Than
MB	Method Blank
MS(D)	Matrix Spike (Duplicate)
ND	Indicates the analyte is not detected.
RPD	Relative Percent Difference
U	Indicates the analyte was analyzed for but not detected.

Note: Sample summaries which include a result for "Total Solids" have already been adjusted for moisture content. All DRO/RRO analyses are integrated per SOP.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
BH-02	1196897002	11/14/2019	11/15/2019	Soil/Solid (dry weight)

Method

AK102

Method Description

Diesel/Residual Range Organics

AK103

Diesel/Residual Range Organics

AK101

Gasoline Range Organics (S)

SW6020A

Metals by ICP-MS (S)

SM21 2540G

Percent Solids SM2540G

SW8082A

SW8082 PCB's

SW8270D

SW846 8270 Semi-Volatiles by GC/MS (S)

SW8260C

VOC 8260 (S) Field Extracted

Print Date: 12/13/2019 3:40:09PM

SGS North America Inc.

200 West Potter Drive, Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-02

Client Sample ID: **BH-02**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897002
Lab Project ID: 1196897

Collection Date: 11/14/19 12:30
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 96.2
Location:

Results by Semivolatile Organic Fuels

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Diesel Range Organics	205	83.0	25.7	mg/Kg	4		11/21/19 19:09

Surrogates

5a Androstane (surr)	106	50-150	%	4	11/21/19 19:09
----------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Analyst: DSD
Analytical Date/Time: 11/21/19 19:09
Container ID: 1196897002-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.043 g
Prep Extract Vol: 5 mL

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Residual Range Organics	2020	83.0	25.7	mg/Kg	4		11/21/19 19:09

Surrogates

n-Triacontane-d62 (surr)	108	50-150	%	4	11/21/19 19:09
--------------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Analyst: DSD
Analytical Date/Time: 11/21/19 19:09
Container ID: 1196897002-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.043 g
Prep Extract Vol: 5 mL

Results of **BH-02**

Client Sample ID: **BH-02**

Client Project ID: **ARRC DEPOT DR. Drilling Sample**

Lab Sample ID: 1196897002

Lab Project ID: 1196897

Collection Date: 11/14/19 12:30

Received Date: 11/15/19 16:00

Matrix: Soil/Solid (dry weight)

Solids (%):96.2

Location:

Results by **Semivolatile Organics GC/MS**

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
1,2,4-Trichlorobenzene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
1,2-Dichlorobenzene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
1,3-Dichlorobenzene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
1,4-Dichlorobenzene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
1-Chloronaphthalene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
1-Methylnaphthalene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,4,5-Trichlorophenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,4,6-Trichlorophenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,4-Dichlorophenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,4-Dimethylphenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,4-Dinitrophenol	7.80 U	15.6	4.88	mg/Kg	1		12/09/19 20:44
2,4-Dinitrotoluene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,6-Dichlorophenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2,6-Dinitrotoluene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2-Chloronaphthalene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2-Chlorophenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2-Methyl-4,6-dinitrophenol	25.9 U	51.9	16.1	mg/Kg	5		12/11/19 17:19
2-Methylnaphthalene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2-Methylphenol (o-Cresol)	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2-Nitroaniline	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
2-Nitrophenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
3&4-Methylphenol (p&m-Cresol)	2.60 U	5.19	1.61	mg/Kg	1		12/09/19 20:44
3,3-Dichlorobenzidine	6.50 U	13.0	3.89	mg/Kg	5		12/11/19 17:19
3-Nitroaniline	1.29 U	2.59	0.778	mg/Kg	1		12/09/19 20:44
4-Bromophenyl-phenylether	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
4-Chloro-3-methylphenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
4-Chloroaniline	2.60 U	5.19	1.61	mg/Kg	1		12/09/19 20:44
4-Chlorophenyl-phenylether	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
4-Nitroaniline	7.80 U	15.6	4.88	mg/Kg	1		12/09/19 20:44
4-Nitrophenol	5.20 U	10.4	3.22	mg/Kg	1		12/09/19 20:44
Acenaphthene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Acenaphthylene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Aniline	5.20 U	10.4	3.22	mg/Kg	1		12/09/19 20:44
Anthracene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Azobenzene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Benzo(a)Anthracene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Benzo[a]pyrene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-02

Client Sample ID: **BH-02**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897002
Lab Project ID: 1196897

Collection Date: 11/14/19 12:30
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 96.2
Location:

Results by Semivolatile Organics GC/MS

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Benzo[b]Fluoranthene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Benzo[g,h,i]perylene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Benzo[k]fluoranthene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Benzoic acid	3.89 U	7.78	2.44	mg/Kg	1		12/09/19 20:44
Benzyl alcohol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Bis(2chloro1methylethyl)Ether	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Bis(2-Chloroethoxy)methane	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Bis(2-Chloroethyl)ether	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
bis(2-Ethylhexyl)phthalate	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Butylbenzylphthalate	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Carbazole	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Chrysene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Dibenzo[a,h]anthracene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Dibenzofuran	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Diethylphthalate	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Dimethylphthalate	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Di-n-butylphthalate	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
di-n-Octylphthalate	6.50 U	13.0	3.89	mg/Kg	5		12/11/19 17:19
Fluoranthene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Fluorene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Hexachlorobenzene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Hexachlorobutadiene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Hexachlorocyclopentadiene	1.81 U	3.63	1.04	mg/Kg	1		12/09/19 20:44
Hexachloroethane	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Indeno[1,2,3-c,d] pyrene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Isophorone	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Naphthalene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Nitrobenzene	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
N-Nitrosodimethylamine	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
N-Nitroso-di-n-propylamine	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
N-Nitrosodiphenylamine	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Pentachlorophenol	25.9 U	51.9	16.1	mg/Kg	5		12/11/19 17:19
Phenanthrene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19
Phenol	0.650 U	1.30	0.405	mg/Kg	1		12/09/19 20:44
Pyrene	3.24 U	6.48	2.02	mg/Kg	5		12/11/19 17:19

Surrogates

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-02

Client Sample ID: **BH-02**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897002
Lab Project ID: 1196897

Collection Date: 11/14/19 12:30
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 96.2
Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
2,4,6-Tribromophenol (surr)	88.8	35-125		%	5		12/11/19 17:19
2-Fluorobiphenyl (surr)	117 *	44-115		%	1		12/09/19 20:44
2-Fluorophenol (surr)	81.2	35-115		%	1		12/09/19 20:44
Nitrobenzene-d5 (surr)	90.6	37-122		%	1		12/09/19 20:44
Phenol-d6 (surr)	84.6	33-122		%	1		12/09/19 20:44
Terphenyl-d14 (surr)	97.7	54-127		%	5		12/11/19 17:19

Batch Information

Analytical Batch: XMS11889
Analytical Method: SW8270D
Analyst: JMG
Analytical Date/Time: 12/11/19 17:19
Container ID: 1196897002-A

Prep Batch: XXX42629
Prep Method: SW3550C
Prep Date/Time: 11/26/19 14:52
Prep Initial Wt./Vol.: 22.542 g
Prep Extract Vol: 5 mL

Analytical Batch: XMS11885
Analytical Method: SW8270D
Analyst: JMG
Analytical Date/Time: 12/09/19 20:44
Container ID: 1196897002-A

Prep Batch: XXX42629
Prep Method: SW3550C
Prep Date/Time: 11/26/19 14:52
Prep Initial Wt./Vol.: 22.542 g
Prep Extract Vol: 5 mL

Results of BH-02

Client Sample ID: **BH-02**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897002
Lab Project ID: 1196897

Collection Date: 11/14/19 12:30
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 96.2
Location:

Results by Volatile Fuels

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Gasoline Range Organics	0.987 J	2.15	0.646	mg/Kg	1		11/18/19 20:05

Surrogates

4-Bromofluorobenzene (surr)	90.9	50-150	%	1	11/18/19 20:05
-----------------------------	------	--------	---	---	----------------

Batch Information

Analytical Batch: VFC15044
Analytical Method: AK101
Analyst: ST
Analytical Date/Time: 11/18/19 20:05
Container ID: 1196897002-B

Prep Batch: VXX35268
Prep Method: SW5035A
Prep Date/Time: 11/14/19 12:30
Prep Initial Wt./Vol.: 66.368 g
Prep Extract Vol: 27.5123 mL

Results of BH-02Client Sample ID: **BH-02**Client Project ID: **ARRC DEPOT DR. Drilling Sample**

Lab Sample ID: 1196897002

Lab Project ID: 1196897

Collection Date: 11/14/19 12:30

Received Date: 11/15/19 16:00

Matrix: Soil/Solid (dry weight)

Solids (%):96.2

Location:

Results by Volatile GC/MS

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	8.60 U	17.2	5.34	ug/Kg	1		11/16/19 19:38
1,1,1-Trichloroethane	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,1,2,2-Tetrachloroethane	0.860 U	1.72	0.534	ug/Kg	1		11/16/19 19:38
1,1,2-Trichloroethane	0.344 U	0.689	0.215	ug/Kg	1		11/16/19 19:38
1,1-Dichloroethane	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,1-Dichloroethene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,1-Dichloropropene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,2,3-Trichlorobenzene	21.6 U	43.1	12.9	ug/Kg	1		11/16/19 19:38
1,2,3-Trichloropropane	0.860 U	1.72	0.534	ug/Kg	1		11/16/19 19:38
1,2,4-Trichlorobenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,2,4-Trimethylbenzene	19.6 J	43.1	12.9	ug/Kg	1		11/16/19 19:38
1,2-Dibromo-3-chloropropane	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
1,2-Dibromoethane	0.431 U	0.862	0.267	ug/Kg	1		11/16/19 19:38
1,2-Dichlorobenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,2-Dichloroethane	0.860 U	1.72	0.534	ug/Kg	1		11/16/19 19:38
1,2-Dichloropropene	4.31 U	8.62	2.67	ug/Kg	1		11/16/19 19:38
1,3,5-Trimethylbenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,3-Dichlorobenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
1,3-Dichloropropane	4.31 U	8.62	2.67	ug/Kg	1		11/16/19 19:38
1,4-Dichlorobenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
2,2-Dichloropropene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
2-Butanone (MEK)	108 U	215	67.2	ug/Kg	1		11/16/19 19:38
2-Chlorotoluene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
2-Hexanone	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
4-Chlorotoluene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
4-Isopropyltoluene	43.1 U	86.2	21.5	ug/Kg	1		11/16/19 19:38
4-Methyl-2-pentanone (MIBK)	108 U	215	67.2	ug/Kg	1		11/16/19 19:38
Acetone	108 U	215	67.2	ug/Kg	1		11/16/19 19:38
Benzene	4.09 J	10.8	3.36	ug/Kg	1		11/16/19 19:38
Bromobenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Bromochloromethane	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Bromodichloromethane	0.860 U	1.72	0.534	ug/Kg	1		11/16/19 19:38
Bromoform	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Bromomethane	8.60 U	17.2	5.34	ug/Kg	1		11/16/19 19:38
Carbon disulfide	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
Carbon tetrachloride	5.40 U	10.8	3.36	ug/Kg	1		11/16/19 19:38
Chlorobenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-02

Client Sample ID: **BH-02**

Client Project ID: **ARRC DEPOT DR. Drilling Sample**

Lab Sample ID: 1196897002

Lab Project ID: 1196897

Collection Date: 11/14/19 12:30

Received Date: 11/15/19 16:00

Matrix: Soil/Solid (dry weight)

Solids (%):96.2

Location:

Results by Volatile GC/MS

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Chloroethane	86.0 U	172	53.4	ug/Kg	1		11/16/19 19:38
Chloroform	0.860 U	1.72	0.534	ug/Kg	1		11/16/19 19:38
Chloromethane	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
cis-1,2-Dichloroethene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
cis-1,3-Dichloropropene	5.40 U	10.8	3.36	ug/Kg	1		11/16/19 19:38
Dibromochloromethane	0.860 U	1.72	0.534	ug/Kg	1		11/16/19 19:38
Dibromomethane	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Dichlorodifluoromethane	21.6 U	43.1	12.9	ug/Kg	1		11/16/19 19:38
Ethylbenzene	8.19 J	21.5	6.72	ug/Kg	1		11/16/19 19:38
Freon-113	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
Hexachlorobutadiene	8.60 U	17.2	5.34	ug/Kg	1		11/16/19 19:38
Isopropylbenzene (Cumene)	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Methylene chloride	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
Methyl-t-butyl ether	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
Naphthalene	29.3	21.5	6.72	ug/Kg	1		11/16/19 19:38
n-Butylbenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
n-Propylbenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
o-Xylene	23.7	21.5	6.72	ug/Kg	1		11/16/19 19:38
P & M -Xylene	40.9 J	43.1	12.9	ug/Kg	1		11/16/19 19:38
sec-Butylbenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Styrene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
tert-Butylbenzene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
Tetrachloroethene	5.40 U	10.8	3.36	ug/Kg	1		11/16/19 19:38
Toluene	26.3	21.5	6.72	ug/Kg	1		11/16/19 19:38
trans-1,2-Dichloroethene	10.8 U	21.5	6.72	ug/Kg	1		11/16/19 19:38
trans-1,3-Dichloropropene	5.40 U	10.8	3.36	ug/Kg	1		11/16/19 19:38
Trichloroethene	2.15 U	4.31	1.29	ug/Kg	1		11/16/19 19:38
Trichlorofluoromethane	21.6 U	43.1	12.9	ug/Kg	1		11/16/19 19:38
Vinyl acetate	43.1 U	86.2	26.7	ug/Kg	1		11/16/19 19:38
Vinyl chloride	0.344 U	0.689	0.215	ug/Kg	1		11/16/19 19:38
Xylenes (total)	64.6	64.6	19.6	ug/Kg	1		11/16/19 19:38

Surrogates

1,2-Dichloroethane-D4 (surr)	109	71-136	%	1	11/16/19 19:38
4-Bromofluorobenzene (surr)	93.4	55-151	%	1	11/16/19 19:38
Toluene-d8 (surr)	94.2	85-116	%	1	11/16/19 19:38

Results of BH-02

Client Sample ID: **BH-02**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897002
Lab Project ID: 1196897

Collection Date: 11/14/19 12:30
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 96.2
Location:

Results by Volatile GC/MS**Batch Information**

Analytical Batch: VMS19671
Analytical Method: SW8260C
Analyst: KAJ
Analytical Date/Time: 11/16/19 19:38
Container ID: 1196897002-B

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/14/19 12:30
Prep Initial Wt./Vol.: 66.368 g
Prep Extract Vol: 27.5123 mL

Method Blank

Blank ID: MB for HBN 1802379 [MXX/33000]
Blank Lab ID: 1544246

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW6020A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Lead	0.100U	0.200	0.0620	mg/Kg

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:44:07PM

Prep Batch: MXX33000
Prep Method: SW3050B
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1 g
Prep Extract Vol: 50 mL

Print Date: 12/13/2019 3:40:17PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [MXX33000]

Blank Spike Lab ID: 1544247

Date Analyzed: 11/21/2019 18:48

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW6020A

Blank Spike (mg/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Lead	50	51.8	104	(84-118)

Batch Information

Analytical Batch: MMS10690

Prep Batch: MXX33000

Analytical Method: SW6020A

Prep Method: SW3050B

Instrument: Perkin Elmer Nexlon P5

Prep Date/Time: 11/20/2019 11:25

Analyst: DMM

Spike Init Wt./Vol.: 50 mg/Kg Extract Vol: 50 mL
Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:20PM

Matrix Spike Summary

Original Sample ID: 1544248
MS Sample ID: 1544254 MS
MSD Sample ID: 1544255 MSD

QC for Samples: 1196897008

Analysis Date: 11/21/2019 18:53
Analysis Date: 11/21/2019 18:58
Analysis Date: 11/21/2019 19:02
Matrix: Solid/Soil (Wet Weight)

Results by SW6020A

Parameter	Matrix Spike (mg/Kg)				Spike Duplicate (mg/Kg)				CL	RPD (%)	RPD CL (< 20)
	Sample	Spike	Result	Rec (%)	Spike	Result	Rec (%)				
Lead	3.76	46.9	50.6	100	46.5	45.9	91	84-118	9.92		(< 20)

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:58:12PM

Prep Batch: MXX33000
Prep Method: Soils/Solids Digest for Metals by ICP-MS
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1.07g
Prep Extract Vol: 50.00mL

Method Blank

Blank ID: MB for HBN 1802346 [SPT/10940]
Blank Lab ID: 1544092

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Total Solids	100			%

Batch Information

Analytical Batch: SPT10940
Analytical Method: SM21 2540G
Instrument:
Analyst: A.A
Analytical Date/Time: 11/18/2019 5:09:00PM

Print Date: 12/13/2019 3:40:23PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Duplicate Sample Summary

Original Sample ID: 1196869007

Analysis Date: 11/18/2019 17:09

Duplicate Sample ID: 1544093

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>NAME</u>	<u>Original</u>	<u>Duplicate</u>	<u>Units</u>	<u>RPD (%)</u>	<u>RPD CL</u>
Total Solids	94.3	94.5	%	0.23	(< 15)

Batch Information

Analytical Batch: SPT10940

Analytical Method: SM21 2540G

Instrument:

Analyst: A.A

Print Date: 12/13/2019 3:40:25PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,1,1,2-Tetrachloroethane	10.0U	20.0	6.20	ug/Kg
1,1,1-Trichloroethane	12.5U	25.0	7.80	ug/Kg
1,1,2,2-Tetrachloroethane	1.00U	2.00	0.620	ug/Kg
1,1,2-Trichloroethane	0.400U	0.800	0.250	ug/Kg
1,1-Dichloroethane	12.5U	25.0	7.80	ug/Kg
1,1-Dichloroethene	12.5U	25.0	7.80	ug/Kg
1,1-Dichloropropene	12.5U	25.0	7.80	ug/Kg
1,2,3-Trichlorobenzene	25.0U	50.0	15.0	ug/Kg
1,2,3-Trichloropropane	1.00U	2.00	0.620	ug/Kg
1,2,4-Trichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2,4-Trimethylbenzene	25.0U	50.0	15.0	ug/Kg
1,2-Dibromo-3-chloropropane	50.0U	100	31.0	ug/Kg
1,2-Dibromoethane	0.500U	1.00	0.310	ug/Kg
1,2-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2-Dichloroethane	1.00U	2.00	0.620	ug/Kg
1,2-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,3,5-Trimethylbenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,4-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
2,2-Dichloropropane	12.5U	25.0	7.80	ug/Kg
2-Butanone (MEK)	125U	250	78.0	ug/Kg
2-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
2-Hexanone	50.0U	100	31.0	ug/Kg
4-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
4-Isopropyltoluene	50.0U	100	25.0	ug/Kg
4-Methyl-2-pentanone (MIBK)	125U	250	78.0	ug/Kg
Acetone	125U	250	78.0	ug/Kg
Benzene	6.25U	12.5	3.90	ug/Kg
Bromobenzene	12.5U	25.0	7.80	ug/Kg
Bromochloromethane	12.5U	25.0	7.80	ug/Kg
Bromodichloromethane	1.00U	2.00	0.620	ug/Kg
Bromoform	12.5U	25.0	7.80	ug/Kg
Bromomethane	10.0U	20.0	6.20	ug/Kg
Carbon disulfide	50.0U	100	31.0	ug/Kg
Carbon tetrachloride	6.25U	12.5	3.90	ug/Kg
Chlorobenzene	12.5U	25.0	7.80	ug/Kg
Chloroethane	100U	200	62.0	ug/Kg

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Chloroform	1.00U	2.00	0.620	ug/Kg
Chloromethane	12.5U	25.0	7.80	ug/Kg
cis-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
cis-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Dibromochloromethane	1.00U	2.00	0.620	ug/Kg
Dibromomethane	12.5U	25.0	7.80	ug/Kg
Dichlorodifluoromethane	25.0U	50.0	15.0	ug/Kg
Ethylbenzene	12.5U	25.0	7.80	ug/Kg
Freon-113	50.0U	100	31.0	ug/Kg
Hexachlorobutadiene	10.0U	20.0	6.20	ug/Kg
Isopropylbenzene (Cumene)	12.5U	25.0	7.80	ug/Kg
Methylene chloride	50.0U	100	31.0	ug/Kg
Methyl-t-butyl ether	50.0U	100	31.0	ug/Kg
Naphthalene	12.5U	25.0	7.80	ug/Kg
n-Butylbenzene	12.5U	25.0	7.80	ug/Kg
n-Propylbenzene	12.5U	25.0	7.80	ug/Kg
o-Xylene	12.5U	25.0	7.80	ug/Kg
P & M -Xylene	25.0U	50.0	15.0	ug/Kg
sec-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Styrene	12.5U	25.0	7.80	ug/Kg
tert-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Tetrachloroethene	6.25U	12.5	3.90	ug/Kg
Toluene	12.5U	25.0	7.80	ug/Kg
trans-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
trans-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Trichloroethene	2.50U	5.00	1.50	ug/Kg
Trichlorofluoromethane	25.0U	50.0	15.0	ug/Kg
Vinyl acetate	50.0U	100	31.0	ug/Kg
Vinyl chloride	0.400U	0.800	0.250	ug/Kg
Xylenes (total)	37.5U	75.0	22.8	ug/Kg

Surrogates

1,2-Dichloroethane-D4 (surr)	102	71-136	%
4-Bromofluorobenzene (surr)	101	55-151	%
Toluene-d8 (surr)	97	85-116	%

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]
Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
------------------	----------------	---------------	-----------	--------------

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 3:23:00PM

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 50 g
Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:29PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
1,1,1,2-Tetrachloroethane	750	726	97	(78-125)
1,1,1-Trichloroethane	750	768	102	(73-130)
1,1,2,2-Tetrachloroethane	750	751	100	(70-124)
1,1,2-Trichloroethane	750	737	98	(78-121)
1,1-Dichloroethane	750	707	94	(76-125)
1,1-Dichloroethene	750	691	92	(70-131)
1,1-Dichloropropene	750	833	111	(76-125)
1,2,3-Trichlorobenzene	750	788	105	(66-130)
1,2,3-Trichloropropane	750	726	97	(73-125)
1,2,4-Trichlorobenzene	750	805	107	(67-129)
1,2,4-Trimethylbenzene	750	781	104	(75-123)
1,2-Dibromo-3-chloropropane	750	732	98	(61-132)
1,2-Dibromoethane	750	737	98	(78-122)
1,2-Dichlorobenzene	750	763	102	(78-121)
1,2-Dichloroethane	750	701	93	(73-128)
1,2-Dichloropropene	750	814	108	(76-123)
1,3,5-Trimethylbenzene	750	786	105	(73-124)
1,3-Dichlorobenzene	750	760	101	(77-121)
1,3-Dichloropropane	750	728	97	(77-121)
1,4-Dichlorobenzene	750	764	102	(75-120)
2,2-Dichloropropane	750	751	100	(67-133)
2-Butanone (MEK)	2250	2340	104	(51-148)
2-Chlorotoluene	750	761	101	(75-122)
2-Hexanone	2250	2360	105	(53-145)
4-Chlorotoluene	750	755	101	(72-124)
4-Isopropyltoluene	750	822	110	(73-127)
4-Methyl-2-pentanone (MIBK)	2250	2200	98	(65-135)
Acetone	2250	1920	85	(36-164)
Benzene	750	779	104	(77-121)
Bromobenzene	750	754	101	(78-121)
Bromochloromethane	750	690	92	(78-125)
Bromodichloromethane	750	812	108	(75-127)
Bromoform	750	733	98	(67-132)
Bromomethane	750	650	87	(53-143)

Print Date: 12/13/2019 3:40:32PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C****Blank Spike (ug/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Carbon disulfide	1130	1030	91	(63-132)
Carbon tetrachloride	750	787	105	(70-135)
Chlorobenzene	750	770	103	(79-120)
Chloroethane	750	734	98	(59-139)
Chloroform	750	707	94	(78-123)
Chloromethane	750	717	96	(50-136)
cis-1,2-Dichloroethene	750	734	98	(77-123)
cis-1,3-Dichloropropene	750	733	98	(74-126)
Dibromochloromethane	750	745	99	(74-126)
Dibromomethane	750	725	97	(78-125)
Dichlorodifluoromethane	750	707	94	(29-149)
Ethylbenzene	750	776	104	(76-122)
Freon-113	1130	1070	95	(66-136)
Hexachlorobutadiene	750	853	114	(61-135)
Isopropylbenzene (Cumene)	750	806	107	(68-134)
Methylene chloride	750	695	93	(70-128)
Methyl-t-butyl ether	1130	1180	105	(73-125)
Naphthalene	750	761	101	(62-129)
n-Butylbenzene	750	840	112	(70-128)
n-Propylbenzene	750	783	104	(73-125)
o-Xylene	750	785	105	(77-123)
P & M -Xylene	1500	1570	105	(77-124)
sec-Butylbenzene	750	810	108	(73-126)
Styrene	750	795	106	(76-124)
tert-Butylbenzene	750	790	105	(73-125)
Tetrachloroethene	750	804	107	(73-128)
Toluene	750	767	102	(77-121)
trans-1,2-Dichloroethene	750	716	96	(74-125)
trans-1,3-Dichloropropene	750	734	98	(71-130)
Trichloroethene	750	733	98	(77-123)
Trichlorofluoromethane	750	715	95	(62-140)
Vinyl acetate	750	756	101	(50-151)
Vinyl chloride	750	695	93	(56-135)
Xylenes (total)	2250	2350	105	(78-124)

Print Date: 12/13/2019 3:40:32PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Surrogates				
1,2-Dichloroethane-D4 (surr)	750	94.1	94	(71-136)
4-Bromofluorobenzene (surr)	750	91.2	91	(55-151)
Toluene-d8 (surr)	750	101	101	(85-116)

Batch Information

Analytical Batch: VMS19671

Analytical Method: SW8260C

Instrument: VQA 7890/5975 GC/MS

Analyst: KAJ

Prep Batch: VXX35248

Prep Method: SW5035A

Prep Date/Time: 11/16/2019 06:00

Spike Init Wt./Vol.: 750 ug/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:32PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,1,1,2-Tetrachloroethane	8.05U	525	480	91	525	528	101	78-125	9.60	(< 20)
1,1,1-Trichloroethane	10.1U	525	539	103	525	546	104	73-130	1.30	(< 20)
1,1,2,2-Tetrachloroethane	0.805U	525	508	97	525	554	105	70-124	8.40	(< 20)
1,1,2-Trichloroethane	0.321U	525	513	98	525	563	107	78-121	9.50	(< 20)
1,1-Dichloroethane	10.1U	525	487	93	525	498	95	76-125	2.10	(< 20)
1,1-Dichloroethene	10.1U	525	486	93	525	488	93	70-131	0.29	(< 20)
1,1-Dichloropropene	10.1U	525	572	109	525	591	113	76-125	3.40	(< 20)
1,2,3-Trichlorobenzene	20.1U	525	568	108	525	682	130	66-130	18.10	(< 20)
1,2,3-Trichloropropane	0.805U	525	502	96	525	550	105	73-125	9.10	(< 20)
1,2,4-Trichlorobenzene	10.1U	525	564	107	525	651	124	67-129	14.30	(< 20)
1,2,4-Trimethylbenzene	79.3	525	596	98	525	647	108	75-123	8.20	(< 20)
1,2-Dibromo-3-chloropropane	40.1U	525	504	96	525	555	105	61-132	9.50	(< 20)
1,2-Dibromoethane	0.402U	525	495	94	525	538	102	78-122	8.40	(< 20)
1,2-Dichlorobenzene	10.1U	525	513	98	525	553	105	78-121	7.50	(< 20)
1,2-Dichloroethane	0.805U	525	483	92	525	497	95	73-128	2.70	(< 20)
1,2-Dichloropropane	4.01U	525	555	106	525	586	111	76-123	5.50	(< 20)
1,3,5-Trimethylbenzene	12.2J	525	541	101	525	598	111	73-124	9.90	(< 20)
1,3-Dichlorobenzene	10.1U	525	514	98	525	547	104	77-121	6.20	(< 20)
1,3-Dichloropropane	4.01U	525	488	93	525	533	101	77-121	8.70	(< 20)
1,4-Dichlorobenzene	10.1U	525	512	97	525	557	106	75-120	8.30	(< 20)
2,2-Dichloropropane	10.1U	525	536	102	525	546	104	67-133	2.00	(< 20)
2-Butanone (MEK)	101U	1576	1681	106	1576	1859	118	51-148	10.30	(< 20)
2-Chlorotoluene	10.1U	525	515	98	525	553	105	75-122	7.00	(< 20)
2-Hexanone	40.1U	1576	1565	99	1576	1744	111	53-145	10.80	(< 20)
4-Chlorotoluene	10.1U	525	513	98	525	549	104	72-124	6.90	(< 20)
4-Isopropyltoluene	49.8J	525	592	103	525	636	111	73-127	7.10	(< 20)
4-Methyl-2-pentanone (MIBK)	101U	1576	1471	93	1576	1607	102	65-135	9.10	(< 20)
Acetone	101U	1576	1408	89	1576	1534	97	36-164	8.70	(< 20)
Benzene	18.5	525	527	97	525	567	104	77-121	7.40	(< 20)
Bromobenzene	10.1U	525	503	96	525	532	101	78-121	5.40	(< 20)
Bromochloromethane	10.1U	525	478	91	525	492	94	78-125	2.80	(< 20)
Bromodichloromethane	0.805U	525	562	107	525	581	110	75-127	3.30	(< 20)
Bromoform	10.1U	525	498	95	525	539	103	67-132	7.80	(< 20)
Bromomethane	8.05U	525	499	95	525	512	97	53-143	2.50	(< 20)
Carbon disulfide	40.1U	789	757	96	789	727	92	63-132	4.20	(< 20)
Carbon tetrachloride	5.00U	525	557	106	525	563	107	70-135	1.20	(< 20)
Chlorobenzene	10.1U	525	502	96	525	550	105	79-120	9.10	(< 20)

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Chloroethane	80.5U	525	613	117	525	503	96	59-139	19.60	(< 20)
Chloroform	0.805U	525	486	93	525	498	95	78-123	2.20	(< 20)
Chloromethane	10.1U	525	516	98	525	516	98	50-136	0.10	(< 20)
cis-1,2-Dichloroethene	10.1U	525	495	94	525	502	96	77-123	1.50	(< 20)
cis-1,3-Dichloropropene	5.00U	525	503	96	525	530	101	74-126	5.20	(< 20)
Dibromochloromethane	0.805U	525	502	96	525	545	104	74-126	8.20	(< 20)
Dibromomethane	10.1U	525	504	96	525	517	98	78-125	2.40	(< 20)
Dichlorodifluoromethane	20.1U	525	527	100	525	506	96	29-149	4.10	(< 20)
Ethylbenzene	37.9	525	528	93	525	581	103	76-122	9.50	(< 20)
Freon-113	40.1U	789	753	96	789	752	95	66-136	0.12	(< 20)
Hexachlorobutadiene	8.05U	525	854	162 *	525	837	159 *	61-135	1.90	(< 20)
Isopropylbenzene (Cumene)	12.4J	525	524	97	525	580	108	68-134	10.10	(< 20)
Methylene chloride	40.1U	525	457	87	525	477	91	70-128	4.30	(< 20)
Methyl-t-butyl ether	40.1U	789	795	101	789	857	109	73-125	7.50	(< 20)
Naphthalene	93.3	525	583	93	525	696	115	62-129	17.90	(< 20)
n-Butylbenzene	10.1U	525	582	111	525	620	118	70-128	6.20	(< 20)
n-Propylbenzene	8.63J	525	521	98	525	564	106	73-125	8.00	(< 20)
o-Xylene	107	525	607	95	525	650	103	77-123	6.80	(< 20)
P & M -Xylene	186	1050	1176	94	1050	1261	102	77-124	7.40	(< 20)
sec-Butylbenzene	10.1U	525	543	103	525	584	111	73-126	7.30	(< 20)
Styrene	10.1U	525	529	101	525	561	107	76-124	5.90	(< 20)
tert-Butylbenzene	10.1U	525	520	99	525	570	109	73-125	9.30	(< 20)
Tetrachloroethene	5.00U	525	516	98	525	576	109	73-128	10.80	(< 20)
Toluene	139	525	608	89	525	666	100	77-121	9.20	(< 20)
trans-1,2-Dichloroethene	10.1U	525	514	98	525	502	96	74-125	2.30	(< 20)
trans-1,3-Dichloropropene	5.00U	525	499	95	525	540	103	71-130	7.90	(< 20)
Trichloroethene	2.00U	525	492	93	525	520	99	77-123	5.60	(< 20)
Trichlorofluoromethane	20.1U	525	523	100	525	507	97	62-140	3.00	(< 20)
Vinyl acetate	40.1U	525	523	99	525	564	107	50-151	7.50	(< 20)
Vinyl chloride	0.321U	525	512	97	525	501	95	56-135	2.00	(< 20)
Xylenes (total)	293	1576	1775	94	1576	1912	103	78-124	7.20	(< 20)
Surrogates										
1,2-Dichloroethane-D4 (surr)		525	511	97	525	492	94	71-136	3.60	
4-Bromofluorobenzene (surr)		876	593	68	876	629	72	55-151	5.80	
Toluene-d8 (surr)		525	524	100	525	528	101	85-116	0.87	

Print Date: 12/13/2019 3:40:34PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date:
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	<u>Sample</u>	Matrix Spike (%)		Spike Duplicate (%)		<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>		

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 5:43:00PM

Prep Batch: VXX35248
Prep Method: Vol. Extraction SW8260 Field Extracted L
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 74.93g
Prep Extract Vol: 25.00mL

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802510 [VXX/35268]

Blank Lab ID: 1544772

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by AK101

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Gasoline Range Organics	1.25U	2.50	0.750	mg/Kg

Surrogates

4-Bromofluorobenzene (surr)	75	50-150	%
-----------------------------	----	--------	---

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Analytical Date/Time: 11/18/2019 6:54:00PM

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 8:00:00AM

Prep Initial Wt./Vol.: 50 g

Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:35PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35268]

Blank Spike Lab ID: 1544773

Date Analyzed: 11/18/2019 18:18

Spike Duplicate ID: LCSD for HBN 1196897

[VXX35268]

Spike Duplicate Lab ID: 1544774

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by AK101

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Gasoline Range Organics	12.5	13.6	109	12.5	13.7	110	(60-120)	0.85	(< 20)
4-Bromofluorobenzene (surr)	1.25	80.7	81	1.25	80.5	81	(50-150)	0.25	

Surrogates

4-Bromofluorobenzene (surr) 1.25 80.7 81 1.25 80.5 81 (50-150) 0.25

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 08:00

Spike Init Wt./Vol.: 12.5 mg/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: 12.5 mg/Kg Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:38PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK102

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Diesel Range Organics	8.65J	20.0	6.20	mg/Kg

Surrogates

5a Androstane (surr)	94	60-120	%
----------------------	----	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:41PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK102**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Diesel Range Organics	833	891	107	833	884	106	(75-125)	0.80	(< 20)
5a Androstane (surr)	16.7	109	109	16.7	114	114	(60-120)	3.80	

Surrogates

5a Androstane (surr) 16.7 109 109 16.7 114 114 (60-120) 3.80

Batch Information

Analytical Batch: XFC15480

Prep Batch: XXX42611

Analytical Method: AK102

Prep Method: SW3550C

Instrument: Agilent 7890B F

Prep Date/Time: 11/20/2019 09:06

Analyst: DSD

Spike Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:44PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK103

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Residual Range Organics	8.16J	20.0	6.20	mg/Kg

Surrogates

n-Triacontane-d62 (surr)	87.2	60-120	%
--------------------------	------	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:47PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK103**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Residual Range Organics	833	845	101	833	831	100	(60-120)	1.70	(< 20)

Surrogates

n-Triacontane-d62 (surr)	16.7	96.8	97	16.7	92.5	93	(60-120)	4.60
--------------------------	------	------	----	------	------	----	------------	------

Batch Information

Analytical Batch: XFC15480

Prep Batch: XXX42611

Analytical Method: AK103

Prep Method: SW3550C

Instrument: Agilent 7890B F

Prep Date/Time: 11/20/2019 09:06

Analyst: DSD

Spike Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:49PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,2,4-Trichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,2-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,3-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,4-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
1-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2,4,5-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4,6-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dimethylphenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dinitrophenol	1.50U	3.00	0.940	mg/Kg
2,4-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2,6-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,6-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Chlorophenol	0.125U	0.250	0.0780	mg/Kg
2-Methyl-4,6-dinitrophenol	1.00U	2.00	0.620	mg/Kg
2-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Methylphenol (o-Cresol)	0.125U	0.250	0.0780	mg/Kg
2-Nitroaniline	0.125U	0.250	0.0780	mg/Kg
2-Nitrophenol	0.125U	0.250	0.0780	mg/Kg
3&4-Methylphenol (p&m-Cresol)	0.500U	1.00	0.310	mg/Kg
3,3-Dichlorobenzidine	0.250U	0.500	0.150	mg/Kg
3-Nitroaniline	0.250U	0.500	0.150	mg/Kg
4-Bromophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Chloro-3-methylphenol	0.125U	0.250	0.0780	mg/Kg
4-Chloroaniline	0.500U	1.00	0.310	mg/Kg
4-Chlorophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Nitroaniline	1.50U	3.00	0.940	mg/Kg
4-Nitrophenol	1.00U	2.00	0.620	mg/Kg
Acenaphthene	0.125U	0.250	0.0780	mg/Kg
Acenaphthylene	0.125U	0.250	0.0780	mg/Kg
Aniline	1.00U	2.00	0.620	mg/Kg
Anthracene	0.125U	0.250	0.0780	mg/Kg
Azobenzene	0.125U	0.250	0.0780	mg/Kg
Benzo(a)Anthracene	0.125U	0.250	0.0780	mg/Kg
Benzo[a]pyrene	0.125U	0.250	0.0780	mg/Kg
Benzo[b]Fluoranthene	0.125U	0.250	0.0780	mg/Kg

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Benzog[h,i]perylene	0.125U	0.250	0.0780	mg/Kg
Benzo[k]fluoranthene	0.125U	0.250	0.0780	mg/Kg
Benzoic acid	0.750U	1.50	0.470	mg/Kg
Benzyl alcohol	0.125U	0.250	0.0780	mg/Kg
Bis(2chloro1methylethyl)Ether	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethoxy)methane	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethyl)ether	0.125U	0.250	0.0780	mg/Kg
bis(2-Ethylhexyl)phthalate	0.125U	0.250	0.0780	mg/Kg
Butylbenzylphthalate	0.125U	0.250	0.0780	mg/Kg
Carbazole	0.125U	0.250	0.0780	mg/Kg
Chrysene	0.125U	0.250	0.0780	mg/Kg
Dibenz[a,h]anthracene	0.125U	0.250	0.0780	mg/Kg
Dibenzofuran	0.125U	0.250	0.0780	mg/Kg
Diethylphthalate	0.125U	0.250	0.0780	mg/Kg
Dimethylphthalate	0.125U	0.250	0.0780	mg/Kg
Di-n-butylphthalate	0.125U	0.250	0.0780	mg/Kg
di-n-Octylphthalate	0.250U	0.500	0.150	mg/Kg
Fluoranthene	0.125U	0.250	0.0780	mg/Kg
Fluorene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobenzene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobutadiene	0.125U	0.250	0.0780	mg/Kg
Hexachlorocyclopentadiene	0.350U	0.700	0.200	mg/Kg
Hexachloroethane	0.125U	0.250	0.0780	mg/Kg
Indeno[1,2,3-c,d] pyrene	0.125U	0.250	0.0780	mg/Kg
Isophorone	0.125U	0.250	0.0780	mg/Kg
Naphthalene	0.125U	0.250	0.0780	mg/Kg
Nitrobenzene	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodimethylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitroso-di-n-propylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodiphenylamine	0.125U	0.250	0.0780	mg/Kg
Pentachlorophenol	1.00U	2.00	0.620	mg/Kg
Phenanthrene	0.125U	0.250	0.0780	mg/Kg
Phenol	0.125U	0.250	0.0780	mg/Kg
Pyrene	0.125U	0.250	0.0780	mg/Kg
Surrogates				
2,4,6-Tribromophenol (surr)	95.9	35-125		%
2-Fluorobiphenyl (surr)	79.9	44-115		%
2-Fluorophenol (surr)	68.5	35-115		%

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Matrix: Soil/Solid (dry weight)

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Nitrobenzene-d5 (surr)	71.6	37-122		%
Phenol-d6 (surr)	73.2	33-122		%
Terphenyl-d14 (surr)	92.8	54-127		%

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Analytical Date/Time: 12/9/2019 5:21:00PM

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 2:52:08PM

Prep Initial Wt./Vol.: 22.5 g

Prep Extract Vol: 1 mL

Print Date: 12/13/2019 3:40:52PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518

t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D**

<u>Parameter</u>	Blank Spike (mg/Kg)			<u>CL</u>
	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	
1,2,4-Trichlorobenzene	4.44	2.65	60	(34-118)
1,2-Dichlorobenzene	4.44	2.39	54	(33-117)
1,3-Dichlorobenzene	4.44	2.33	52	(30-115)
1,4-Dichlorobenzene	4.44	2.36	53	(31-115)
1-Chloronaphthalene	1.78	1.41	79	(48-115)
1-Methylnaphthalene	4.44	3.21	72	(40-119)
2,4,5-Trichlorophenol	4.44	3.84	86	(41-124)
2,4,6-Trichlorophenol	4.44	3.84	86	(39-126)
2,4-Dichlorophenol	4.44	3.43	77	(40-122)
2,4-Dimethylphenol	4.44	2.91	65	(30-127)
2,4-Dinitrophenol	8	10.2	127 *	(62-113)
2,4-Dinitrotoluene	4.44	3.65	82	(48-126)
2,6-Dichlorophenol	1.78	1.39	78	(41-117)
2,6-Dinitrotoluene	4.44	3.45	78	(46-124)
2-Chloronaphthalene	4.44	3.02	68	(41-114)
2-Chlorophenol	4.44	2.94	66	(34-121)
2-Methyl-4,6-dinitrophenol	8	8.58	107	(29-132)
2-Methylnaphthalene	4.44	2.77	62	(38-122)
2-Methylphenol (o-Cresol)	4.44	3.05	69	(32-122)
2-Nitroaniline	4.44	4.12	93	(44-127)
2-Nitrophenol	4.44	3.50	79	(36-123)
3&4-Methylphenol (p&m-Cresol)	6.22	4.97	80	(34-119)
3,3-Dichlorobenzidine	4.44	3.69	83	(22-121)
3-Nitroaniline	4.44	4.10	92	(33-119)
4-Bromophenyl-phenylether	4.44	4.07	92	(46-124)
4-Chloro-3-methylphenol	4.44	3.72	84	(45-122)
4-Chloroaniline	4.44	2.47	56	(17-106)
4-Chlorophenyl-phenylether	4.44	3.75	85	(45-121)
4-Nitroaniline	4.44	3.98	90	(77-120)
4-Nitrophenol	6.22	5.83	94	(30-132)
Acenaphthene	4.44	3.59	81	(40-123)
Acenaphthylene	4.44	3.55	80	(32-132)
Aniline	4.44	0.943J	21 *	(24-89)
Anthracene	4.44	3.72	84	(47-123)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Azobenzene	4.44	3.64	82	(39-125)
Benzo(a)Anthracene	4.44	4.18	94	(49-126)
Benzo[a]pyrene	4.44	4.03	91	(45-129)
Benzo[b]Fluoranthene	4.44	4.64	104	(45-132)
Benzo[g,h,i]perylene	4.44	3.93	88	(43-134)
Benzo[k]fluoranthene	4.44	4.54	102	(47-132)
Benzoic acid	6.22	5.38	86	(53-124)
Benzyl alcohol	4.44	2.82	63	(29-122)
Bis(2chloro1methylethyl)Ether	4.44	2.44	55	(33-131)
Bis(2-Chloroethoxy)methane	4.44	3.15	71	(36-121)
Bis(2-Chloroethyl)ether	4.44	2.41	54	(31-120)
bis(2-Ethylhexyl)phthalate	4.44	4.58	103	(51-133)
Butylbenzylphthalate	4.44	4.74	107	(48-132)
Carbazole	4.44	4.27	96	(50-123)
Chrysene	4.44	4.24	95	(50-124)
Dibenzo[a,h]anthracene	4.44	4.11	93	(45-134)
Dibenzofuran	4.44	3.24	73	(44-120)
Diethylphthalate	4.44	4.10	92	(50-124)
Dimethylphthalate	4.44	4.27	96	(48-124)
Di-n-butylphthalate	4.44	4.31	97	(51-128)
di-n-Octylphthalate	4.44	4.28	96	(45-140)
Fluoranthene	4.44	3.80	86	(50-127)
Fluorene	4.44	3.87	87	(43-125)
Hexachlorobenzene	4.44	3.61	81	(45-122)
Hexachlorobutadiene	4.44	2.86	64	(32-123)
Hexachlorocyclopentadiene	4.44	2.44	55	(34-74)
Hexachloroethane	4.44	2.31	52	(28-117)
Indeno[1,2,3-c,d] pyrene	4.44	4.03	91	(45-133)
Isophorone	4.44	3.04	68	(30-122)
Naphthalene	4.44	2.96	67	(35-123)
Nitrobenzene	4.44	2.56	58	(34-122)
N-Nitrosodimethylamine	4.44	2.56	58	(23-120)
N-Nitroso-di-n-propylamine	4.44	3.31	74	(36-120)
N-Nitrosodiphenylamine	4.44	3.15	71	(38-127)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Pentachlorophenol	6.22	6.10	98	(25-133)
Phenanthrene	4.44	3.92	88	(50-121)
Phenol	4.44	3.09	70	(34-121)
Pyrene	4.44	4.49	101	(47-127)

Surrogates

2,4,6-Tribromophenol (surr)	8.89	103	103	(35-125)
2-Fluorobiphenyl (surr)	4.44	79	79	(44-115)
2-Fluorophenol (surr)	8.89	61	61	(35-115)
Nitrobenzene-d5 (surr)	4.44	68.2	68	(37-122)
Phenol-d6 (surr)	8.89	68.4	68	(33-122)
Terphenyl-d14 (surr)	4.44	104	104	(54-127)

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 14:52

Spike Init Wt./Vol.: 4.44 mg/Kg Extract Vol: 1 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:55PM

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,2,4-Trichlorobenzene	3.72U	5.26	4.32J	82	5.28	4.31J	82	34-118	0.28	(< 20)
1,2-Dichlorobenzene	3.72U	5.26	3.84J	73	5.28	3.89J	74	33-117	1.40	(< 20)
1,3-Dichlorobenzene	3.72U	5.26	3.90J	74	5.28	3.71J	70	30-115	5.20	(< 20)
1,4-Dichlorobenzene	3.72U	5.26	3.95J	75	5.28	3.74J	71	31-115	5.50	(< 20)
1-Chloronaphthalene	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	48-115	0.00	(< 20)
1-Methylnaphthalene	3.72U	5.26	4.89J	93	5.28	4.81J	91	40-119	1.80	(< 20)
2,4,5-Trichlorophenol	3.72U	5.26	4.81J	91	5.28	4.84J	92	41-124	0.88	(< 20)
2,4,6-Trichlorophenol	3.72U	5.26	4.98J	95	5.28	5.36J	102	39-126	7.50	(< 20)
2,4-Dichlorophenol	3.72U	5.26	5.19J	99	5.28	5.23J	99	40-122	0.84	(< 20)
2,4-Dimethylphenol	3.72U	5.26	4.89J	93	5.28	5.11J	97	30-127	4.30	(< 20)
2,4-Dinitrophenol	44.6U	9.46	44.6U	0 *	9.50	44.6U	0 *	62-113	0.00	(< 20)
2,4-Dinitrotoluene	3.72U	5.26	4.53J	86	5.28	4.17J	79	48-126	8.10	(< 20)
2,6-Dichlorophenol	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	41-117	0.00	(< 20)
2,6-Dinitrotoluene	3.72U	5.26	5.29J	101	5.28	5.20J	99	46-124	1.70	(< 20)
2-Chloronaphthalene	3.72U	5.26	4.55J	86	5.28	4.33J	82	41-114	4.70	(< 20)
2-Chlorophenol	3.72U	5.26	4.45J	85	5.28	4.44J	84	34-121	0.26	(< 20)
2-Methyl-4,6-dinitrophenol	29.8U	9.46	29.8U	0 *	9.50	29.8U	0 *	29-132	0.00	(< 20)
2-Methylnaphthalene	3.72U	5.26	4.29J	82	5.28	4.16J	79	38-122	3.10	(< 20)
2-Methylphenol (o-Cresol)	3.72U	5.26	4.41J	84	5.28	4.41J	84	32-122	0.03	(< 20)
2-Nitroaniline	3.72U	5.26	5.66J	108	5.28	5.33J	101	44-127	5.90	(< 20)
2-Nitrophenol	3.72U	5.26	5.25J	100	5.28	5.28J	100	36-123	0.33	(< 20)
3&4-Methylphenol (p&m-Cresol)	14.9U	7.36	14.9U	0 *	7.38	14.9U	0 *	34-119	0.00	(< 20)
3,3-Dichlorobenzidine	7.45U	5.26	5.28J	100	5.28	5.33J	101	22-121	1.10	(< 20)
3-Nitroaniline	7.45U	5.26	5.29J	101	5.28	5.36J	102	33-119	1.30	(< 20)
4-Bromophenyl-phenylether	3.72U	5.26	5.67J	108	5.28	5.25J	100	46-124	7.60	(< 20)
4-Chloro-3-methylphenol	3.72U	5.26	4.92J	93	5.28	5.08J	96	45-122	3.50	(< 20)
4-Chloroaniline	14.9U	5.26	14.9U	0 *	5.28	14.9U	0 *	17-106	0.00	(< 20)
4-Chlorophenyl-phenylether	3.72U	5.26	5.12J	97	5.28	4.90J	93	45-121	4.40	(< 20)
4-Nitroaniline	44.6U	5.26	44.6U	0 *	5.28	44.6U	0 *	77-120	0.00	(< 20)
4-Nitrophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	30-132	0.00	(< 20)
Acenaphthene	3.72U	5.26	5.31J	101	5.28	5.24J	99	40-123	1.20	(< 20)
Acenaphthylene	3.72U	5.26	5.37J	102	5.28	5.36J	102	32-132	0.16	(< 20)
Aniline	29.8U	5.26	29.8U	0 *	5.28	29.8U	0 *	24-89	0.00	(< 20)
Anthracene	3.72U	5.26	5.38J	102	5.28	5.22J	99	47-123	3.10	(< 20)
Azobenzene	3.72U	5.26	5.77J	110	5.28	5.85J	111	39-125	1.50	(< 20)
Benzo(a)Anthracene	3.72U	5.26	5.10J	97	5.28	5.28J	100	49-126	3.40	(< 20)
Benzo[a]pyrene	3.72U	5.26	4.80J	91	5.28	4.77J	90	45-129	0.50	(< 20)

Print Date: 12/13/2019 3:40:57PM

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Benzo[b]Fluoranthene	3.72U	5.26	4.92J	93	5.28	4.76J	90	45-132	3.20	(< 20)
Benzo[g,h,i]perylene	3.72U	5.26	5.44J	103	5.28	5.25J	100	43-134	3.40	(< 20)
Benzo[k]fluoranthene	3.72U	5.26	5.06J	96	5.28	5.20J	99	47-132	2.90	(< 20)
Benzoic acid	22.3U	7.36	22.3U	0 *	7.38	22.3U	0 *	53-124	0.00	(< 20)
Benzyl alcohol	3.72U	5.26	3.88J	74	5.28	3.84J	73	29-122	1.00	(< 20)
Bis(2chloro1methylethyl)Ether	3.72U	5.26	3.95J	75	5.28	4.20J	80	33-131	6.10	(< 20)
Bis(2-Chloroethoxy)methane	3.72U	5.26	5.06J	96	5.28	4.90J	93	36-121	3.10	(< 20)
Bis(2-Chloroethyl)ether	3.72U	5.26	4.06J	77	5.28	4.13J	78	31-120	1.60	(< 20)
bis(2-Ethylhexyl)phthalate	3.72U	5.26	6.42J	122	5.28	6.59J	125	51-133	2.60	(< 20)
Butylbenzylphthalate	3.72U	5.26	6.32J	120	5.28	5.69J	108	48-132	10.40	(< 20)
Carbazole	3.72U	5.26	6.02J	114	5.28	5.83J	110	50-123	3.20	(< 20)
Chrysene	3.72U	5.26	5.49J	104	5.28	5.42J	103	50-124	1.40	(< 20)
Dibenz[a,h]anthracene	3.72U	5.26	5.39J	103	5.28	5.71J	108	45-134	5.50	(< 20)
Dibenzofuran	3.72U	5.26	4.59J	87	5.28	4.44J	84	44-120	3.50	(< 20)
Diethylphthalate	3.72U	5.26	5.50J	105	5.28	5.44J	103	50-124	1.10	(< 20)
Dimethylphthalate	3.72U	5.26	5.94J	113	5.28	6.02J	114	48-124	1.20	(< 20)
Di-n-butylphthalate	3.72U	5.26	5.94J	113	5.28	5.75J	109	51-128	3.30	(< 20)
di-n-Octylphthalate	7.45U	5.26	8.15J	155 *	5.28	7.78J	147 *	45-140	4.60	(< 20)
Fluoranthene	3.72U	5.26	4.55J	86	5.28	4.43J	84	50-127	2.60	(< 20)
Fluorene	3.72U	5.26	5.28J	100	5.28	5.20J	99	43-125	1.40	(< 20)
Hexachlorobenzene	3.72U	5.26	4.59J	87	5.28	4.26J	81	45-122	7.70	(< 20)
Hexachlorobutadiene	3.72U	5.26	4.47J	85	5.28	4.53J	86	32-123	1.20	(< 20)
Hexachlorocyclopentadiene	10.4U	5.26	10.4U	0 *	5.28	10.4U	0 *	34-74	0.00	(< 20)
Hexachloroethane	3.72U	5.26	3.68J	70	5.28	3.88J	73	28-117	4.90	(< 20)
Indeno[1,2,3-c,d] pyrene	3.72U	5.26	5.31J	101	5.28	5.28J	100	45-133	0.66	(< 20)
Isophorone	3.72U	5.26	4.87J	93	5.28	4.58J	87	30-122	6.10	(< 20)
Naphthalene	3.72U	5.26	5.14J	98	5.28	5.05J	96	35-123	2.00	(< 20)
Nitrobenzene	3.72U	5.26	4.29J	82	5.28	4.14J	78	34-122	3.70	(< 20)
N-Nitrosodimethylamine	3.72U	5.26	3.79J	72	5.28	3.54J	67	23-120	6.80	(< 20)
N-Nitroso-di-n-propylamine	3.72U	5.26	4.94J	94	5.28	4.95J	94	36-120	0.33	(< 20)
N-Nitrosodiphenylamine	3.72U	5.26	5.01J	95	5.28	5.18J	98	38-127	3.20	(< 20)
Pentachlorophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	25-133	0.00	(< 20)
Phenanthrene	3.72U	5.26	5.37J	102	5.28	5.28J	100	50-121	1.90	(< 20)
Phenol	3.72U	5.26	4.38J	83	5.28	4.39J	83	34-121	0.33	(< 20)
Pyrene	3.72U	5.26	4.98J	95	5.28	5.08J	96	47-127	2.20	(< 20)
Surrogates										
2,4,6-Tribromophenol (surr)		10.5	10.2	97	10.6	10.9	104	35-125	6.40	

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date:
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Sample</u>	Matrix Spike (%)			Spike Duplicate (%)			<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>			
2-Fluorobiphenyl (surr)		5.26	5.56	106	5.28	5.45	103	44-115	2.10	
2-Fluorophenol (surr)		10.5	8.03	76	10.6	7.36	70	35-115	8.70	
Nitrobenzene-d5 (surr)		5.26	4.86	92	5.28	4.81	91	37-122	1.00	
Phenol-d6 (surr)		10.5	9.45	90	10.6	9.31	88	33-122	1.60	
Terphenyl-d14 (surr)		5.26	4.86	92	5.28	5.19	98	54-127	6.60	

Batch Information

Analytical Batch: XMS11889
Analytical Method: SW8270D
Instrument: HP 6890/5973 SSA
Analyst: JMG
Analytical Date/Time: 12/11/2019 3:37:00PM

Prep Batch: XXX42629
Prep Method: Sonication Extraction Soil SW8270
Prep Date/Time: 11/26/2019 2:52:08PM
Prep Initial Wt./Vol.: 22.75g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802613 [XXX/42632]
Blank Lab ID: 1545124

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW8082A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Aroclor-1016	25.0U	50.0	12.5	ug/Kg
Aroclor-1221	50.0U	100	25.0	ug/Kg
Aroclor-1232	25.0U	50.0	12.5	ug/Kg
Aroclor-1242	25.0U	50.0	12.5	ug/Kg
Aroclor-1248	25.0U	50.0	12.5	ug/Kg
Aroclor-1254	25.0U	50.0	12.5	ug/Kg
Aroclor-1260	25.0U	50.0	12.5	ug/Kg

Surrogates

Decachlorobiphenyl (surr) 110 60-125 %

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 12:07:00PM

Prep Batch: XXX42632
Prep Method: SW3550C
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.5 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:58PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42632]

Blank Spike Lab ID: 1545125

Date Analyzed: 12/03/2019 12:17

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Blank Spike (ug/Kg)

Parameter	Spike	Result	Rec (%)	CL
Aroclor-1016	222	198	89	(47-134)
Aroclor-1260	222	235	106	(53-140)

Surrogates

Decachlorobiphenyl (surr)	222	112	112	(60-125)
---------------------------	-----	-----	-----	------------

Batch Information

Analytical Batch: XGC10544

Prep Batch: XXX42632

Analytical Method: SW8082A

Prep Method: SW3550C

Instrument: Agilent 7890B GC ECD SW F

Prep Date/Time: 11/27/2019 10:48

Analyst: BMZ

Spike Init Wt./Vol.: 222 ug/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:41:01PM

Matrix Spike Summary

Original Sample ID: 1196876010
MS Sample ID: 1545126 MS
MSD Sample ID: 1545127 MSD

Analysis Date: 12/03/2019 13:09
Analysis Date: 12/03/2019 13:19
Analysis Date: 12/03/2019 13:29
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Aroclor-1016	25.8U	229	251	110	228	253	111	47-134	0.56	(< 30)
Aroclor-1260	25.8U	229	227	99	228	226	99	53-140	0.65	(< 30)

Surrogates

Decachlorobiphenyl (surr) 229 241 105 228 237 104 60-125 1.40

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 1:19:00PM

Prep Batch: XXX42632
Prep Method: Sonication Extraction Soil SW8082 PCB
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.63g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:41:02PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group



1196897




**North America Inc.
F CUSTODY RECORD**

Profile: 334945

Locations Nationwide

Alaska Revised Report - Maryland
New Jersey New Revision 2
North Carolina Indiana
West Virginia Kentucky
www.us.sas.com

www.us.sgs.com

Section 1					Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.								Page <u>1</u> of <u>1</u>																												
<p>CLIENT: Golder Associates</p> <p>CONTACT: Jessa Karp PHONE NO:</p> <p>PROJECT/ ARPC Depot Dr. PROJECT/ PWSID/ NAME: Drilling Samples PERMIT#:</p> <p>REPORTS TO: E-MAIL: jkarp@golder.com</p> <p>INVOICE TO: Golder Associates QUOTE #: P.O. #: 19132189</p>					<p>Section 3</p> <table border="1"> <thead> <tr> <th rowspan="2"># C O N T A I N E R S</th> <th rowspan="2">Type C = COMP G = GRAB M = Multi Incre- menta l Soils</th> <th colspan="6">Preservative</th> </tr> <tr> <th>NEOTHR-BF</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>GEO (AK-01)</td> <td>VOC (SW8260C)</td> <td>DRO/PRO (AK-02/03)</td> <td>SVOC (SW18270D)</td> <td>PCBs (SW8082)</td> <td>Lead (SW6020)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								# C O N T A I N E R S	Type C = COMP G = GRAB M = Multi Incre- menta l Soils	Preservative						NEOTHR-BF	B	C	D	E	F			GEO (AK-01)	VOC (SW8260C)	DRO/PRO (AK-02/03)	SVOC (SW18270D)	PCBs (SW8082)	Lead (SW6020)							
# C O N T A I N E R S	Type C = COMP G = GRAB M = Multi Incre- menta l Soils	Preservative																																							
		NEOTHR-BF	B	C	D	E	F																																		
		GEO (AK-01)	VOC (SW8260C)	DRO/PRO (AK-02/03)	SVOC (SW18270D)	PCBs (SW8082)	Lead (SW6020)																																		
<p>RESERVED for lab use</p> <p>SAMPLE IDENTIFICATION</p> <p>DATE mm/dd/yy</p> <p>TIME HH:MM</p> <p>MATRIX/ MATRIX CODE</p>													REMARKS/ LOC ID																												
<p>(1AB) BH-01 11/14/19 9:15</p> <p>(2AB) BH-02 11/14/19 12:30</p> <p>(3AB) BH-03A 11/15/19 9:15</p> <p>(4AB) BH-03A-1 11/15/19 9:15</p> <p>(5AB) BH-04 11/14/19 15:00</p> <p>(6AB) BH-05 11/14/19 13:45</p> <p>(7AB) BH-05-1 11/14/19 13:45</p> <p>(8AB) Compost 11/15/19 9:30</p> <p>(9AB) PW7-25-11</p>					<p>2 X X X</p> <p>2 C X X X X</p> <p>2 X X X X</p>								Trip Blank																												
<p>Relinquished By: (1) Jessa Karp</p>					<p>Date 11/15/19</p> <p>Time 16:00</p>			<p>Received By:</p> 		<p>Section 4</p> <p>DOD Project? Yes <input checked="" type="checkbox"/> No</p>		<p>Data Deliverable Requirements:</p> <p>Cooler ID: _____</p>																													
<p>Relinquished By: (2)</p>										<p>Requested Turnaround Time and/or Special Instructions:</p>																															
<p>Relinquished By: (3)</p>										<p>Temp Blank °C: 27° D63</p>																															
<p>Relinquished By: (4)</p>								<p>Received For Laboratory By: </p>		<p>or Ambient []</p> <p>Chain of Custody Seal: (Circle)</p> <p>INTACT BROKEN ABSENT</p>																															
										<p>(See attached Sample Receipt Form)</p> <p>(See attached Sample Receipt Form)</p>																															

[] 200 W. Potter Drive Anchorage, AK 99518 Tel: (907) 562-2343 Fax: (907) 561-5301
[] 5500 Business Drive Wilmington, NC 28405 Tel: (910) 350-1903 Fax: (910) 350-1557

<http://www.sqs.com/terms-and-conditions>

SGS**Returned Bottles Inventory****Name of individual returning bottles:**Tessa Karp**Date Received:**11/13/19**Client Name:**Golder Associates**Received by:****Project Name:**ARRC Depot Dr.
Drilling Samples**SGS PM:**

HDPE/Nalgene:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz						
	60-ml or 2-oz						
	other						
Amber glass:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz with or without septa	10					
	40-ml VOA vial	12					
	other						
Subtotal:		22					

Note: Returned bottles (regardless of size/pres.) are billed back at \$4/bottle unless otherwise quoted.

Amount to Invoice Client \$:88**1196897**

Wt





SGS Workorder #:

1196897

1 1 9 6 8 9 7

Review Criteria		Condition (Yes, No, N/A)	Exceptions Noted below				
Chain of Custody / Temperature Requirements		<input checked="" type="checkbox"/> Yes	Exemption permitted if sampler hand carries/delivers.				
Were Custody Seals intact? Note # & location		<input type="checkbox"/> N/A	<input type="checkbox"/> Absent				
COC accompanied samples?		<input checked="" type="checkbox"/> Yes					
DOD: Were samples received in COC corresponding coolers?		<input type="checkbox"/> N/A					
Temperature blank compliant* (i.e., 0-6 °C after CF)?		<input checked="" type="checkbox"/> Yes	Cooler ID:	1	@	2.2 °C	Therm. ID: D63
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
*If >6°C, were samples collected <8 hours ago?		<input type="checkbox"/> N/A					
If <0°C, were sample containers ice free?		<input type="checkbox"/> N/A					
Note: Identify containers received at non-compliant temperature . Use form FS-0029 if more space is needed.							
Holding Time / Documentation / Sample Condition Requirements		Note: Refer to form F-083 "Sample Guide" for specific holding times.					
Were samples received within holding time?		<input checked="" type="checkbox"/> Yes					
Do samples match COC** (i.e.,sample IDs,dates/times collected)?		<input type="checkbox"/> No	Trip Blanks 9A-B were scheduled with PCB, DRO/RRO, and Lead 6020. Proceeding with GRO & VOC.				
**Note: If times differ <1hr, record details & login per COC.							
***Note: If sample information on containers differs from COC, SGS will default to COC information							
Were analytical requests clear? (i.e., method is specified for analyses with multiple option for analysis (Ex: BTEX, Metals)		<input checked="" type="checkbox"/> Yes					
Were proper containers (type/mass/volume/preservative***)used?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> N/A	***Exemption permitted for metals (e.g.200.8/6020A).			
Volatile / LL-Hg Requirements							
Were Trip Blanks (i.e., VOAs, LL-Hg) in cooler with samples?		<input checked="" type="checkbox"/> Yes					
Were all water VOA vials free of headspace (i.e., bubbles ≤ 6mm)?		<input type="checkbox"/> N/A					
Were all soil VOAs field extracted with MeOH+BFB?		<input checked="" type="checkbox"/> Yes					
Note to Client: Any "No", answer above indicates non-compliance with standard procedures and may impact data quality.							
Additional notes (if applicable):							

Sample Containers and Preservatives

<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>	<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>
1196897001-A	No Preservative Required	OK			
1196897001-B	Methanol field pres. 4 C	OK			
1196897002-A	No Preservative Required	OK			
1196897002-B	Methanol field pres. 4 C	OK			
1196897003-A	No Preservative Required	OK			
1196897003-B	Methanol field pres. 4 C	OK			
1196897004-A	No Preservative Required	OK			
1196897004-B	Methanol field pres. 4 C	OK			
1196897005-A	No Preservative Required	OK			
1196897005-B	Methanol field pres. 4 C	OK			
1196897006-A	No Preservative Required	OK			
1196897006-B	Methanol field pres. 4 C	OK			
1196897007-A	No Preservative Required	OK			
1196897007-B	Methanol field pres. 4 C	OK			
1196897008-A	No Preservative Required	OK			
1196897008-B	Methanol field pres. 4 C	OK			
1196897009-A	Methanol field pres. 4 C	OK			
1196897009-B	Methanol field pres. 4 C	OK			

Container Condition Glossary

Containers for bacteriological, low level mercury and VOA vials are not opened prior to analysis and will be assigned condition code OK unless evidence indicates than an inappropriate container was submitted.

OK - The container was received at an acceptable pH for the analysis requested.

BU - The container was received with headspace greater than 6mm.

DM - The container was received damaged.

FR - The container was received frozen and not usable for Bacteria or BOD analyses.

IC - The container provided for microbiology analysis was not a laboratory-supplied, pre-sterilized container and therefore was not suitable for analysis.

NC - The container provided was not preserved or was under-preserved. The method does not allow for additional preservative added after collection.

PA - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt and the container is now at the correct pH. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

PH - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt, but was insufficient to bring the container to the correct pH for the analysis requested. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

QN - Insufficient sample quantity provided.

Laboratory Report of Analysis

To: Golder Associates Inc.
2121 Abbott Road, #100
Anchorage, AK 99507
(907)344-6001

Report Number: **1196897**

Client Project: **ARRC DEPOT DR. Drilling Sample**

Dear Chris Valentine,

Enclosed are the results of the analytical services performed under the referenced project for the received samples and associated QC as applicable. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of ten years in the event they are required for future reference. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. Any samples submitted to our laboratory will be retained for a maximum of fourteen (14) days from the date of this report unless other archiving requirements were included in the quote.

If there are any questions about the report or services performed during this project, please call Justin at (907) 562-2343. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS North America Inc. for your analytical services. We look forward to working with you again on any additional analytical needs.

Sincerely,
SGS North America Inc.

Justin Nelson
Project Manager
Justin.Nelson@sgs.com

Date

Case Narrative

SGS Client: **Golder Associates Inc.**

SGS Project: **1196897**

Project Name/Site: **ARRC DEPOT DR. Drilling Sample**

Project Contact: **Chris Valentine**

Refer to sample receipt form for information on sample condition.

LCS for HBN 1802587 [XXX/42629 (1545011) LCS

8270D - LCS recovery for 2,4-dinitrophenol does not meet QC criteria. The associated sample concentrations for this analyte are less than the LOQ.

8270D - LCS recovery for aniline does not meet QC criteria.

1196897001MS (1544068) MS

8260C - MS recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MS (1545012) MS

8270D - MS recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

1196897001MSD (1544069) MSD

8260C - MSD recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MSD (1545013) MSD

8270D - MSD recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

8270D - MSD RPD for 4-chloroaniline does not meet QC criteria. Results for this analyte are less than the LOQ in the parent sample.

Report of Manual Integrations

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Analytical Batch</u>	<u>Analyte</u>	<u>Reason</u>
SW8082A				
1545125	LCS for HBN 1802613 [XXX/42632	XGC10544	Aroclor-1016	BLC, SP
1545127	1196876010MSD	XGC10544	Aroclor-1016	SP
SW8260C				
1196897005	BH-04	VMS19671	4-Isopropyltoluene	SP
1196897005	BH-04	VMS19671	Naphthalene	SP
SW8270D				
1545011	LCS for HBN 1802587 [XXX/42629	XMS11885	1-Chloronaphthalene	SP
1545012	1196867001MS	XMS11889	1-Chloronaphthalene	SP
1545013	1196867001MSD	XMS11889	1,4-Dichlorobenzene	RP
1545013	1196867001MSD	XMS11889	1-Chloronaphthalene	SP

Manual Integration Reason Code Descriptions

Code	Description
O	Original Chromatogram
M	Modified Chromatogram
SS	Skimmed surrogate
BLG	Closed baseline gap
RP	Reassign peak name
PIR	Pattern integration required
IT	Included tail
SP	Split peak
RSP	Removed split peak
FPS	Forced peak start/stop
BLC	Baseline correction
PNF	Peak not found by software

All DRO/RRO analysis are integrated per SOP.

Laboratory Qualifiers

Enclosed are the analytical results associated with the above work order. The results apply to the samples as received. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. This document is issued by the Company under its General Conditions of Service accessible at <<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS maintains a formal Quality Assurance/Quality Control (QA/QC) program. A copy of our Quality Assurance Plan (QAP), which outlines this program, is available at your request. The laboratory certification numbers are AK00971 (DW Chemistry & Microbiology) & 17-021 (CS) for ADEC and 2944.01 for DOD ELAP/ISO17025 (RCRA methods: 1020B, 1311, 3010A, 3050B, 3520C, 3550C, 5030B, 5035A, 6020A, 7470A, 7471B, 8015C, 8021B, 8082A, 8260C, 8270D, 8270D-SIM, 9040C, 9045D, 9056A, 9060A, AK101 and AK102/103). SGS is only certified for the analytes listed on our Drinking Water Certification (DW methods: 200.8, 2130B, 2320B, 2510B, 300.0, 4500-CN-C,E, 4500-H-B, 4500-NO3-F, 4500-P-E and 524.2) and only those analytes will be reported to the State of Alaska for compliance. Except as specifically noted, all statements and data in this report are in conformance to the provisions set forth by the SGS QAP and, when applicable, other regulatory authorities.

The following descriptors or qualifiers may be found in your report:

*	The analyte has exceeded allowable regulatory or control limits.
!	Surrogate out of control limits.
B	Indicates the analyte is found in a blank associated with the sample.
CCV/CVA/CVB	Continuing Calibration Verification
CCCV/CVC/CVCA/CVCB	Closing Continuing Calibration Verification
CL	Control Limit
DF	Analytical Dilution Factor
DL	Detection Limit (i.e., maximum method detection limit)
E	The analyte result is above the calibrated range.
GT	Greater Than
IB	Instrument Blank
ICV	Initial Calibration Verification
J	The quantitation is an estimation.
LCS(D)	Laboratory Control Spike (Duplicate)
LLQC/LLIQC	Low Level Quantitation Check
LOD	Limit of Detection (i.e., 1/2 of the LOQ)
LOQ	Limit of Quantitation (i.e., reporting or practical quantitation limit)
LT	Less Than
MB	Method Blank
MS(D)	Matrix Spike (Duplicate)
ND	Indicates the analyte is not detected.
RPD	Relative Percent Difference
U	Indicates the analyte was analyzed for but not detected.

Note: Sample summaries which include a result for "Total Solids" have already been adjusted for moisture content. All DRO/RRO analyses are integrated per SOP.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
BH-03A	1196897003	11/15/2019	11/15/2019	Soil/Solid (dry weight)

<u>Method</u>	<u>Method Description</u>
AK102	Diesel/Residual Range Organics
AK103	Diesel/Residual Range Organics
AK101	Gasoline Range Organics (S)
SW6020A	Metals by ICP-MS (S)
SM21 2540G	Percent Solids SM2540G
SW8082A	SW8082 PCB's
SW8270D	SW846 8270 Semi-Volatiles by GC/MS (S)
SW8260C	VOC 8260 (S) Field Extracted

Print Date: 12/13/2019 3:40:09PM

Results of BH-03A

Client Sample ID: **BH-03A**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897003
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.6
Location:

Results by Semivolatile Organic Fuels

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Diesel Range Organics	18.4 J	20.8	6.46	mg/Kg	1		11/21/19 19:19

Surrogates

5a Androstane (surr)	100	50-150	%	1	11/21/19 19:19
----------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Analyst: DSD
Analytical Date/Time: 11/21/19 19:19
Container ID: 1196897003-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.112 g
Prep Extract Vol: 5 mL

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
Residual Range Organics	27.4	20.8	6.46	mg/Kg	1		11/21/19 19:19

Surrogates

n-Triacontane-d62 (surr)	92.8	50-150	%	1	11/21/19 19:19
--------------------------	------	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Analyst: DSD
Analytical Date/Time: 11/21/19 19:19
Container ID: 1196897003-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.112 g
Prep Extract Vol: 5 mL

Results of BH-03A

Client Sample ID: **BH-03A**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897003
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.6
Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
1,2,4-Trichlorobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
1,2-Dichlorobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
1,3-Dichlorobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
1,4-Dichlorobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
1-Chloronaphthalene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
1-Methylnaphthalene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,4,5-Trichlorophenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,4,6-Trichlorophenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,4-Dichlorophenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,4-Dimethylphenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,4-Dinitrophenol	1.55 U	3.11	0.976	mg/Kg	1		12/09/19 17:55
2,4-Dinitrotoluene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,6-Dichlorophenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2,6-Dinitrotoluene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2-Chloronaphthalene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2-Chlorophenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2-Methyl-4,6-dinitrophenol	1.04 U	2.08	0.644	mg/Kg	1		12/09/19 17:55
2-Methylnaphthalene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2-Methylphenol (o-Cresol)	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2-Nitroaniline	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
2-Nitrophenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
3&4-Methylphenol (p&m-Cresol)	0.520 U	1.04	0.322	mg/Kg	1		12/09/19 17:55
3,3-Dichlorobenzidine	0.260 U	0.519	0.156	mg/Kg	1		12/09/19 17:55
3-Nitroaniline	0.260 U	0.519	0.156	mg/Kg	1		12/09/19 17:55
4-Bromophenyl-phenylether	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
4-Chloro-3-methylphenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
4-Chloroaniline	0.520 U	1.04	0.322	mg/Kg	1		12/09/19 17:55
4-Chlorophenyl-phenylether	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
4-Nitroaniline	1.55 U	3.11	0.976	mg/Kg	1		12/09/19 17:55
4-Nitrophenol	1.04 U	2.08	0.644	mg/Kg	1		12/09/19 17:55
Acenaphthene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Acenaphthylene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Aniline	1.04 U	2.08	0.644	mg/Kg	1		12/09/19 17:55
Anthracene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Azobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Benzo(a)Anthracene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Benzo[a]pyrene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-03A

Client Sample ID: **BH-03A**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897003
 Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.6
 Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Benzo[b]Fluoranthene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Benzo[g,h,i]perylene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Benzo[k]fluoranthene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Benzoic acid	0.780 U	1.56	0.488	mg/Kg	1		12/09/19 17:55
Benzyl alcohol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Bis(2chloro1methylethyl)Ether	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Bis(2-Chloroethoxy)methane	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Bis(2-Chloroethyl)ether	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
bis(2-Ethylhexyl)phthalate	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Butylbenzylphthalate	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Carbazole	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Chrysene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Dibenzo[a,h]anthracene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Dibenzofuran	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Diethylphthalate	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Dimethylphthalate	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Di-n-butylphthalate	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
di-n-Octylphthalate	0.260 U	0.519	0.156	mg/Kg	1		12/09/19 17:55
Fluoranthene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Fluorene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Hexachlorobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Hexachlorobutadiene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Hexachlorocyclopentadiene	0.363 U	0.727	0.208	mg/Kg	1		12/09/19 17:55
Hexachloroethane	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Indeno[1,2,3-c,d] pyrene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Isophorone	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Naphthalene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Nitrobenzene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
N-Nitrosodimethylamine	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
N-Nitroso-di-n-propylamine	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
N-Nitrosodiphenylamine	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Pentachlorophenol	1.04 U	2.08	0.644	mg/Kg	1		12/09/19 17:55
Phenanthrene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Phenol	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55
Pyrene	0.130 U	0.260	0.0810	mg/Kg	1		12/09/19 17:55

Surrogates

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-03A

Client Sample ID: **BH-03A**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897003
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.6
Location:

Results by Semivolatile Organics GC/MS

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
2,4,6-Tribromophenol (surr)	95.2	35-125		%	1		12/09/19 17:55
2-Fluorobiphenyl (surr)	81	44-115		%	1		12/09/19 17:55
2-Fluorophenol (surr)	68.2	35-115		%	1		12/09/19 17:55
Nitrobenzene-d5 (surr)	69.8	37-122		%	1		12/09/19 17:55
Phenol-d6 (surr)	74.8	33-122		%	1		12/09/19 17:55
Terphenyl-d14 (surr)	96.4	54-127		%	1		12/09/19 17:55

Batch Information

Analytical Batch: XMS11885
Analytical Method: SW8270D
Analyst: JMG
Analytical Date/Time: 12/09/19 17:55
Container ID: 1196897003-A

Prep Batch: XXX42629
Prep Method: SW3550C
Prep Date/Time: 11/26/19 14:52
Prep Initial Wt./Vol.: 22.674 g
Prep Extract Vol: 1 mL

Results of BH-03A

Client Sample ID: **BH-03A**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897003
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.6
Location:

Results by Volatile Fuels

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Gasoline Range Organics	0.990 U	1.98	0.593	mg/Kg	1		11/18/19 20:23

Surrogates

4-Bromofluorobenzene (surr)	96.9	50-150	%	1	11/18/19 20:23
-----------------------------	------	--------	---	---	----------------

Batch Information

Analytical Batch: VFC15044
Analytical Method: AK101
Analyst: ST
Analytical Date/Time: 11/18/19 20:23
Container ID: 1196897003-B

Prep Batch: VXX35268
Prep Method: SW5035A
Prep Date/Time: 11/15/19 09:15
Prep Initial Wt./Vol.: 74.935 g
Prep Extract Vol: 28.3061 mL

Results of **BH-03A**

Client Sample ID: **BH-03A**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897003
 Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.6
 Location:

Results by **Volatile GC/MS**

<u>Parameter</u>	<u>Result Qual</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>	<u>DF</u>	<u>Allowable Limits</u>	<u>Date Analyzed</u>
1,1,1,2-Tetrachloroethane	7.90 U	15.8	4.90	ug/Kg	1		11/16/19 19:54
1,1,1-Trichloroethane	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,1,2,2-Tetrachloroethane	0.790 U	1.58	0.490	ug/Kg	1		11/16/19 19:54
1,1,2-Trichloroethane	0.316 U	0.632	0.198	ug/Kg	1		11/16/19 19:54
1,1-Dichloroethane	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,1-Dichloroethene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,1-Dichloropropene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,2,3-Trichlorobenzene	19.8 U	39.5	11.9	ug/Kg	1		11/16/19 19:54
1,2,3-Trichloropropane	0.790 U	1.58	0.490	ug/Kg	1		11/16/19 19:54
1,2,4-Trichlorobenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,2,4-Trimethylbenzene	19.8 U	39.5	11.9	ug/Kg	1		11/16/19 19:54
1,2-Dibromo-3-chloropropane	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
1,2-Dibromoethane	0.395 U	0.790	0.245	ug/Kg	1		11/16/19 19:54
1,2-Dichlorobenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,2-Dichloroethane	0.790 U	1.58	0.490	ug/Kg	1		11/16/19 19:54
1,2-Dichloropropene	3.95 U	7.90	2.45	ug/Kg	1		11/16/19 19:54
1,3,5-Trimethylbenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,3-Dichlorobenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
1,3-Dichloropropane	3.95 U	7.90	2.45	ug/Kg	1		11/16/19 19:54
1,4-Dichlorobenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
2,2-Dichloropropene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
2-Butanone (MEK)	99.0 U	198	61.6	ug/Kg	1		11/16/19 19:54
2-Chlorotoluene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
2-Hexanone	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
4-Chlorotoluene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
4-Isopropyltoluene	39.5 U	79.0	19.8	ug/Kg	1		11/16/19 19:54
4-Methyl-2-pentanone (MIBK)	99.0 U	198	61.6	ug/Kg	1		11/16/19 19:54
Acetone	99.0 U	198	61.6	ug/Kg	1		11/16/19 19:54
Benzene	4.94 U	9.88	3.08	ug/Kg	1		11/16/19 19:54
Bromobenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Bromochloromethane	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Bromodichloromethane	0.790 U	1.58	0.490	ug/Kg	1		11/16/19 19:54
Bromoform	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Bromomethane	7.90 U	15.8	4.90	ug/Kg	1		11/16/19 19:54
Carbon disulfide	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
Carbon tetrachloride	4.94 U	9.88	3.08	ug/Kg	1		11/16/19 19:54
Chlorobenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-03A

Client Sample ID: **BH-03A**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897003
 Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.6
 Location:

Results by Volatile GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Chloroethane	79.0 U	158	49.0	ug/Kg	1		11/16/19 19:54
Chloroform	0.790 U	1.58	0.490	ug/Kg	1		11/16/19 19:54
Chloromethane	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
cis-1,2-Dichloroethene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
cis-1,3-Dichloropropene	4.94 U	9.88	3.08	ug/Kg	1		11/16/19 19:54
Dibromochloromethane	0.790 U	1.58	0.490	ug/Kg	1		11/16/19 19:54
Dibromomethane	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Dichlorodifluoromethane	19.8 U	39.5	11.9	ug/Kg	1		11/16/19 19:54
Ethylbenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Freon-113	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
Hexachlorobutadiene	7.90 U	15.8	4.90	ug/Kg	1		11/16/19 19:54
Isopropylbenzene (Cumene)	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Methylene chloride	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
Methyl-t-butyl ether	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
Naphthalene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
n-Butylbenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
n-Propylbenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
o-Xylene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
P & M -Xylene	19.8 U	39.5	11.9	ug/Kg	1		11/16/19 19:54
sec-Butylbenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Styrene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
tert-Butylbenzene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
Tetrachloroethene	4.94 U	9.88	3.08	ug/Kg	1		11/16/19 19:54
Toluene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
trans-1,2-Dichloroethene	9.90 U	19.8	6.16	ug/Kg	1		11/16/19 19:54
trans-1,3-Dichloropropene	4.94 U	9.88	3.08	ug/Kg	1		11/16/19 19:54
Trichloroethene	1.98 U	3.95	1.19	ug/Kg	1		11/16/19 19:54
Trichlorofluoromethane	19.8 U	39.5	11.9	ug/Kg	1		11/16/19 19:54
Vinyl acetate	39.5 U	79.0	24.5	ug/Kg	1		11/16/19 19:54
Vinyl chloride	0.316 U	0.632	0.198	ug/Kg	1		11/16/19 19:54
Xylenes (total)	29.6 U	59.3	18.0	ug/Kg	1		11/16/19 19:54

Surrogates

1,2-Dichloroethane-D4 (surr)	108	71-136	%	1	11/16/19 19:54
4-Bromofluorobenzene (surr)	94.4	55-151	%	1	11/16/19 19:54
Toluene-d8 (surr)	97.4	85-116	%	1	11/16/19 19:54

Results of BH-03A

Client Sample ID: **BH-03A**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897003
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.6
Location:

Results by Volatile GC/MS**Batch Information**

Analytical Batch: VMS19671
Analytical Method: SW8260C
Analyst: KAJ
Analytical Date/Time: 11/16/19 19:54
Container ID: 1196897003-B

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/15/19 09:15
Prep Initial Wt./Vol.: 74.935 g
Prep Extract Vol: 28.3061 mL

Method Blank

Blank ID: MB for HBN 1802379 [MXX/33000]
Blank Lab ID: 1544246

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW6020A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Lead	0.100U	0.200	0.0620	mg/Kg

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:44:07PM

Prep Batch: MXX33000
Prep Method: SW3050B
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1 g
Prep Extract Vol: 50 mL

Print Date: 12/13/2019 3:40:17PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [MXX33000]

Blank Spike Lab ID: 1544247

Date Analyzed: 11/21/2019 18:48

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW6020A

Blank Spike (mg/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Lead	50	51.8	104	(84-118)

Batch Information

Analytical Batch: MMS10690

Prep Batch: MXX33000

Analytical Method: SW6020A

Prep Method: SW3050B

Instrument: Perkin Elmer Nexlon P5

Prep Date/Time: 11/20/2019 11:25

Analyst: DMM

Spike Init Wt./Vol.: 50 mg/Kg Extract Vol: 50 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:20PM

Matrix Spike Summary

Original Sample ID: 1544248
MS Sample ID: 1544254 MS
MSD Sample ID: 1544255 MSD

QC for Samples: 1196897008

Analysis Date: 11/21/2019 18:53
Analysis Date: 11/21/2019 18:58
Analysis Date: 11/21/2019 19:02
Matrix: Solid/Soil (Wet Weight)

Results by SW6020A

Parameter	Matrix Spike (mg/Kg)				Spike Duplicate (mg/Kg)				CL	RPD (%)	RPD CL (< 20)
	Sample	Spike	Result	Rec (%)	Spike	Result	Rec (%)				
Lead	3.76	46.9	50.6	100	46.5	45.9	91	84-118	9.92		(< 20)

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:58:12PM

Prep Batch: MXX33000
Prep Method: Soils/Solids Digest for Metals by ICP-MS
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1.07g
Prep Extract Vol: 50.00mL

Method Blank

Blank ID: MB for HBN 1802346 [SPT/10940]
Blank Lab ID: 1544092

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Total Solids	100			%

Batch Information

Analytical Batch: SPT10940
Analytical Method: SM21 2540G
Instrument:
Analyst: A.A
Analytical Date/Time: 11/18/2019 5:09:00PM

Print Date: 12/13/2019 3:40:23PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Duplicate Sample Summary

Original Sample ID: 1196869007

Analysis Date: 11/18/2019 17:09

Duplicate Sample ID: 1544093

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>NAME</u>	<u>Original</u>	<u>Duplicate</u>	<u>Units</u>	<u>RPD (%)</u>	<u>RPD CL</u>
Total Solids	94.3	94.5	%	0.23	(< 15)

Batch Information

Analytical Batch: SPT10940

Analytical Method: SM21 2540G

Instrument:

Analyst: A.A

Print Date: 12/13/2019 3:40:25PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,1,1,2-Tetrachloroethane	10.0U	20.0	6.20	ug/Kg
1,1,1-Trichloroethane	12.5U	25.0	7.80	ug/Kg
1,1,2,2-Tetrachloroethane	1.00U	2.00	0.620	ug/Kg
1,1,2-Trichloroethane	0.400U	0.800	0.250	ug/Kg
1,1-Dichloroethane	12.5U	25.0	7.80	ug/Kg
1,1-Dichloroethene	12.5U	25.0	7.80	ug/Kg
1,1-Dichloropropene	12.5U	25.0	7.80	ug/Kg
1,2,3-Trichlorobenzene	25.0U	50.0	15.0	ug/Kg
1,2,3-Trichloropropane	1.00U	2.00	0.620	ug/Kg
1,2,4-Trichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2,4-Trimethylbenzene	25.0U	50.0	15.0	ug/Kg
1,2-Dibromo-3-chloropropane	50.0U	100	31.0	ug/Kg
1,2-Dibromoethane	0.500U	1.00	0.310	ug/Kg
1,2-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2-Dichloroethane	1.00U	2.00	0.620	ug/Kg
1,2-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,3,5-Trimethylbenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,4-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
2,2-Dichloropropane	12.5U	25.0	7.80	ug/Kg
2-Butanone (MEK)	125U	250	78.0	ug/Kg
2-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
2-Hexanone	50.0U	100	31.0	ug/Kg
4-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
4-Isopropyltoluene	50.0U	100	25.0	ug/Kg
4-Methyl-2-pentanone (MIBK)	125U	250	78.0	ug/Kg
Acetone	125U	250	78.0	ug/Kg
Benzene	6.25U	12.5	3.90	ug/Kg
Bromobenzene	12.5U	25.0	7.80	ug/Kg
Bromochloromethane	12.5U	25.0	7.80	ug/Kg
Bromodichloromethane	1.00U	2.00	0.620	ug/Kg
Bromoform	12.5U	25.0	7.80	ug/Kg
Bromomethane	10.0U	20.0	6.20	ug/Kg
Carbon disulfide	50.0U	100	31.0	ug/Kg
Carbon tetrachloride	6.25U	12.5	3.90	ug/Kg
Chlorobenzene	12.5U	25.0	7.80	ug/Kg
Chloroethane	100U	200	62.0	ug/Kg

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Chloroform	1.00U	2.00	0.620	ug/Kg
Chloromethane	12.5U	25.0	7.80	ug/Kg
cis-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
cis-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Dibromochloromethane	1.00U	2.00	0.620	ug/Kg
Dibromomethane	12.5U	25.0	7.80	ug/Kg
Dichlorodifluoromethane	25.0U	50.0	15.0	ug/Kg
Ethylbenzene	12.5U	25.0	7.80	ug/Kg
Freon-113	50.0U	100	31.0	ug/Kg
Hexachlorobutadiene	10.0U	20.0	6.20	ug/Kg
Isopropylbenzene (Cumene)	12.5U	25.0	7.80	ug/Kg
Methylene chloride	50.0U	100	31.0	ug/Kg
Methyl-t-butyl ether	50.0U	100	31.0	ug/Kg
Naphthalene	12.5U	25.0	7.80	ug/Kg
n-Butylbenzene	12.5U	25.0	7.80	ug/Kg
n-Propylbenzene	12.5U	25.0	7.80	ug/Kg
o-Xylene	12.5U	25.0	7.80	ug/Kg
P & M -Xylene	25.0U	50.0	15.0	ug/Kg
sec-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Styrene	12.5U	25.0	7.80	ug/Kg
tert-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Tetrachloroethene	6.25U	12.5	3.90	ug/Kg
Toluene	12.5U	25.0	7.80	ug/Kg
trans-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
trans-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Trichloroethene	2.50U	5.00	1.50	ug/Kg
Trichlorofluoromethane	25.0U	50.0	15.0	ug/Kg
Vinyl acetate	50.0U	100	31.0	ug/Kg
Vinyl chloride	0.400U	0.800	0.250	ug/Kg
Xylenes (total)	37.5U	75.0	22.8	ug/Kg

Surrogates

1,2-Dichloroethane-D4 (surr)	102	71-136	%
4-Bromofluorobenzene (surr)	101	55-151	%
Toluene-d8 (surr)	97	85-116	%

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]
Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
------------------	----------------	---------------	-----------	--------------

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 3:23:00PM

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 50 g
Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:29PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

Parameter	Spike	Result	Rec (%)	CL
1,1,1,2-Tetrachloroethane	750	726	97	(78-125)
1,1,1-Trichloroethane	750	768	102	(73-130)
1,1,2,2-Tetrachloroethane	750	751	100	(70-124)
1,1,2-Trichloroethane	750	737	98	(78-121)
1,1-Dichloroethane	750	707	94	(76-125)
1,1-Dichloroethene	750	691	92	(70-131)
1,1-Dichloropropene	750	833	111	(76-125)
1,2,3-Trichlorobenzene	750	788	105	(66-130)
1,2,3-Trichloropropane	750	726	97	(73-125)
1,2,4-Trichlorobenzene	750	805	107	(67-129)
1,2,4-Trimethylbenzene	750	781	104	(75-123)
1,2-Dibromo-3-chloropropane	750	732	98	(61-132)
1,2-Dibromoethane	750	737	98	(78-122)
1,2-Dichlorobenzene	750	763	102	(78-121)
1,2-Dichloroethane	750	701	93	(73-128)
1,2-Dichloropropene	750	814	108	(76-123)
1,3,5-Trimethylbenzene	750	786	105	(73-124)
1,3-Dichlorobenzene	750	760	101	(77-121)
1,3-Dichloropropane	750	728	97	(77-121)
1,4-Dichlorobenzene	750	764	102	(75-120)
2,2-Dichloropropane	750	751	100	(67-133)
2-Butanone (MEK)	2250	2340	104	(51-148)
2-Chlorotoluene	750	761	101	(75-122)
2-Hexanone	2250	2360	105	(53-145)
4-Chlorotoluene	750	755	101	(72-124)
4-Isopropyltoluene	750	822	110	(73-127)
4-Methyl-2-pentanone (MIBK)	2250	2200	98	(65-135)
Acetone	2250	1920	85	(36-164)
Benzene	750	779	104	(77-121)
Bromobenzene	750	754	101	(78-121)
Bromochloromethane	750	690	92	(78-125)
Bromodichloromethane	750	812	108	(75-127)
Bromoform	750	733	98	(67-132)
Bromomethane	750	650	87	(53-143)

Print Date: 12/13/2019 3:40:32PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

Parameter	Spike	Result	Rec (%)	CL
Carbon disulfide	1130	1030	91	(63-132)
Carbon tetrachloride	750	787	105	(70-135)
Chlorobenzene	750	770	103	(79-120)
Chloroethane	750	734	98	(59-139)
Chloroform	750	707	94	(78-123)
Chloromethane	750	717	96	(50-136)
cis-1,2-Dichloroethene	750	734	98	(77-123)
cis-1,3-Dichloropropene	750	733	98	(74-126)
Dibromochloromethane	750	745	99	(74-126)
Dibromomethane	750	725	97	(78-125)
Dichlorodifluoromethane	750	707	94	(29-149)
Ethylbenzene	750	776	104	(76-122)
Freon-113	1130	1070	95	(66-136)
Hexachlorobutadiene	750	853	114	(61-135)
Isopropylbenzene (Cumene)	750	806	107	(68-134)
Methylene chloride	750	695	93	(70-128)
Methyl-t-butyl ether	1130	1180	105	(73-125)
Naphthalene	750	761	101	(62-129)
n-Butylbenzene	750	840	112	(70-128)
n-Propylbenzene	750	783	104	(73-125)
o-Xylene	750	785	105	(77-123)
P & M -Xylene	1500	1570	105	(77-124)
sec-Butylbenzene	750	810	108	(73-126)
Styrene	750	795	106	(76-124)
tert-Butylbenzene	750	790	105	(73-125)
Tetrachloroethene	750	804	107	(73-128)
Toluene	750	767	102	(77-121)
trans-1,2-Dichloroethene	750	716	96	(74-125)
trans-1,3-Dichloropropene	750	734	98	(71-130)
Trichloroethene	750	733	98	(77-123)
Trichlorofluoromethane	750	715	95	(62-140)
Vinyl acetate	750	756	101	(50-151)
Vinyl chloride	750	695	93	(56-135)
Xylenes (total)	2250	2350	105	(78-124)

Print Date: 12/13/2019 3:40:32PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Surrogates				
1,2-Dichloroethane-D4 (surr)	750	94.1	94	(71-136)
4-Bromofluorobenzene (surr)	750	91.2	91	(55-151)
Toluene-d8 (surr)	750	101	101	(85-116)

Batch Information

Analytical Batch: VMS19671

Analytical Method: SW8260C

Instrument: VQA 7890/5975 GC/MS

Analyst: KAJ

Prep Batch: VXX35248

Prep Method: SW5035A

Prep Date/Time: 11/16/2019 06:00

Spike Init Wt./Vol.: 750 ug/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:32PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,1,1,2-Tetrachloroethane	8.05U	525	480	91	525	528	101	78-125	9.60	(< 20)
1,1,1-Trichloroethane	10.1U	525	539	103	525	546	104	73-130	1.30	(< 20)
1,1,2,2-Tetrachloroethane	0.805U	525	508	97	525	554	105	70-124	8.40	(< 20)
1,1,2-Trichloroethane	0.321U	525	513	98	525	563	107	78-121	9.50	(< 20)
1,1-Dichloroethane	10.1U	525	487	93	525	498	95	76-125	2.10	(< 20)
1,1-Dichloroethene	10.1U	525	486	93	525	488	93	70-131	0.29	(< 20)
1,1-Dichloropropene	10.1U	525	572	109	525	591	113	76-125	3.40	(< 20)
1,2,3-Trichlorobenzene	20.1U	525	568	108	525	682	130	66-130	18.10	(< 20)
1,2,3-Trichloropropane	0.805U	525	502	96	525	550	105	73-125	9.10	(< 20)
1,2,4-Trichlorobenzene	10.1U	525	564	107	525	651	124	67-129	14.30	(< 20)
1,2,4-Trimethylbenzene	79.3	525	596	98	525	647	108	75-123	8.20	(< 20)
1,2-Dibromo-3-chloropropane	40.1U	525	504	96	525	555	105	61-132	9.50	(< 20)
1,2-Dibromoethane	0.402U	525	495	94	525	538	102	78-122	8.40	(< 20)
1,2-Dichlorobenzene	10.1U	525	513	98	525	553	105	78-121	7.50	(< 20)
1,2-Dichloroethane	0.805U	525	483	92	525	497	95	73-128	2.70	(< 20)
1,2-Dichloropropane	4.01U	525	555	106	525	586	111	76-123	5.50	(< 20)
1,3,5-Trimethylbenzene	12.2J	525	541	101	525	598	111	73-124	9.90	(< 20)
1,3-Dichlorobenzene	10.1U	525	514	98	525	547	104	77-121	6.20	(< 20)
1,3-Dichloropropane	4.01U	525	488	93	525	533	101	77-121	8.70	(< 20)
1,4-Dichlorobenzene	10.1U	525	512	97	525	557	106	75-120	8.30	(< 20)
2,2-Dichloropropane	10.1U	525	536	102	525	546	104	67-133	2.00	(< 20)
2-Butanone (MEK)	101U	1576	1681	106	1576	1859	118	51-148	10.30	(< 20)
2-Chlorotoluene	10.1U	525	515	98	525	553	105	75-122	7.00	(< 20)
2-Hexanone	40.1U	1576	1565	99	1576	1744	111	53-145	10.80	(< 20)
4-Chlorotoluene	10.1U	525	513	98	525	549	104	72-124	6.90	(< 20)
4-Isopropyltoluene	49.8J	525	592	103	525	636	111	73-127	7.10	(< 20)
4-Methyl-2-pentanone (MIBK)	101U	1576	1471	93	1576	1607	102	65-135	9.10	(< 20)
Acetone	101U	1576	1408	89	1576	1534	97	36-164	8.70	(< 20)
Benzene	18.5	525	527	97	525	567	104	77-121	7.40	(< 20)
Bromobenzene	10.1U	525	503	96	525	532	101	78-121	5.40	(< 20)
Bromochloromethane	10.1U	525	478	91	525	492	94	78-125	2.80	(< 20)
Bromodichloromethane	0.805U	525	562	107	525	581	110	75-127	3.30	(< 20)
Bromoform	10.1U	525	498	95	525	539	103	67-132	7.80	(< 20)
Bromomethane	8.05U	525	499	95	525	512	97	53-143	2.50	(< 20)
Carbon disulfide	40.1U	789	757	96	789	727	92	63-132	4.20	(< 20)
Carbon tetrachloride	5.00U	525	557	106	525	563	107	70-135	1.20	(< 20)
Chlorobenzene	10.1U	525	502	96	525	550	105	79-120	9.10	(< 20)

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Chloroethane	80.5U	525	613	117	525	503	96	59-139	19.60	(< 20)
Chloroform	0.805U	525	486	93	525	498	95	78-123	2.20	(< 20)
Chloromethane	10.1U	525	516	98	525	516	98	50-136	0.10	(< 20)
cis-1,2-Dichloroethene	10.1U	525	495	94	525	502	96	77-123	1.50	(< 20)
cis-1,3-Dichloropropene	5.00U	525	503	96	525	530	101	74-126	5.20	(< 20)
Dibromochloromethane	0.805U	525	502	96	525	545	104	74-126	8.20	(< 20)
Dibromomethane	10.1U	525	504	96	525	517	98	78-125	2.40	(< 20)
Dichlorodifluoromethane	20.1U	525	527	100	525	506	96	29-149	4.10	(< 20)
Ethylbenzene	37.9	525	528	93	525	581	103	76-122	9.50	(< 20)
Freon-113	40.1U	789	753	96	789	752	95	66-136	0.12	(< 20)
Hexachlorobutadiene	8.05U	525	854	162 *	525	837	159 *	61-135	1.90	(< 20)
Isopropylbenzene (Cumene)	12.4J	525	524	97	525	580	108	68-134	10.10	(< 20)
Methylene chloride	40.1U	525	457	87	525	477	91	70-128	4.30	(< 20)
Methyl-t-butyl ether	40.1U	789	795	101	789	857	109	73-125	7.50	(< 20)
Naphthalene	93.3	525	583	93	525	696	115	62-129	17.90	(< 20)
n-Butylbenzene	10.1U	525	582	111	525	620	118	70-128	6.20	(< 20)
n-Propylbenzene	8.63J	525	521	98	525	564	106	73-125	8.00	(< 20)
o-Xylene	107	525	607	95	525	650	103	77-123	6.80	(< 20)
P & M -Xylene	186	1050	1176	94	1050	1261	102	77-124	7.40	(< 20)
sec-Butylbenzene	10.1U	525	543	103	525	584	111	73-126	7.30	(< 20)
Styrene	10.1U	525	529	101	525	561	107	76-124	5.90	(< 20)
tert-Butylbenzene	10.1U	525	520	99	525	570	109	73-125	9.30	(< 20)
Tetrachloroethene	5.00U	525	516	98	525	576	109	73-128	10.80	(< 20)
Toluene	139	525	608	89	525	666	100	77-121	9.20	(< 20)
trans-1,2-Dichloroethene	10.1U	525	514	98	525	502	96	74-125	2.30	(< 20)
trans-1,3-Dichloropropene	5.00U	525	499	95	525	540	103	71-130	7.90	(< 20)
Trichloroethene	2.00U	525	492	93	525	520	99	77-123	5.60	(< 20)
Trichlorofluoromethane	20.1U	525	523	100	525	507	97	62-140	3.00	(< 20)
Vinyl acetate	40.1U	525	523	99	525	564	107	50-151	7.50	(< 20)
Vinyl chloride	0.321U	525	512	97	525	501	95	56-135	2.00	(< 20)
Xylenes (total)	293	1576	1775	94	1576	1912	103	78-124	7.20	(< 20)
Surrogates										
1,2-Dichloroethane-D4 (surr)		525	511	97	525	492	94	71-136	3.60	
4-Bromofluorobenzene (surr)		876	593	68	876	629	72	55-151	5.80	
Toluene-d8 (surr)		525	524	100	525	528	101	85-116	0.87	

Print Date: 12/13/2019 3:40:34PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date:
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	<u>Sample</u>	Matrix Spike (%)		Spike Duplicate (%)		<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>		

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 5:43:00PM

Prep Batch: VXX35248
Prep Method: Vol. Extraction SW8260 Field Extracted L
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 74.93g
Prep Extract Vol: 25.00mL

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802510 [VXX/35268]

Blank Lab ID: 1544772

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by AK101

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Gasoline Range Organics	1.25U	2.50	0.750	mg/Kg

Surrogates

4-Bromofluorobenzene (surr)	75	50-150	%
-----------------------------	----	--------	---

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Analytical Date/Time: 11/18/2019 6:54:00PM

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 8:00:00AM

Prep Initial Wt./Vol.: 50 g

Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:35PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35268]

Blank Spike Lab ID: 1544773

Date Analyzed: 11/18/2019 18:18

Spike Duplicate ID: LCSD for HBN 1196897

[VXX35268]

Spike Duplicate Lab ID: 1544774

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by AK101**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Gasoline Range Organics	12.5	13.6	109	12.5	13.7	110	(60-120)	0.85	(< 20)
4-Bromofluorobenzene (surr)	1.25	80.7	81	1.25	80.5	81	(50-150)	0.25	

Surrogates

4-Bromofluorobenzene (surr) 1.25 80.7 81 1.25 80.5 81 (50-150) 0.25

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 08:00

Spike Init Wt./Vol.: 12.5 mg/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: 12.5 mg/Kg Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:38PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK102

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Diesel Range Organics	8.65J	20.0	6.20	mg/Kg

Surrogates

5a Androstane (surr)	94	60-120	%
----------------------	----	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:41PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK102**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Diesel Range Organics	833	891	107	833	884	106	(75-125)	0.80	(< 20)
5a Androstane (surr)	16.7	109	109	16.7	114	114	(60-120)	3.80	

Surrogates

5a Androstane (surr) 16.7 109 109 16.7 114 114 (60-120) 3.80

Batch InformationAnalytical Batch: XFC15480
Analytical Method: AK102
Instrument: Agilent 7890B F
Analyst: DSDPrep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 09:06
Spike Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL
Dupe Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:44PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK103

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Residual Range Organics	8.16J	20.0	6.20	mg/Kg

Surrogates

n-Triacontane-d62 (surr)	87.2	60-120	%
--------------------------	------	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:47PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK103**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Residual Range Organics	833	845	101	833	831	100	(60-120)	1.70	(< 20)
n-Triacontane-d62 (surr)	16.7	96.8	97	16.7	92.5	93	(60-120)	4.60	

Surrogates

n-Triacontane-d62 (surr) 16.7 96.8 97 16.7 92.5 93 (60-120) 4.60

Batch Information

Analytical Batch: XFC15480

Prep Batch: XXX42611

Analytical Method: AK103

Prep Method: SW3550C

Instrument: Agilent 7890B F

Prep Date/Time: 11/20/2019 09:06

Analyst: DSD

Spike Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:49PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,2,4-Trichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,2-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,3-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,4-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
1-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2,4,5-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4,6-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dimethylphenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dinitrophenol	1.50U	3.00	0.940	mg/Kg
2,4-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2,6-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,6-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Chlorophenol	0.125U	0.250	0.0780	mg/Kg
2-Methyl-4,6-dinitrophenol	1.00U	2.00	0.620	mg/Kg
2-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Methylphenol (o-Cresol)	0.125U	0.250	0.0780	mg/Kg
2-Nitroaniline	0.125U	0.250	0.0780	mg/Kg
2-Nitrophenol	0.125U	0.250	0.0780	mg/Kg
3&4-Methylphenol (p&m-Cresol)	0.500U	1.00	0.310	mg/Kg
3,3-Dichlorobenzidine	0.250U	0.500	0.150	mg/Kg
3-Nitroaniline	0.250U	0.500	0.150	mg/Kg
4-Bromophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Chloro-3-methylphenol	0.125U	0.250	0.0780	mg/Kg
4-Chloroaniline	0.500U	1.00	0.310	mg/Kg
4-Chlorophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Nitroaniline	1.50U	3.00	0.940	mg/Kg
4-Nitrophenol	1.00U	2.00	0.620	mg/Kg
Acenaphthene	0.125U	0.250	0.0780	mg/Kg
Acenaphthylene	0.125U	0.250	0.0780	mg/Kg
Aniline	1.00U	2.00	0.620	mg/Kg
Anthracene	0.125U	0.250	0.0780	mg/Kg
Azobenzene	0.125U	0.250	0.0780	mg/Kg
Benzo(a)Anthracene	0.125U	0.250	0.0780	mg/Kg
Benzo[a]pyrene	0.125U	0.250	0.0780	mg/Kg
Benzo[b]Fluoranthene	0.125U	0.250	0.0780	mg/Kg

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Benzog[h,i]perylene	0.125U	0.250	0.0780	mg/Kg
Benzo[k]fluoranthene	0.125U	0.250	0.0780	mg/Kg
Benzoic acid	0.750U	1.50	0.470	mg/Kg
Benzyl alcohol	0.125U	0.250	0.0780	mg/Kg
Bis(2chloro1methylethyl)Ether	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethoxy)methane	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethyl)ether	0.125U	0.250	0.0780	mg/Kg
bis(2-Ethylhexyl)phthalate	0.125U	0.250	0.0780	mg/Kg
Butylbenzylphthalate	0.125U	0.250	0.0780	mg/Kg
Carbazole	0.125U	0.250	0.0780	mg/Kg
Chrysene	0.125U	0.250	0.0780	mg/Kg
Dibenzo[a,h]anthracene	0.125U	0.250	0.0780	mg/Kg
Dibenzofuran	0.125U	0.250	0.0780	mg/Kg
Diethylphthalate	0.125U	0.250	0.0780	mg/Kg
Dimethylphthalate	0.125U	0.250	0.0780	mg/Kg
Di-n-butylphthalate	0.125U	0.250	0.0780	mg/Kg
di-n-Octylphthalate	0.250U	0.500	0.150	mg/Kg
Fluoranthene	0.125U	0.250	0.0780	mg/Kg
Fluorene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobenzene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobutadiene	0.125U	0.250	0.0780	mg/Kg
Hexachlorocyclopentadiene	0.350U	0.700	0.200	mg/Kg
Hexachloroethane	0.125U	0.250	0.0780	mg/Kg
Indeno[1,2,3-c,d] pyrene	0.125U	0.250	0.0780	mg/Kg
Isophorone	0.125U	0.250	0.0780	mg/Kg
Naphthalene	0.125U	0.250	0.0780	mg/Kg
Nitrobenzene	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodimethylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitroso-di-n-propylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodiphenylamine	0.125U	0.250	0.0780	mg/Kg
Pentachlorophenol	1.00U	2.00	0.620	mg/Kg
Phenanthrene	0.125U	0.250	0.0780	mg/Kg
Phenol	0.125U	0.250	0.0780	mg/Kg
Pyrene	0.125U	0.250	0.0780	mg/Kg
Surrogates				
2,4,6-Tribromophenol (surr)	95.9	35-125		%
2-Fluorobiphenyl (surr)	79.9	44-115		%
2-Fluorophenol (surr)	68.5	35-115		%

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Matrix: Soil/Solid (dry weight)

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Nitrobenzene-d5 (surr)	71.6	37-122		%
Phenol-d6 (surr)	73.2	33-122		%
Terphenyl-d14 (surr)	92.8	54-127		%

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Analytical Date/Time: 12/9/2019 5:21:00PM

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 2:52:08PM

Prep Initial Wt./Vol.: 22.5 g

Prep Extract Vol: 1 mL

Print Date: 12/13/2019 3:40:52PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518

t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D**

<u>Parameter</u>	Blank Spike (mg/Kg)			<u>CL</u>
	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	
1,2,4-Trichlorobenzene	4.44	2.65	60	(34-118)
1,2-Dichlorobenzene	4.44	2.39	54	(33-117)
1,3-Dichlorobenzene	4.44	2.33	52	(30-115)
1,4-Dichlorobenzene	4.44	2.36	53	(31-115)
1-Chloronaphthalene	1.78	1.41	79	(48-115)
1-Methylnaphthalene	4.44	3.21	72	(40-119)
2,4,5-Trichlorophenol	4.44	3.84	86	(41-124)
2,4,6-Trichlorophenol	4.44	3.84	86	(39-126)
2,4-Dichlorophenol	4.44	3.43	77	(40-122)
2,4-Dimethylphenol	4.44	2.91	65	(30-127)
2,4-Dinitrophenol	8	10.2	127 *	(62-113)
2,4-Dinitrotoluene	4.44	3.65	82	(48-126)
2,6-Dichlorophenol	1.78	1.39	78	(41-117)
2,6-Dinitrotoluene	4.44	3.45	78	(46-124)
2-Chloronaphthalene	4.44	3.02	68	(41-114)
2-Chlorophenol	4.44	2.94	66	(34-121)
2-Methyl-4,6-dinitrophenol	8	8.58	107	(29-132)
2-Methylnaphthalene	4.44	2.77	62	(38-122)
2-Methylphenol (o-Cresol)	4.44	3.05	69	(32-122)
2-Nitroaniline	4.44	4.12	93	(44-127)
2-Nitrophenol	4.44	3.50	79	(36-123)
3&4-Methylphenol (p&m-Cresol)	6.22	4.97	80	(34-119)
3,3-Dichlorobenzidine	4.44	3.69	83	(22-121)
3-Nitroaniline	4.44	4.10	92	(33-119)
4-Bromophenyl-phenylether	4.44	4.07	92	(46-124)
4-Chloro-3-methylphenol	4.44	3.72	84	(45-122)
4-Chloroaniline	4.44	2.47	56	(17-106)
4-Chlorophenyl-phenylether	4.44	3.75	85	(45-121)
4-Nitroaniline	4.44	3.98	90	(77-120)
4-Nitrophenol	6.22	5.83	94	(30-132)
Acenaphthene	4.44	3.59	81	(40-123)
Acenaphthylene	4.44	3.55	80	(32-132)
Aniline	4.44	0.943J	21 *	(24-89)
Anthracene	4.44	3.72	84	(47-123)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Azobenzene	4.44	3.64	82	(39-125)
Benzo(a)Anthracene	4.44	4.18	94	(49-126)
Benzo[a]pyrene	4.44	4.03	91	(45-129)
Benzo[b]Fluoranthene	4.44	4.64	104	(45-132)
Benzo[g,h,i]perylene	4.44	3.93	88	(43-134)
Benzo[k]fluoranthene	4.44	4.54	102	(47-132)
Benzoic acid	6.22	5.38	86	(53-124)
Benzyl alcohol	4.44	2.82	63	(29-122)
Bis(2chloro1methylethyl)Ether	4.44	2.44	55	(33-131)
Bis(2-Chloroethoxy)methane	4.44	3.15	71	(36-121)
Bis(2-Chloroethyl)ether	4.44	2.41	54	(31-120)
bis(2-Ethylhexyl)phthalate	4.44	4.58	103	(51-133)
Butylbenzylphthalate	4.44	4.74	107	(48-132)
Carbazole	4.44	4.27	96	(50-123)
Chrysene	4.44	4.24	95	(50-124)
Dibenzo[a,h]anthracene	4.44	4.11	93	(45-134)
Dibenzofuran	4.44	3.24	73	(44-120)
Diethylphthalate	4.44	4.10	92	(50-124)
Dimethylphthalate	4.44	4.27	96	(48-124)
Di-n-butylphthalate	4.44	4.31	97	(51-128)
di-n-Octylphthalate	4.44	4.28	96	(45-140)
Fluoranthene	4.44	3.80	86	(50-127)
Fluorene	4.44	3.87	87	(43-125)
Hexachlorobenzene	4.44	3.61	81	(45-122)
Hexachlorobutadiene	4.44	2.86	64	(32-123)
Hexachlorocyclopentadiene	4.44	2.44	55	(34-74)
Hexachloroethane	4.44	2.31	52	(28-117)
Indeno[1,2,3-c,d] pyrene	4.44	4.03	91	(45-133)
Isophorone	4.44	3.04	68	(30-122)
Naphthalene	4.44	2.96	67	(35-123)
Nitrobenzene	4.44	2.56	58	(34-122)
N-Nitrosodimethylamine	4.44	2.56	58	(23-120)
N-Nitroso-di-n-propylamine	4.44	3.31	74	(36-120)
N-Nitrosodiphenylamine	4.44	3.15	71	(38-127)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Pentachlorophenol	6.22	6.10	98	(25-133)
Phenanthrene	4.44	3.92	88	(50-121)
Phenol	4.44	3.09	70	(34-121)
Pyrene	4.44	4.49	101	(47-127)

Surrogates

2,4,6-Tribromophenol (surr)	8.89	103	103	(35-125)
2-Fluorobiphenyl (surr)	4.44	79	79	(44-115)
2-Fluorophenol (surr)	8.89	61	61	(35-115)
Nitrobenzene-d5 (surr)	4.44	68.2	68	(37-122)
Phenol-d6 (surr)	8.89	68.4	68	(33-122)
Terphenyl-d14 (surr)	4.44	104	104	(54-127)

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 14:52

Spike Init Wt./Vol.: 4.44 mg/Kg Extract Vol: 1 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:55PM

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,2,4-Trichlorobenzene	3.72U	5.26	4.32J	82	5.28	4.31J	82	34-118	0.28	(< 20)
1,2-Dichlorobenzene	3.72U	5.26	3.84J	73	5.28	3.89J	74	33-117	1.40	(< 20)
1,3-Dichlorobenzene	3.72U	5.26	3.90J	74	5.28	3.71J	70	30-115	5.20	(< 20)
1,4-Dichlorobenzene	3.72U	5.26	3.95J	75	5.28	3.74J	71	31-115	5.50	(< 20)
1-Chloronaphthalene	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	48-115	0.00	(< 20)
1-Methylnaphthalene	3.72U	5.26	4.89J	93	5.28	4.81J	91	40-119	1.80	(< 20)
2,4,5-Trichlorophenol	3.72U	5.26	4.81J	91	5.28	4.84J	92	41-124	0.88	(< 20)
2,4,6-Trichlorophenol	3.72U	5.26	4.98J	95	5.28	5.36J	102	39-126	7.50	(< 20)
2,4-Dichlorophenol	3.72U	5.26	5.19J	99	5.28	5.23J	99	40-122	0.84	(< 20)
2,4-Dimethylphenol	3.72U	5.26	4.89J	93	5.28	5.11J	97	30-127	4.30	(< 20)
2,4-Dinitrophenol	44.6U	9.46	44.6U	0 *	9.50	44.6U	0 *	62-113	0.00	(< 20)
2,4-Dinitrotoluene	3.72U	5.26	4.53J	86	5.28	4.17J	79	48-126	8.10	(< 20)
2,6-Dichlorophenol	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	41-117	0.00	(< 20)
2,6-Dinitrotoluene	3.72U	5.26	5.29J	101	5.28	5.20J	99	46-124	1.70	(< 20)
2-Chloronaphthalene	3.72U	5.26	4.55J	86	5.28	4.33J	82	41-114	4.70	(< 20)
2-Chlorophenol	3.72U	5.26	4.45J	85	5.28	4.44J	84	34-121	0.26	(< 20)
2-Methyl-4,6-dinitrophenol	29.8U	9.46	29.8U	0 *	9.50	29.8U	0 *	29-132	0.00	(< 20)
2-Methylnaphthalene	3.72U	5.26	4.29J	82	5.28	4.16J	79	38-122	3.10	(< 20)
2-Methylphenol (o-Cresol)	3.72U	5.26	4.41J	84	5.28	4.41J	84	32-122	0.03	(< 20)
2-Nitroaniline	3.72U	5.26	5.66J	108	5.28	5.33J	101	44-127	5.90	(< 20)
2-Nitrophenol	3.72U	5.26	5.25J	100	5.28	5.28J	100	36-123	0.33	(< 20)
3&4-Methylphenol (p&m-Cresol)	14.9U	7.36	14.9U	0 *	7.38	14.9U	0 *	34-119	0.00	(< 20)
3,3-Dichlorobenzidine	7.45U	5.26	5.28J	100	5.28	5.33J	101	22-121	1.10	(< 20)
3-Nitroaniline	7.45U	5.26	5.29J	101	5.28	5.36J	102	33-119	1.30	(< 20)
4-Bromophenyl-phenylether	3.72U	5.26	5.67J	108	5.28	5.25J	100	46-124	7.60	(< 20)
4-Chloro-3-methylphenol	3.72U	5.26	4.92J	93	5.28	5.08J	96	45-122	3.50	(< 20)
4-Chloroaniline	14.9U	5.26	14.9U	0 *	5.28	14.9U	0 *	17-106	0.00	(< 20)
4-Chlorophenyl-phenylether	3.72U	5.26	5.12J	97	5.28	4.90J	93	45-121	4.40	(< 20)
4-Nitroaniline	44.6U	5.26	44.6U	0 *	5.28	44.6U	0 *	77-120	0.00	(< 20)
4-Nitrophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	30-132	0.00	(< 20)
Acenaphthene	3.72U	5.26	5.31J	101	5.28	5.24J	99	40-123	1.20	(< 20)
Acenaphthylene	3.72U	5.26	5.37J	102	5.28	5.36J	102	32-132	0.16	(< 20)
Aniline	29.8U	5.26	29.8U	0 *	5.28	29.8U	0 *	24-89	0.00	(< 20)
Anthracene	3.72U	5.26	5.38J	102	5.28	5.22J	99	47-123	3.10	(< 20)
Azobenzene	3.72U	5.26	5.77J	110	5.28	5.85J	111	39-125	1.50	(< 20)
Benzo(a)Anthracene	3.72U	5.26	5.10J	97	5.28	5.28J	100	49-126	3.40	(< 20)
Benzo[a]pyrene	3.72U	5.26	4.80J	91	5.28	4.77J	90	45-129	0.50	(< 20)

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Benzo[b]Fluoranthene	3.72U	5.26	4.92J	93	5.28	4.76J	90	45-132	3.20	(< 20)
Benzo[g,h,i]perylene	3.72U	5.26	5.44J	103	5.28	5.25J	100	43-134	3.40	(< 20)
Benzo[k]fluoranthene	3.72U	5.26	5.06J	96	5.28	5.20J	99	47-132	2.90	(< 20)
Benzoic acid	22.3U	7.36	22.3U	0 *	7.38	22.3U	0 *	53-124	0.00	(< 20)
Benzyl alcohol	3.72U	5.26	3.88J	74	5.28	3.84J	73	29-122	1.00	(< 20)
Bis(2chloro1methylethyl)Ether	3.72U	5.26	3.95J	75	5.28	4.20J	80	33-131	6.10	(< 20)
Bis(2-Chloroethoxy)methane	3.72U	5.26	5.06J	96	5.28	4.90J	93	36-121	3.10	(< 20)
Bis(2-Chloroethyl)ether	3.72U	5.26	4.06J	77	5.28	4.13J	78	31-120	1.60	(< 20)
bis(2-Ethylhexyl)phthalate	3.72U	5.26	6.42J	122	5.28	6.59J	125	51-133	2.60	(< 20)
Butylbenzylphthalate	3.72U	5.26	6.32J	120	5.28	5.69J	108	48-132	10.40	(< 20)
Carbazole	3.72U	5.26	6.02J	114	5.28	5.83J	110	50-123	3.20	(< 20)
Chrysene	3.72U	5.26	5.49J	104	5.28	5.42J	103	50-124	1.40	(< 20)
Dibenzo[a,h]anthracene	3.72U	5.26	5.39J	103	5.28	5.71J	108	45-134	5.50	(< 20)
Dibenzofuran	3.72U	5.26	4.59J	87	5.28	4.44J	84	44-120	3.50	(< 20)
Diethylphthalate	3.72U	5.26	5.50J	105	5.28	5.44J	103	50-124	1.10	(< 20)
Dimethylphthalate	3.72U	5.26	5.94J	113	5.28	6.02J	114	48-124	1.20	(< 20)
Di-n-butylphthalate	3.72U	5.26	5.94J	113	5.28	5.75J	109	51-128	3.30	(< 20)
di-n-Octylphthalate	7.45U	5.26	8.15J	155 *	5.28	7.78J	147 *	45-140	4.60	(< 20)
Fluoranthene	3.72U	5.26	4.55J	86	5.28	4.43J	84	50-127	2.60	(< 20)
Fluorene	3.72U	5.26	5.28J	100	5.28	5.20J	99	43-125	1.40	(< 20)
Hexachlorobenzene	3.72U	5.26	4.59J	87	5.28	4.26J	81	45-122	7.70	(< 20)
Hexachlorobutadiene	3.72U	5.26	4.47J	85	5.28	4.53J	86	32-123	1.20	(< 20)
Hexachlorocyclopentadiene	10.4U	5.26	10.4U	0 *	5.28	10.4U	0 *	34-74	0.00	(< 20)
Hexachloroethane	3.72U	5.26	3.68J	70	5.28	3.88J	73	28-117	4.90	(< 20)
Indeno[1,2,3-c,d] pyrene	3.72U	5.26	5.31J	101	5.28	5.28J	100	45-133	0.66	(< 20)
Isophorone	3.72U	5.26	4.87J	93	5.28	4.58J	87	30-122	6.10	(< 20)
Naphthalene	3.72U	5.26	5.14J	98	5.28	5.05J	96	35-123	2.00	(< 20)
Nitrobenzene	3.72U	5.26	4.29J	82	5.28	4.14J	78	34-122	3.70	(< 20)
N-Nitrosodimethylamine	3.72U	5.26	3.79J	72	5.28	3.54J	67	23-120	6.80	(< 20)
N-Nitroso-di-n-propylamine	3.72U	5.26	4.94J	94	5.28	4.95J	94	36-120	0.33	(< 20)
N-Nitrosodiphenylamine	3.72U	5.26	5.01J	95	5.28	5.18J	98	38-127	3.20	(< 20)
Pentachlorophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	25-133	0.00	(< 20)
Phenanthrene	3.72U	5.26	5.37J	102	5.28	5.28J	100	50-121	1.90	(< 20)
Phenol	3.72U	5.26	4.38J	83	5.28	4.39J	83	34-121	0.33	(< 20)
Pyrene	3.72U	5.26	4.98J	95	5.28	5.08J	96	47-127	2.20	(< 20)
Surrogates										
2,4,6-Tribromophenol (surr)		10.5	10.2	97	10.6	10.9	104	35-125	6.40	

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date:
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Sample</u>	Matrix Spike (%)			Spike Duplicate (%)			<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>			
2-Fluorobiphenyl (surr)		5.26	5.56	106	5.28	5.45	103	44-115	2.10	
2-Fluorophenol (surr)		10.5	8.03	76	10.6	7.36	70	35-115	8.70	
Nitrobenzene-d5 (surr)		5.26	4.86	92	5.28	4.81	91	37-122	1.00	
Phenol-d6 (surr)		10.5	9.45	90	10.6	9.31	88	33-122	1.60	
Terphenyl-d14 (surr)		5.26	4.86	92	5.28	5.19	98	54-127	6.60	

Batch Information

Analytical Batch: XMS11889
Analytical Method: SW8270D
Instrument: HP 6890/5973 SSA
Analyst: JMG
Analytical Date/Time: 12/11/2019 3:37:00PM

Prep Batch: XXX42629
Prep Method: Sonication Extraction Soil SW8270
Prep Date/Time: 11/26/2019 2:52:08PM
Prep Initial Wt./Vol.: 22.75g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802613 [XXX/42632]
Blank Lab ID: 1545124

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW8082A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Aroclor-1016	25.0U	50.0	12.5	ug/Kg
Aroclor-1221	50.0U	100	25.0	ug/Kg
Aroclor-1232	25.0U	50.0	12.5	ug/Kg
Aroclor-1242	25.0U	50.0	12.5	ug/Kg
Aroclor-1248	25.0U	50.0	12.5	ug/Kg
Aroclor-1254	25.0U	50.0	12.5	ug/Kg
Aroclor-1260	25.0U	50.0	12.5	ug/Kg

Surrogates

Decachlorobiphenyl (surr) 110 60-125 %

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 12:07:00PM

Prep Batch: XXX42632
Prep Method: SW3550C
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.5 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:58PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42632]

Blank Spike Lab ID: 1545125

Date Analyzed: 12/03/2019 12:17

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Blank Spike (ug/Kg)

Parameter	Spike	Result	Rec (%)	CL
Aroclor-1016	222	198	89	(47-134)
Aroclor-1260	222	235	106	(53-140)

Surrogates

Decachlorobiphenyl (surr)	222	112	112	(60-125)
---------------------------	-----	-----	-----	------------

Batch Information

Analytical Batch: XGC10544

Prep Batch: XXX42632

Analytical Method: SW8082A

Prep Method: SW3550C

Instrument: Agilent 7890B GC ECD SW F

Prep Date/Time: 11/27/2019 10:48

Analyst: BMZ

Spike Init Wt./Vol.: 222 ug/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:41:01PM

Matrix Spike Summary

Original Sample ID: 1196876010
MS Sample ID: 1545126 MS
MSD Sample ID: 1545127 MSD

Analysis Date: 12/03/2019 13:09
Analysis Date: 12/03/2019 13:19
Analysis Date: 12/03/2019 13:29
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Aroclor-1016	25.8U	229	251	110	228	253	111	47-134	0.56	(< 30)
Aroclor-1260	25.8U	229	227	99	228	226	99	53-140	0.65	(< 30)

Surrogates

Decachlorobiphenyl (surr) 229 241 105 228 237 104 60-125 1.40

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 1:19:00PM

Prep Batch: XXX42632
Prep Method: Sonication Extraction Soil SW8082 PCB
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.63g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:41:02PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group



1196897

North America Inc.
F CUSTODY RECORD

Locations Nationwide

Alaska	Revised Report	Maryland
New Jersey		- Revision 2
North Carolina		Indiana
West Virginia		Kentucky

www.us.sgs.com

Profile: 334945

CLIENT: Golder Associates					Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.										Page <u>1</u> of <u>1</u>				
Section 1	CONTACT: Jessa Karp PHONE NO: PROJECT/ PWSID/ NAME: Drilling Samples REPORTS TO: E-MAIL: jkarp@golder.com					Preservative Section 3													
	#	C O N T A I N E R S	Type C = COMP G = GRAB M = Multi Incre- mental Soils	meant for	B														
	1AB			GEO (AK101)	VOC (SW8260C)	D20 (PPO)	SVOC (SW8270D)	PCBs (SW8082)	Lead (SW1020)										
	2AB			X	X	X	X	X											
	3AB			X	X	X	X	X											
Section 2	RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE											REMARKS/ LOC ID			
	(1AB)	BH-01	11/14/19	9:15		2	X	X	X										
	(2AB)	BH-02	11/14/19	12:30		2	X	X	X										
	(3AB)	BH-03A	11/15/19	9:15		2	X	X	X										
	(4AB)	BH-03A-1	11/15/19	9:15		2	X	X	X										
	(5AB)	BH-04	11/14/19	15:00		2	X	X	X										
	(6AB)	BH-05	11/14/19	13:45		2	X	X	X										
	(7AB)	BH-05-1	11/14/19	13:45		2	X	X	X										
	(8AB)	Composit	11/15/19	9:30		2	C	X	X	X	X								
	(9AB)	PW7-25-11				2	X	X	X	X						Trip Blank			
Section 5	Relinquished By: (1) <i>Jessa Karp</i>					Date 11/15/19	Time 16:00	Received By:									Section 4	DOD Project? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Data Deliverable Requirements:
																	Cooler ID:		
																	Requested Turnaround Time and/or Special Instructions:		
																	Temp Blank °C: 27° DG3	Chain of Custody Seal: (Circle)	
																or Ambient []	INTACT <input checked="" type="checkbox"/> BROKEN <input type="checkbox"/> ABSENT <input type="checkbox"/>		
																(See attached Sample Receipt Form)			

SGS**Returned Bottles Inventory****Name of individual returning bottles:**Tessa Karp**Date Received:**11/13/19**Client Name:**Golder Associates**Received by:****Project Name:**ARRC Depot Dr.
Drilling Samples**SGS PM:**

HDPE/Nalgene:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz						
	60-ml or 2-oz						
	other						
Amber glass:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz with or without septa	10					
	40-ml VOA vial	12					
	other						
Subtotal:		22					

Note: Returned bottles (regardless of size/pres.) are billed back at \$4/bottle unless otherwise quoted.

Amount to Invoice Client \$:88**1196897**

Wt





SGS Workorder #:

1196897

1 1 9 6 8 9 7

Review Criteria		Condition (Yes, No, N/A)	Exceptions Noted below				
Chain of Custody / Temperature Requirements		<input checked="" type="checkbox"/> Yes	Exemption permitted if sampler hand carries/delivers.				
Were Custody Seals intact? Note # & location		<input type="checkbox"/> N/A	<input type="checkbox"/> Absent				
COC accompanied samples?		<input checked="" type="checkbox"/> Yes					
DOD: Were samples received in COC corresponding coolers?		<input type="checkbox"/> N/A					
Temperature blank compliant* (i.e., 0-6 °C after CF)?		<input checked="" type="checkbox"/> Yes	Cooler ID:	1	@	2.2 °C	Therm. ID: D63
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
*If >6°C, were samples collected <8 hours ago?		<input type="checkbox"/> N/A					
If <0°C, were sample containers ice free?		<input type="checkbox"/> N/A					
Note: Identify containers received at non-compliant temperature . Use form FS-0029 if more space is needed.							
Holding Time / Documentation / Sample Condition Requirements		Note: Refer to form F-083 "Sample Guide" for specific holding times.					
Were samples received within holding time?		<input checked="" type="checkbox"/> Yes					
Do samples match COC** (i.e.,sample IDs,dates/times collected)?		<input type="checkbox"/> No	Trip Blanks 9A-B were scheduled with PCB, DRO/RRO, and Lead 6020. Proceeding with GRO & VOC.				
**Note: If times differ <1hr, record details & login per COC.							
***Note: If sample information on containers differs from COC, SGS will default to COC information							
Were analytical requests clear? (i.e., method is specified for analyses with multiple option for analysis (Ex: BTEX, Metals)		<input checked="" type="checkbox"/> Yes					
Were proper containers (type/mass/volume/preservative***)used?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> N/A	***Exemption permitted for metals (e.g.200.8/6020A).			
Volatile / LL-Hg Requirements							
Were Trip Blanks (i.e., VOAs, LL-Hg) in cooler with samples?		<input checked="" type="checkbox"/> Yes					
Were all water VOA vials free of headspace (i.e., bubbles ≤ 6mm)?		<input type="checkbox"/> N/A					
Were all soil VOAs field extracted with MeOH+BFB?		<input checked="" type="checkbox"/> Yes					
Note to Client: Any "No", answer above indicates non-compliance with standard procedures and may impact data quality.							
Additional notes (if applicable):							

Sample Containers and Preservatives

<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>	<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>
1196897001-A	No Preservative Required	OK			
1196897001-B	Methanol field pres. 4 C	OK			
1196897002-A	No Preservative Required	OK			
1196897002-B	Methanol field pres. 4 C	OK			
1196897003-A	No Preservative Required	OK			
1196897003-B	Methanol field pres. 4 C	OK			
1196897004-A	No Preservative Required	OK			
1196897004-B	Methanol field pres. 4 C	OK			
1196897005-A	No Preservative Required	OK			
1196897005-B	Methanol field pres. 4 C	OK			
1196897006-A	No Preservative Required	OK			
1196897006-B	Methanol field pres. 4 C	OK			
1196897007-A	No Preservative Required	OK			
1196897007-B	Methanol field pres. 4 C	OK			
1196897008-A	No Preservative Required	OK			
1196897008-B	Methanol field pres. 4 C	OK			
1196897009-A	Methanol field pres. 4 C	OK			
1196897009-B	Methanol field pres. 4 C	OK			

Container Condition Glossary

Containers for bacteriological, low level mercury and VOA vials are not opened prior to analysis and will be assigned condition code OK unless evidence indicates than an inappropriate container was submitted.

OK - The container was received at an acceptable pH for the analysis requested.

BU - The container was received with headspace greater than 6mm.

DM - The container was received damaged.

FR - The container was received frozen and not usable for Bacteria or BOD analyses.

IC - The container provided for microbiology analysis was not a laboratory-supplied, pre-sterilized container and therefore was not suitable for analysis.

NC - The container provided was not preserved or was under-preserved. The method does not allow for additional preservative added after collection.

PA - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt and the container is now at the correct pH. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

PH - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt, but was insufficient to bring the container to the correct pH for the analysis requested. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

QN - Insufficient sample quantity provided.

Laboratory Report of Analysis

To: Golder Associates Inc.
2121 Abbott Road, #100
Anchorage, AK 99507
(907)344-6001

Report Number: **1196897**

Client Project: **ARRC DEPOT DR. Drilling Sample**

Dear Chris Valentine,

Enclosed are the results of the analytical services performed under the referenced project for the received samples and associated QC as applicable. The samples are certified to meet the requirements of the National Environmental Laboratory Accreditation Conference Standards. Copies of this report and supporting data will be retained in our files for a period of ten years in the event they are required for future reference. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. Any samples submitted to our laboratory will be retained for a maximum of fourteen (14) days from the date of this report unless other archiving requirements were included in the quote.

If there are any questions about the report or services performed during this project, please call Justin at (907) 562-2343. We will be happy to answer any questions or concerns which you may have.

Thank you for using SGS North America Inc. for your analytical services. We look forward to working with you again on any additional analytical needs.

Sincerely,
SGS North America Inc.

Justin Nelson Date
Project Manager
Justin.Nelson@sgs.com

Case Narrative

SGS Client: **Golder Associates Inc.**

SGS Project: **1196897**

Project Name/Site: **ARRC DEPOT DR. Drilling Sample**

Project Contact: **Chris Valentine**

Refer to sample receipt form for information on sample condition.

LCS for HBN 1802587 [XXX/42629 (1545011) LCS

8270D - LCS recovery for 2,4-dinitrophenol does not meet QC criteria. The associated sample concentrations for this analyte are less than the LOQ.

8270D - LCS recovery for aniline does not meet QC criteria.

1196897001MS (1544068) MS

8260C - MS recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MS (1545012) MS

8270D - MS recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

1196897001MSD (1544069) MSD

8260C - MSD recovery for hexachlorobutadiene does not meet QC criteria. See LCS for accuracy requirements.

1196867001MSD (1545013) MSD

8270D - MSD recoveries for several analytes do not meet QC criteria. Refer to the LCS for accuracy requirements.

8270D - MSD RPD for 4-chloroaniline does not meet QC criteria. Results for this analyte are less than the LOQ in the parent sample.

Report of Manual Integrations

<u>Laboratory ID</u>	<u>Client Sample ID</u>	<u>Analytical Batch</u>	<u>Analyte</u>	<u>Reason</u>
SW8082A				
1545125	LCS for HBN 1802613 [XXX/42632	XGC10544	Aroclor-1016	BLC, SP
1545127	1196876010MSD	XGC10544	Aroclor-1016	SP
SW8260C				
1196897005	BH-04	VMS19671	4-Isopropyltoluene	SP
1196897005	BH-04	VMS19671	Naphthalene	SP
SW8270D				
1545011	LCS for HBN 1802587 [XXX/42629	XMS11885	1-Chloronaphthalene	SP
1545012	1196867001MS	XMS11889	1-Chloronaphthalene	SP
1545013	1196867001MSD	XMS11889	1,4-Dichlorobenzene	RP
1545013	1196867001MSD	XMS11889	1-Chloronaphthalene	SP

Manual Integration Reason Code Descriptions

Code	Description
O	Original Chromatogram
M	Modified Chromatogram
SS	Skimmed surrogate
BLG	Closed baseline gap
RP	Reassign peak name
PIR	Pattern integration required
IT	Included tail
SP	Split peak
RSP	Removed split peak
FPS	Forced peak start/stop
BLC	Baseline correction
PNF	Peak not found by software

All DRO/RRO analysis are integrated per SOP.

Laboratory Qualifiers

Enclosed are the analytical results associated with the above work order. The results apply to the samples as received. All results are intended to be used in their entirety and SGS is not responsible for use of less than the complete report. This document is issued by the Company under its General Conditions of Service accessible at <<http://www.sgs.com/en/Terms-and-Conditions.aspx>>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS maintains a formal Quality Assurance/Quality Control (QA/QC) program. A copy of our Quality Assurance Plan (QAP), which outlines this program, is available at your request. The laboratory certification numbers are AK00971 (DW Chemistry & Microbiology) & 17-021 (CS) for ADEC and 2944.01 for DOD ELAP/ISO17025 (RCRA methods: 1020B, 1311, 3010A, 3050B, 3520C, 3550C, 5030B, 5035A, 6020A, 7470A, 7471B, 8015C, 8021B, 8082A, 8260C, 8270D, 8270D-SIM, 9040C, 9045D, 9056A, 9060A, AK101 and AK102/103). SGS is only certified for the analytes listed on our Drinking Water Certification (DW methods: 200.8, 2130B, 2320B, 2510B, 300.0, 4500-CN-C,E, 4500-H-B, 4500-NO3-F, 4500-P-E and 524.2) and only those analytes will be reported to the State of Alaska for compliance. Except as specifically noted, all statements and data in this report are in conformance to the provisions set forth by the SGS QAP and, when applicable, other regulatory authorities.

The following descriptors or qualifiers may be found in your report:

*	The analyte has exceeded allowable regulatory or control limits.
!	Surrogate out of control limits.
B	Indicates the analyte is found in a blank associated with the sample.
CCV/CVA/CVB	Continuing Calibration Verification
CCCV/CVC/CVCA/CVCB	Closing Continuing Calibration Verification
CL	Control Limit
DF	Analytical Dilution Factor
DL	Detection Limit (i.e., maximum method detection limit)
E	The analyte result is above the calibrated range.
GT	Greater Than
IB	Instrument Blank
ICV	Initial Calibration Verification
J	The quantitation is an estimation.
LCS(D)	Laboratory Control Spike (Duplicate)
LLQC/LLIQC	Low Level Quantitation Check
LOD	Limit of Detection (i.e., 1/2 of the LOQ)
LOQ	Limit of Quantitation (i.e., reporting or practical quantitation limit)
LT	Less Than
MB	Method Blank
MS(D)	Matrix Spike (Duplicate)
ND	Indicates the analyte is not detected.
RPD	Relative Percent Difference
U	Indicates the analyte was analyzed for but not detected.

Note: Sample summaries which include a result for "Total Solids" have already been adjusted for moisture content. All DRO/RRO analyses are integrated per SOP.

Sample Summary

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Collected</u>	<u>Received</u>	<u>Matrix</u>
BH-03A-1	1196897004	11/15/2019	11/15/2019	Soil/Solid (dry weight)

<u>Method</u>	<u>Method Description</u>
AK102	Diesel/Residual Range Organics
AK103	Diesel/Residual Range Organics
AK101	Gasoline Range Organics (S)
SW6020A	Metals by ICP-MS (S)
SM21 2540G	Percent Solids SM2540G
SW8082A	SW8082 PCB's
SW8270D	SW846 8270 Semi-Volatiles by GC/MS (S)
SW8260C	VOC 8260 (S) Field Extracted

Print Date: 12/13/2019 3:40:09PM

SGS North America Inc.

200 West Potter Drive, Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897004
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.3
Location:

Results by Semivolatile Organic Fuels

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Diesel Range Organics	23.1	20.9	6.49	mg/Kg	1		11/21/19 19:29

Surrogates

5a Androstane (surr)	110	50-150	%	1	11/21/19 19:29
----------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Analyst: DSD
Analytical Date/Time: 11/21/19 19:29
Container ID: 1196897004-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.072 g
Prep Extract Vol: 5 mL

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Residual Range Organics	39.6	20.9	6.49	mg/Kg	1		11/21/19 19:29

Surrogates

n-Triacontane-d62 (surr)	103	50-150	%	1	11/21/19 19:29
--------------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Analyst: DSD
Analytical Date/Time: 11/21/19 19:29
Container ID: 1196897004-A

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/19 09:06
Prep Initial Wt./Vol.: 30.072 g
Prep Extract Vol: 5 mL

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897004
 Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.3
 Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
1,2,4-Trichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
1,2-Dichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
1,3-Dichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
1,4-Dichlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
1-Chloronaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
1-Methylnaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,4,5-Trichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,4,6-Trichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,4-Dichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,4-Dimethylphenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,4-Dinitrophenol	1.56 U	3.12	0.978	mg/Kg	1		12/09/19 18:29
2,4-Dinitrotoluene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,6-Dichlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2,6-Dinitrotoluene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2-Chloronaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2-Chlorophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2-Methyl-4,6-dinitrophenol	1.04 U	2.08	0.645	mg/Kg	1		12/09/19 18:29
2-Methylnaphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2-Methylphenol (o-Cresol)	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2-Nitroaniline	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
2-Nitrophenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
3&4-Methylphenol (p&m-Cresol)	0.520 U	1.04	0.323	mg/Kg	1		12/09/19 18:29
3,3-Dichlorobenzidine	0.260 U	0.520	0.156	mg/Kg	1		12/09/19 18:29
3-Nitroaniline	0.260 U	0.520	0.156	mg/Kg	1		12/09/19 18:29
4-Bromophenyl-phenylether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
4-Chloro-3-methylphenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
4-Chloroaniline	0.520 U	1.04	0.323	mg/Kg	1		12/09/19 18:29
4-Chlorophenyl-phenylether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
4-Nitroaniline	1.56 U	3.12	0.978	mg/Kg	1		12/09/19 18:29
4-Nitrophenol	1.04 U	2.08	0.645	mg/Kg	1		12/09/19 18:29
Acenaphthene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Acenaphthylene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Aniline	1.04 U	2.08	0.645	mg/Kg	1		12/09/19 18:29
Anthracene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Azobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Benzo(a)Anthracene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Benzo[a]pyrene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897004
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.3
Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Benzo[b]Fluoranthene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Benzo[g,h,i]perylene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Benzo[k]fluoranthene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Benzoic acid	0.780 U	1.56	0.489	mg/Kg	1		12/09/19 18:29
Benzyl alcohol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Bis(2chloro1methylethyl)Ether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Bis(2-Chloroethoxy)methane	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Bis(2-Chloroethyl)ether	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
bis(2-Ethylhexyl)phthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Butylbenzylphthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Carbazole	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Chrysene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Dibenzo[a,h]anthracene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Dibenzofuran	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Diethylphthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Dimethylphthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Di-n-butylphthalate	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
di-n-Octylphthalate	0.260 U	0.520	0.156	mg/Kg	1		12/09/19 18:29
Fluoranthene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Fluorene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Hexachlorobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Hexachlorobutadiene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Hexachlorocyclopentadiene	0.364 U	0.729	0.208	mg/Kg	1		12/09/19 18:29
Hexachloroethane	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Indeno[1,2,3-c,d] pyrene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Isophorone	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Naphthalene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Nitrobenzene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
N-Nitrosodimethylamine	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
N-Nitroso-di-n-propylamine	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
N-Nitrosodiphenylamine	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Pentachlorophenol	1.04 U	2.08	0.645	mg/Kg	1		12/09/19 18:29
Phenanthrene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Phenol	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29
Pyrene	0.130 U	0.260	0.0812	mg/Kg	1		12/09/19 18:29

Surrogates

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897004
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.3
Location:

Results by Semivolatile Organics GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
2,4,6-Tribromophenol (surr)	92.8	35-125		%	1		12/09/19 18:29
2-Fluorobiphenyl (surr)	71.8	44-115		%	1		12/09/19 18:29
2-Fluorophenol (surr)	57.5	35-115		%	1		12/09/19 18:29
Nitrobenzene-d5 (surr)	59.9	37-122		%	1		12/09/19 18:29
Phenol-d6 (surr)	66.7	33-122		%	1		12/09/19 18:29
Terphenyl-d14 (surr)	94.9	54-127		%	1		12/09/19 18:29

Batch Information

Analytical Batch: XMS11885
Analytical Method: SW8270D
Analyst: JMG
Analytical Date/Time: 12/09/19 18:29
Container ID: 1196897004-A

Prep Batch: XXX42629
Prep Method: SW3550C
Prep Date/Time: 11/26/19 14:52
Prep Initial Wt./Vol.: 22.683 g
Prep Extract Vol: 1 mL

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897004
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.3
Location:

Results by Volatile Fuels

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Gasoline Range Organics	0.975 U	1.95	0.585	mg/Kg	1		11/18/19 20:40

Surrogates

4-Bromofluorobenzene (surr)	102	50-150	%	1	11/18/19 20:40
-----------------------------	-----	--------	---	---	----------------

Batch Information

Analytical Batch: VFC15044
Analytical Method: AK101
Analyst: ST
Analytical Date/Time: 11/18/19 20:40
Container ID: 1196897004-B

Prep Batch: VXX35268
Prep Method: SW5035A
Prep Date/Time: 11/15/19 09:15
Prep Initial Wt./Vol.: 76.933 g
Prep Extract Vol: 28.6119 mL

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897004
 Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.3
 Location:

Results by Volatile GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
1,1,1,2-Tetrachloroethane	7.80 U	15.6	4.84	ug/Kg	1		11/16/19 20:10
1,1,1-Trichloroethane	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,1,2,2-Tetrachloroethane	0.780 U	1.56	0.484	ug/Kg	1		11/16/19 20:10
1,1,2-Trichloroethane	0.312 U	0.624	0.195	ug/Kg	1		11/16/19 20:10
1,1-Dichloroethane	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,1-Dichloroethene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,1-Dichloropropene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,2,3-Trichlorobenzene	19.5 U	39.0	11.7	ug/Kg	1		11/16/19 20:10
1,2,3-Trichloropropane	0.780 U	1.56	0.484	ug/Kg	1		11/16/19 20:10
1,2,4-Trichlorobenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,2,4-Trimethylbenzene	19.5 U	39.0	11.7	ug/Kg	1		11/16/19 20:10
1,2-Dibromo-3-chloropropane	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
1,2-Dibromoethane	0.390 U	0.780	0.242	ug/Kg	1		11/16/19 20:10
1,2-Dichlorobenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,2-Dichloroethane	0.780 U	1.56	0.484	ug/Kg	1		11/16/19 20:10
1,2-Dichloropropane	3.90 U	7.80	2.42	ug/Kg	1		11/16/19 20:10
1,3,5-Trimethylbenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,3-Dichlorobenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
1,3-Dichloropropane	3.90 U	7.80	2.42	ug/Kg	1		11/16/19 20:10
1,4-Dichlorobenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
2,2-Dichloropropane	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
2-Butanone (MEK)	97.5 U	195	60.9	ug/Kg	1		11/16/19 20:10
2-Chlorotoluene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
2-Hexanone	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
4-Chlorotoluene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
4-Isopropyltoluene	39.0 U	78.0	19.5	ug/Kg	1		11/16/19 20:10
4-Methyl-2-pentanone (MIBK)	97.5 U	195	60.9	ug/Kg	1		11/16/19 20:10
Acetone	97.5 U	195	60.9	ug/Kg	1		11/16/19 20:10
Benzene	4.88 U	9.76	3.04	ug/Kg	1		11/16/19 20:10
Bromobenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Bromochloromethane	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Bromodichloromethane	0.780 U	1.56	0.484	ug/Kg	1		11/16/19 20:10
Bromoform	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Bromomethane	7.80 U	15.6	4.84	ug/Kg	1		11/16/19 20:10
Carbon disulfide	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
Carbon tetrachloride	4.88 U	9.76	3.04	ug/Kg	1		11/16/19 20:10
Chlorobenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
 Client Project ID: **ARRC DEPOT DR. Drilling Sample**
 Lab Sample ID: 1196897004
 Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
 Received Date: 11/15/19 16:00
 Matrix: Soil/Solid (dry weight)
 Solids (%): 95.3
 Location:

Results by Volatile GC/MS

Parameter	Result Qual	LOQ/CL	DL	Units	DF	Allowable Limits	Date Analyzed
Chloroethane	78.0 U	156	48.4	ug/Kg	1		11/16/19 20:10
Chloroform	0.780 U	1.56	0.484	ug/Kg	1		11/16/19 20:10
Chloromethane	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
cis-1,2-Dichloroethene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
cis-1,3-Dichloropropene	4.88 U	9.76	3.04	ug/Kg	1		11/16/19 20:10
Dibromochloromethane	0.780 U	1.56	0.484	ug/Kg	1		11/16/19 20:10
Dibromomethane	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Dichlorodifluoromethane	19.5 U	39.0	11.7	ug/Kg	1		11/16/19 20:10
Ethylbenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Freon-113	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
Hexachlorobutadiene	7.80 U	15.6	4.84	ug/Kg	1		11/16/19 20:10
Isopropylbenzene (Cumene)	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Methylene chloride	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
Methyl-t-butyl ether	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
Naphthalene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
n-Butylbenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
n-Propylbenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
o-Xylene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
P & M -Xylene	19.5 U	39.0	11.7	ug/Kg	1		11/16/19 20:10
sec-Butylbenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Styrene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
tert-Butylbenzene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
Tetrachloroethene	4.88 U	9.76	3.04	ug/Kg	1		11/16/19 20:10
Toluene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
trans-1,2-Dichloroethene	9.75 U	19.5	6.09	ug/Kg	1		11/16/19 20:10
trans-1,3-Dichloropropene	4.88 U	9.76	3.04	ug/Kg	1		11/16/19 20:10
Trichloroethene	1.95 U	3.90	1.17	ug/Kg	1		11/16/19 20:10
Trichlorofluoromethane	19.5 U	39.0	11.7	ug/Kg	1		11/16/19 20:10
Vinyl acetate	39.0 U	78.0	24.2	ug/Kg	1		11/16/19 20:10
Vinyl chloride	0.312 U	0.624	0.195	ug/Kg	1		11/16/19 20:10
Xylenes (total)	29.3 U	58.5	17.8	ug/Kg	1		11/16/19 20:10

Surrogates

1,2-Dichloroethane-D4 (surr)	107	71-136	%	1	11/16/19 20:10
4-Bromofluorobenzene (surr)	105	55-151	%	1	11/16/19 20:10
Toluene-d8 (surr)	97	85-116	%	1	11/16/19 20:10

Results of BH-03A-1

Client Sample ID: **BH-03A-1**
Client Project ID: **ARRC DEPOT DR. Drilling Sample**
Lab Sample ID: 1196897004
Lab Project ID: 1196897

Collection Date: 11/15/19 09:15
Received Date: 11/15/19 16:00
Matrix: Soil/Solid (dry weight)
Solids (%): 95.3
Location:

Results by Volatile GC/MS**Batch Information**

Analytical Batch: VMS19671
Analytical Method: SW8260C
Analyst: KAJ
Analytical Date/Time: 11/16/19 20:10
Container ID: 1196897004-B

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/15/19 09:15
Prep Initial Wt./Vol.: 76.933 g
Prep Extract Vol: 28.6119 mL

Print Date: 12/13/2019 3:40:12PM

J flagging is activated

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802379 [MXX/33000]
Blank Lab ID: 1544246

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW6020A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Lead	0.100U	0.200	0.0620	mg/Kg

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:44:07PM

Prep Batch: MXX33000
Prep Method: SW3050B
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1 g
Prep Extract Vol: 50 mL

Print Date: 12/13/2019 3:40:17PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [MXX33000]

Blank Spike Lab ID: 1544247

Date Analyzed: 11/21/2019 18:48

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW6020A

Blank Spike (mg/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Lead	50	51.8	104	(84-118)

Batch Information

Analytical Batch: MMS10690

Prep Batch: MXX33000

Analytical Method: SW6020A

Prep Method: SW3050B

Instrument: Perkin Elmer Nexlon P5

Prep Date/Time: 11/20/2019 11:25

Analyst: DMM

Spike Init Wt./Vol.: 50 mg/Kg Extract Vol: 50 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:20PM

Matrix Spike Summary

Original Sample ID: 1544248
MS Sample ID: 1544254 MS
MSD Sample ID: 1544255 MSD

QC for Samples: 1196897008

Analysis Date: 11/21/2019 18:53
Analysis Date: 11/21/2019 18:58
Analysis Date: 11/21/2019 19:02
Matrix: Solid/Soil (Wet Weight)

Results by SW6020A

Parameter	Matrix Spike (mg/Kg)				Spike Duplicate (mg/Kg)				CL	RPD (%)	RPD CL (< 20)
	Sample	Spike	Result	Rec (%)	Spike	Result	Rec (%)				
Lead	3.76	46.9	50.6	100	46.5	45.9	91	84-118	9.92		(< 20)

Batch Information

Analytical Batch: MMS10690
Analytical Method: SW6020A
Instrument: Perkin Elmer Nexlon P5
Analyst: DMM
Analytical Date/Time: 11/21/2019 6:58:12PM

Prep Batch: MXX33000
Prep Method: Soils/Solids Digest for Metals by ICP-MS
Prep Date/Time: 11/20/2019 11:25:30AM
Prep Initial Wt./Vol.: 1.07g
Prep Extract Vol: 50.00mL

Method Blank

Blank ID: MB for HBN 1802346 [SPT/10940]
Blank Lab ID: 1544092

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Total Solids	100			%

Batch Information

Analytical Batch: SPT10940
Analytical Method: SM21 2540G
Instrument:
Analyst: A.A
Analytical Date/Time: 11/18/2019 5:09:00PM

Print Date: 12/13/2019 3:40:23PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Duplicate Sample Summary

Original Sample ID: 1196869007

Analysis Date: 11/18/2019 17:09

Duplicate Sample ID: 1544093

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SM21 2540G

<u>NAME</u>	<u>Original</u>	<u>Duplicate</u>	<u>Units</u>	<u>RPD (%)</u>	<u>RPD CL</u>
Total Solids	94.3	94.5	%	0.23	(< 15)

Batch Information

Analytical Batch: SPT10940

Analytical Method: SM21 2540G

Instrument:

Analyst: A.A

Print Date: 12/13/2019 3:40:25PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,1,1,2-Tetrachloroethane	10.0U	20.0	6.20	ug/Kg
1,1,1-Trichloroethane	12.5U	25.0	7.80	ug/Kg
1,1,2,2-Tetrachloroethane	1.00U	2.00	0.620	ug/Kg
1,1,2-Trichloroethane	0.400U	0.800	0.250	ug/Kg
1,1-Dichloroethane	12.5U	25.0	7.80	ug/Kg
1,1-Dichloroethene	12.5U	25.0	7.80	ug/Kg
1,1-Dichloropropene	12.5U	25.0	7.80	ug/Kg
1,2,3-Trichlorobenzene	25.0U	50.0	15.0	ug/Kg
1,2,3-Trichloropropane	1.00U	2.00	0.620	ug/Kg
1,2,4-Trichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2,4-Trimethylbenzene	25.0U	50.0	15.0	ug/Kg
1,2-Dibromo-3-chloropropane	50.0U	100	31.0	ug/Kg
1,2-Dibromoethane	0.500U	1.00	0.310	ug/Kg
1,2-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,2-Dichloroethane	1.00U	2.00	0.620	ug/Kg
1,2-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,3,5-Trimethylbenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
1,3-Dichloropropane	5.00U	10.0	3.10	ug/Kg
1,4-Dichlorobenzene	12.5U	25.0	7.80	ug/Kg
2,2-Dichloropropane	12.5U	25.0	7.80	ug/Kg
2-Butanone (MEK)	125U	250	78.0	ug/Kg
2-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
2-Hexanone	50.0U	100	31.0	ug/Kg
4-Chlorotoluene	12.5U	25.0	7.80	ug/Kg
4-Isopropyltoluene	50.0U	100	25.0	ug/Kg
4-Methyl-2-pentanone (MIBK)	125U	250	78.0	ug/Kg
Acetone	125U	250	78.0	ug/Kg
Benzene	6.25U	12.5	3.90	ug/Kg
Bromobenzene	12.5U	25.0	7.80	ug/Kg
Bromochloromethane	12.5U	25.0	7.80	ug/Kg
Bromodichloromethane	1.00U	2.00	0.620	ug/Kg
Bromoform	12.5U	25.0	7.80	ug/Kg
Bromomethane	10.0U	20.0	6.20	ug/Kg
Carbon disulfide	50.0U	100	31.0	ug/Kg
Carbon tetrachloride	6.25U	12.5	3.90	ug/Kg
Chlorobenzene	12.5U	25.0	7.80	ug/Kg
Chloroethane	100U	200	62.0	ug/Kg

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]

Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Chloroform	1.00U	2.00	0.620	ug/Kg
Chloromethane	12.5U	25.0	7.80	ug/Kg
cis-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
cis-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Dibromochloromethane	1.00U	2.00	0.620	ug/Kg
Dibromomethane	12.5U	25.0	7.80	ug/Kg
Dichlorodifluoromethane	25.0U	50.0	15.0	ug/Kg
Ethylbenzene	12.5U	25.0	7.80	ug/Kg
Freon-113	50.0U	100	31.0	ug/Kg
Hexachlorobutadiene	10.0U	20.0	6.20	ug/Kg
Isopropylbenzene (Cumene)	12.5U	25.0	7.80	ug/Kg
Methylene chloride	50.0U	100	31.0	ug/Kg
Methyl-t-butyl ether	50.0U	100	31.0	ug/Kg
Naphthalene	12.5U	25.0	7.80	ug/Kg
n-Butylbenzene	12.5U	25.0	7.80	ug/Kg
n-Propylbenzene	12.5U	25.0	7.80	ug/Kg
o-Xylene	12.5U	25.0	7.80	ug/Kg
P & M -Xylene	25.0U	50.0	15.0	ug/Kg
sec-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Styrene	12.5U	25.0	7.80	ug/Kg
tert-Butylbenzene	12.5U	25.0	7.80	ug/Kg
Tetrachloroethene	6.25U	12.5	3.90	ug/Kg
Toluene	12.5U	25.0	7.80	ug/Kg
trans-1,2-Dichloroethene	12.5U	25.0	7.80	ug/Kg
trans-1,3-Dichloropropene	6.25U	12.5	3.90	ug/Kg
Trichloroethene	2.50U	5.00	1.50	ug/Kg
Trichlorofluoromethane	25.0U	50.0	15.0	ug/Kg
Vinyl acetate	50.0U	100	31.0	ug/Kg
Vinyl chloride	0.400U	0.800	0.250	ug/Kg
Xylenes (total)	37.5U	75.0	22.8	ug/Kg

Surrogates

1,2-Dichloroethane-D4 (surr)	102	71-136	%
4-Bromofluorobenzene (surr)	101	55-151	%
Toluene-d8 (surr)	97	85-116	%

Print Date: 12/13/2019 3:40:29PM

Method Blank

Blank ID: MB for HBN 1802332 [VXX/35248]
Blank Lab ID: 1544066

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by SW8260C

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
------------------	----------------	---------------	-----------	--------------

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 3:23:00PM

Prep Batch: VXX35248
Prep Method: SW5035A
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 50 g
Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:29PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
1,1,1,2-Tetrachloroethane	750	726	97	(78-125)
1,1,1-Trichloroethane	750	768	102	(73-130)
1,1,2,2-Tetrachloroethane	750	751	100	(70-124)
1,1,2-Trichloroethane	750	737	98	(78-121)
1,1-Dichloroethane	750	707	94	(76-125)
1,1-Dichloroethene	750	691	92	(70-131)
1,1-Dichloropropene	750	833	111	(76-125)
1,2,3-Trichlorobenzene	750	788	105	(66-130)
1,2,3-Trichloropropane	750	726	97	(73-125)
1,2,4-Trichlorobenzene	750	805	107	(67-129)
1,2,4-Trimethylbenzene	750	781	104	(75-123)
1,2-Dibromo-3-chloropropane	750	732	98	(61-132)
1,2-Dibromoethane	750	737	98	(78-122)
1,2-Dichlorobenzene	750	763	102	(78-121)
1,2-Dichloroethane	750	701	93	(73-128)
1,2-Dichloropropene	750	814	108	(76-123)
1,3,5-Trimethylbenzene	750	786	105	(73-124)
1,3-Dichlorobenzene	750	760	101	(77-121)
1,3-Dichloropropane	750	728	97	(77-121)
1,4-Dichlorobenzene	750	764	102	(75-120)
2,2-Dichloropropane	750	751	100	(67-133)
2-Butanone (MEK)	2250	2340	104	(51-148)
2-Chlorotoluene	750	761	101	(75-122)
2-Hexanone	2250	2360	105	(53-145)
4-Chlorotoluene	750	755	101	(72-124)
4-Isopropyltoluene	750	822	110	(73-127)
4-Methyl-2-pentanone (MIBK)	2250	2200	98	(65-135)
Acetone	2250	1920	85	(36-164)
Benzene	750	779	104	(77-121)
Bromobenzene	750	754	101	(78-121)
Bromochloromethane	750	690	92	(78-125)
Bromodichloromethane	750	812	108	(75-127)
Bromoform	750	733	98	(67-132)
Bromomethane	750	650	87	(53-143)

Print Date: 12/13/2019 3:40:32PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C****Blank Spike (ug/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Carbon disulfide	1130	1030	91	(63-132)
Carbon tetrachloride	750	787	105	(70-135)
Chlorobenzene	750	770	103	(79-120)
Chloroethane	750	734	98	(59-139)
Chloroform	750	707	94	(78-123)
Chloromethane	750	717	96	(50-136)
cis-1,2-Dichloroethene	750	734	98	(77-123)
cis-1,3-Dichloropropene	750	733	98	(74-126)
Dibromochloromethane	750	745	99	(74-126)
Dibromomethane	750	725	97	(78-125)
Dichlorodifluoromethane	750	707	94	(29-149)
Ethylbenzene	750	776	104	(76-122)
Freon-113	1130	1070	95	(66-136)
Hexachlorobutadiene	750	853	114	(61-135)
Isopropylbenzene (Cumene)	750	806	107	(68-134)
Methylene chloride	750	695	93	(70-128)
Methyl-t-butyl ether	1130	1180	105	(73-125)
Naphthalene	750	761	101	(62-129)
n-Butylbenzene	750	840	112	(70-128)
n-Propylbenzene	750	783	104	(73-125)
o-Xylene	750	785	105	(77-123)
P & M -Xylene	1500	1570	105	(77-124)
sec-Butylbenzene	750	810	108	(73-126)
Styrene	750	795	106	(76-124)
tert-Butylbenzene	750	790	105	(73-125)
Tetrachloroethene	750	804	107	(73-128)
Toluene	750	767	102	(77-121)
trans-1,2-Dichloroethene	750	716	96	(74-125)
trans-1,3-Dichloropropene	750	734	98	(71-130)
Trichloroethene	750	733	98	(77-123)
Trichlorofluoromethane	750	715	95	(62-140)
Vinyl acetate	750	756	101	(50-151)
Vinyl chloride	750	695	93	(56-135)
Xylenes (total)	2250	2350	105	(78-124)

Print Date: 12/13/2019 3:40:32PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35248]

Blank Spike Lab ID: 1544067

Date Analyzed: 11/16/2019 15:39

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009**Results by SW8260C**

Blank Spike (ug/Kg)

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Surrogates				
1,2-Dichloroethane-D4 (surr)	750	94.1	94	(71-136)
4-Bromofluorobenzene (surr)	750	91.2	91	(55-151)
Toluene-d8 (surr)	750	101	101	(85-116)

Batch Information

Analytical Batch: VMS19671

Analytical Method: SW8260C

Instrument: VQA 7890/5975 GC/MS

Analyst: KAJ

Prep Batch: VXX35248

Prep Method: SW5035A

Prep Date/Time: 11/16/2019 06:00

Spike Init Wt./Vol.: 750 ug/Kg Extract Vol: 25 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:32PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,1,1,2-Tetrachloroethane	8.05U	525	480	91	525	528	101	78-125	9.60	(< 20)
1,1,1-Trichloroethane	10.1U	525	539	103	525	546	104	73-130	1.30	(< 20)
1,1,2,2-Tetrachloroethane	0.805U	525	508	97	525	554	105	70-124	8.40	(< 20)
1,1,2-Trichloroethane	0.321U	525	513	98	525	563	107	78-121	9.50	(< 20)
1,1-Dichloroethane	10.1U	525	487	93	525	498	95	76-125	2.10	(< 20)
1,1-Dichloroethene	10.1U	525	486	93	525	488	93	70-131	0.29	(< 20)
1,1-Dichloropropene	10.1U	525	572	109	525	591	113	76-125	3.40	(< 20)
1,2,3-Trichlorobenzene	20.1U	525	568	108	525	682	130	66-130	18.10	(< 20)
1,2,3-Trichloropropane	0.805U	525	502	96	525	550	105	73-125	9.10	(< 20)
1,2,4-Trichlorobenzene	10.1U	525	564	107	525	651	124	67-129	14.30	(< 20)
1,2,4-Trimethylbenzene	79.3	525	596	98	525	647	108	75-123	8.20	(< 20)
1,2-Dibromo-3-chloropropane	40.1U	525	504	96	525	555	105	61-132	9.50	(< 20)
1,2-Dibromoethane	0.402U	525	495	94	525	538	102	78-122	8.40	(< 20)
1,2-Dichlorobenzene	10.1U	525	513	98	525	553	105	78-121	7.50	(< 20)
1,2-Dichloroethane	0.805U	525	483	92	525	497	95	73-128	2.70	(< 20)
1,2-Dichloropropane	4.01U	525	555	106	525	586	111	76-123	5.50	(< 20)
1,3,5-Trimethylbenzene	12.2J	525	541	101	525	598	111	73-124	9.90	(< 20)
1,3-Dichlorobenzene	10.1U	525	514	98	525	547	104	77-121	6.20	(< 20)
1,3-Dichloropropane	4.01U	525	488	93	525	533	101	77-121	8.70	(< 20)
1,4-Dichlorobenzene	10.1U	525	512	97	525	557	106	75-120	8.30	(< 20)
2,2-Dichloropropane	10.1U	525	536	102	525	546	104	67-133	2.00	(< 20)
2-Butanone (MEK)	101U	1576	1681	106	1576	1859	118	51-148	10.30	(< 20)
2-Chlorotoluene	10.1U	525	515	98	525	553	105	75-122	7.00	(< 20)
2-Hexanone	40.1U	1576	1565	99	1576	1744	111	53-145	10.80	(< 20)
4-Chlorotoluene	10.1U	525	513	98	525	549	104	72-124	6.90	(< 20)
4-Isopropyltoluene	49.8J	525	592	103	525	636	111	73-127	7.10	(< 20)
4-Methyl-2-pentanone (MIBK)	101U	1576	1471	93	1576	1607	102	65-135	9.10	(< 20)
Acetone	101U	1576	1408	89	1576	1534	97	36-164	8.70	(< 20)
Benzene	18.5	525	527	97	525	567	104	77-121	7.40	(< 20)
Bromobenzene	10.1U	525	503	96	525	532	101	78-121	5.40	(< 20)
Bromochloromethane	10.1U	525	478	91	525	492	94	78-125	2.80	(< 20)
Bromodichloromethane	0.805U	525	562	107	525	581	110	75-127	3.30	(< 20)
Bromoform	10.1U	525	498	95	525	539	103	67-132	7.80	(< 20)
Bromomethane	8.05U	525	499	95	525	512	97	53-143	2.50	(< 20)
Carbon disulfide	40.1U	789	757	96	789	727	92	63-132	4.20	(< 20)
Carbon tetrachloride	5.00U	525	557	106	525	563	107	70-135	1.20	(< 20)
Chlorobenzene	10.1U	525	502	96	525	550	105	79-120	9.10	(< 20)

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date: 11/16/2019 19:22
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Chloroethane	80.5U	525	613	117	525	503	96	59-139	19.60	(< 20)
Chloroform	0.805U	525	486	93	525	498	95	78-123	2.20	(< 20)
Chloromethane	10.1U	525	516	98	525	516	98	50-136	0.10	(< 20)
cis-1,2-Dichloroethene	10.1U	525	495	94	525	502	96	77-123	1.50	(< 20)
cis-1,3-Dichloropropene	5.00U	525	503	96	525	530	101	74-126	5.20	(< 20)
Dibromochloromethane	0.805U	525	502	96	525	545	104	74-126	8.20	(< 20)
Dibromomethane	10.1U	525	504	96	525	517	98	78-125	2.40	(< 20)
Dichlorodifluoromethane	20.1U	525	527	100	525	506	96	29-149	4.10	(< 20)
Ethylbenzene	37.9	525	528	93	525	581	103	76-122	9.50	(< 20)
Freon-113	40.1U	789	753	96	789	752	95	66-136	0.12	(< 20)
Hexachlorobutadiene	8.05U	525	854	162 *	525	837	159 *	61-135	1.90	(< 20)
Isopropylbenzene (Cumene)	12.4J	525	524	97	525	580	108	68-134	10.10	(< 20)
Methylene chloride	40.1U	525	457	87	525	477	91	70-128	4.30	(< 20)
Methyl-t-butyl ether	40.1U	789	795	101	789	857	109	73-125	7.50	(< 20)
Naphthalene	93.3	525	583	93	525	696	115	62-129	17.90	(< 20)
n-Butylbenzene	10.1U	525	582	111	525	620	118	70-128	6.20	(< 20)
n-Propylbenzene	8.63J	525	521	98	525	564	106	73-125	8.00	(< 20)
o-Xylene	107	525	607	95	525	650	103	77-123	6.80	(< 20)
P & M -Xylene	186	1050	1176	94	1050	1261	102	77-124	7.40	(< 20)
sec-Butylbenzene	10.1U	525	543	103	525	584	111	73-126	7.30	(< 20)
Styrene	10.1U	525	529	101	525	561	107	76-124	5.90	(< 20)
tert-Butylbenzene	10.1U	525	520	99	525	570	109	73-125	9.30	(< 20)
Tetrachloroethene	5.00U	525	516	98	525	576	109	73-128	10.80	(< 20)
Toluene	139	525	608	89	525	666	100	77-121	9.20	(< 20)
trans-1,2-Dichloroethene	10.1U	525	514	98	525	502	96	74-125	2.30	(< 20)
trans-1,3-Dichloropropene	5.00U	525	499	95	525	540	103	71-130	7.90	(< 20)
Trichloroethene	2.00U	525	492	93	525	520	99	77-123	5.60	(< 20)
Trichlorofluoromethane	20.1U	525	523	100	525	507	97	62-140	3.00	(< 20)
Vinyl acetate	40.1U	525	523	99	525	564	107	50-151	7.50	(< 20)
Vinyl chloride	0.321U	525	512	97	525	501	95	56-135	2.00	(< 20)
Xylenes (total)	293	1576	1775	94	1576	1912	103	78-124	7.20	(< 20)
Surrogates										
1,2-Dichloroethane-D4 (surr)		525	511	97	525	492	94	71-136	3.60	
4-Bromofluorobenzene (surr)		876	593	68	876	629	72	55-151	5.80	
Toluene-d8 (surr)		525	524	100	525	528	101	85-116	0.87	

Print Date: 12/13/2019 3:40:34PM

Matrix Spike Summary

Original Sample ID: 1196897001
MS Sample ID: 1544068 MS
MSD Sample ID: 1544069 MSD

Analysis Date:
Analysis Date: 11/16/2019 17:43
Analysis Date: 11/16/2019 18:00
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by SW8260C

Parameter	<u>Sample</u>	Matrix Spike (%)		Spike Duplicate (%)		<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>		

Batch Information

Analytical Batch: VMS19671
Analytical Method: SW8260C
Instrument: VQA 7890/5975 GC/MS
Analyst: KAJ
Analytical Date/Time: 11/16/2019 5:43:00PM

Prep Batch: VXX35248
Prep Method: Vol. Extraction SW8260 Field Extracted L
Prep Date/Time: 11/16/2019 6:00:00AM
Prep Initial Wt./Vol.: 74.93g
Prep Extract Vol: 25.00mL

Print Date: 12/13/2019 3:40:34PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802510 [VXX/35268]

Blank Lab ID: 1544772

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008, 1196897009

Results by AK101

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Gasoline Range Organics	1.25U	2.50	0.750	mg/Kg

Surrogates

4-Bromofluorobenzene (surr)	75	50-150	%
-----------------------------	----	--------	---

Batch Information

Analytical Batch: VFC15044

Analytical Method: AK101

Instrument: Agilent 7890A PID/FID

Analyst: ST

Analytical Date/Time: 11/18/2019 6:54:00PM

Prep Batch: VXX35268

Prep Method: SW5035A

Prep Date/Time: 11/18/2019 8:00:00AM

Prep Initial Wt./Vol.: 50 g

Prep Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:35PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [VXX35268]

Blank Spike Lab ID: 1544773

Date Analyzed: 11/18/2019 18:18

Spike Duplicate ID: LCSD for HBN 1196897

[VXX35268]

Spike Duplicate Lab ID: 1544774

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008, 1196897009

Results by AK101

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Gasoline Range Organics	12.5	13.6	109	12.5	13.7	110	(60-120)	0.85	(< 20)
4-Bromofluorobenzene (surr)	1.25	80.7	81	1.25	80.5	81	(50-150)	0.25	

Surrogates

Analytical Batch:	VFC15044	Prep Batch:	VXX35268
Analytical Method:	AK101	Prep Method:	SW5035A
Instrument:	Agilent 7890A PID/FID	Prep Date/Time:	11/18/2019 08:00
Analyst:	ST	Spike Init Wt./Vol.:	12.5 mg/Kg Extract Vol: 25 mL
		Dupe Init Wt./Vol.:	12.5 mg/Kg Extract Vol: 25 mL

Print Date: 12/13/2019 3:40:38PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK102

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Diesel Range Organics	8.65J	20.0	6.20	mg/Kg

Surrogates

5a Androstane (surr)	94	60-120	%
----------------------	----	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK102
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:41PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK102**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Diesel Range Organics	833	891	107	833	884	106	(75-125)	0.80	(< 20)
5a Androstane (surr)	16.7	109	109	16.7	114	114	(60-120)	3.80	

Surrogates

5a Androstane (surr) 16.7 109 109 16.7 114 114 (60-120) 3.80

Batch InformationAnalytical Batch: XFC15480
Analytical Method: AK102
Instrument: Agilent 7890B F
Analyst: DSDPrep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 09:06
Spike Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL
Dupe Init Wt./Vol.: 833 mg/Kg Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:44PM

Method Blank

Blank ID: MB for HBN 1802372 [XXX/42611]
Blank Lab ID: 1544214

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by AK103

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Residual Range Organics	8.16J	20.0	6.20	mg/Kg

Surrogates

n-Triacontane-d62 (surr)	87.2	60-120	%
--------------------------	------	--------	---

Batch Information

Analytical Batch: XFC15480
Analytical Method: AK103
Instrument: Agilent 7890B F
Analyst: DSD
Analytical Date/Time: 11/21/2019 3:28:00PM

Prep Batch: XXX42611
Prep Method: SW3550C
Prep Date/Time: 11/20/2019 9:06:20AM
Prep Initial Wt./Vol.: 30 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:47PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42611]

Blank Spike Lab ID: 1544215

Date Analyzed: 11/21/2019 16:08

Spike Duplicate ID: LCSD for HBN 1196897

[XXX42611]

Spike Duplicate Lab ID: 1544216

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by AK103**

Parameter	Blank Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
	Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Residual Range Organics	833	845	101	833	831	100	(60-120)	1.70	(< 20)
n-Triacontane-d62 (surr)	16.7	96.8	97	16.7	92.5	93	(60-120)	4.60	

Surrogates

Analytical Batch:	XFC15480	Prep Batch:	XXX42611
Analytical Method:	AK103	Prep Method:	SW3550C
Instrument:	Agilent 7890B F	Prep Date/Time:	11/20/2019 09:06
Analyst:	DSD	Spike Init Wt./Vol.:	833 mg/Kg Extract Vol: 5 mL
		Dupe Init Wt./Vol.:	833 mg/Kg Extract Vol: 5 mL

Batch Information

Print Date: 12/13/2019 3:40:49PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518

t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
1,2,4-Trichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,2-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,3-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1,4-Dichlorobenzene	0.125U	0.250	0.0780	mg/Kg
1-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
1-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2,4,5-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4,6-Trichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dimethylphenol	0.125U	0.250	0.0780	mg/Kg
2,4-Dinitrophenol	1.50U	3.00	0.940	mg/Kg
2,4-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2,6-Dichlorophenol	0.125U	0.250	0.0780	mg/Kg
2,6-Dinitrotoluene	0.125U	0.250	0.0780	mg/Kg
2-Chloronaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Chlorophenol	0.125U	0.250	0.0780	mg/Kg
2-Methyl-4,6-dinitrophenol	1.00U	2.00	0.620	mg/Kg
2-Methylnaphthalene	0.125U	0.250	0.0780	mg/Kg
2-Methylphenol (o-Cresol)	0.125U	0.250	0.0780	mg/Kg
2-Nitroaniline	0.125U	0.250	0.0780	mg/Kg
2-Nitrophenol	0.125U	0.250	0.0780	mg/Kg
3&4-Methylphenol (p&m-Cresol)	0.500U	1.00	0.310	mg/Kg
3,3-Dichlorobenzidine	0.250U	0.500	0.150	mg/Kg
3-Nitroaniline	0.250U	0.500	0.150	mg/Kg
4-Bromophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Chloro-3-methylphenol	0.125U	0.250	0.0780	mg/Kg
4-Chloroaniline	0.500U	1.00	0.310	mg/Kg
4-Chlorophenyl-phenylether	0.125U	0.250	0.0780	mg/Kg
4-Nitroaniline	1.50U	3.00	0.940	mg/Kg
4-Nitrophenol	1.00U	2.00	0.620	mg/Kg
Acenaphthene	0.125U	0.250	0.0780	mg/Kg
Acenaphthylene	0.125U	0.250	0.0780	mg/Kg
Aniline	1.00U	2.00	0.620	mg/Kg
Anthracene	0.125U	0.250	0.0780	mg/Kg
Azobenzene	0.125U	0.250	0.0780	mg/Kg
Benzo(a)Anthracene	0.125U	0.250	0.0780	mg/Kg
Benzo[a]pyrene	0.125U	0.250	0.0780	mg/Kg
Benzo[b]Fluoranthene	0.125U	0.250	0.0780	mg/Kg

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

Matrix: Soil/Solid (dry weight)

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Benzog[h,i]perylene	0.125U	0.250	0.0780	mg/Kg
Benzo[k]fluoranthene	0.125U	0.250	0.0780	mg/Kg
Benzoic acid	0.750U	1.50	0.470	mg/Kg
Benzyl alcohol	0.125U	0.250	0.0780	mg/Kg
Bis(2chloro1methylethyl)Ether	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethoxy)methane	0.125U	0.250	0.0780	mg/Kg
Bis(2-Chloroethyl)ether	0.125U	0.250	0.0780	mg/Kg
bis(2-Ethylhexyl)phthalate	0.125U	0.250	0.0780	mg/Kg
Butylbenzylphthalate	0.125U	0.250	0.0780	mg/Kg
Carbazole	0.125U	0.250	0.0780	mg/Kg
Chrysene	0.125U	0.250	0.0780	mg/Kg
Dibenz[a,h]anthracene	0.125U	0.250	0.0780	mg/Kg
Dibenzofuran	0.125U	0.250	0.0780	mg/Kg
Diethylphthalate	0.125U	0.250	0.0780	mg/Kg
Dimethylphthalate	0.125U	0.250	0.0780	mg/Kg
Di-n-butylphthalate	0.125U	0.250	0.0780	mg/Kg
di-n-Octylphthalate	0.250U	0.500	0.150	mg/Kg
Fluoranthene	0.125U	0.250	0.0780	mg/Kg
Fluorene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobenzene	0.125U	0.250	0.0780	mg/Kg
Hexachlorobutadiene	0.125U	0.250	0.0780	mg/Kg
Hexachlorocyclopentadiene	0.350U	0.700	0.200	mg/Kg
Hexachloroethane	0.125U	0.250	0.0780	mg/Kg
Indeno[1,2,3-c,d] pyrene	0.125U	0.250	0.0780	mg/Kg
Isophorone	0.125U	0.250	0.0780	mg/Kg
Naphthalene	0.125U	0.250	0.0780	mg/Kg
Nitrobenzene	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodimethylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitroso-di-n-propylamine	0.125U	0.250	0.0780	mg/Kg
N-Nitrosodiphenylamine	0.125U	0.250	0.0780	mg/Kg
Pentachlorophenol	1.00U	2.00	0.620	mg/Kg
Phenanthrene	0.125U	0.250	0.0780	mg/Kg
Phenol	0.125U	0.250	0.0780	mg/Kg
Pyrene	0.125U	0.250	0.0780	mg/Kg
Surrogates				
2,4,6-Tribromophenol (surr)	95.9	35-125		%
2-Fluorobiphenyl (surr)	79.9	44-115		%
2-Fluorophenol (surr)	68.5	35-115		%

Print Date: 12/13/2019 3:40:52PM

Method Blank

Blank ID: MB for HBN 1802587 [XXX/42629]

Blank Lab ID: 1545010

QC for Samples:

1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Matrix: Soil/Solid (dry weight)

Results by SW8270D

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Nitrobenzene-d5 (surr)	71.6	37-122		%
Phenol-d6 (surr)	73.2	33-122		%
Terphenyl-d14 (surr)	92.8	54-127		%

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Analytical Date/Time: 12/9/2019 5:21:00PM

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 2:52:08PM

Prep Initial Wt./Vol.: 22.5 g

Prep Extract Vol: 1 mL

Print Date: 12/13/2019 3:40:52PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518

t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D**

<u>Parameter</u>	Blank Spike (mg/Kg)			<u>CL</u>
	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	
1,2,4-Trichlorobenzene	4.44	2.65	60	(34-118)
1,2-Dichlorobenzene	4.44	2.39	54	(33-117)
1,3-Dichlorobenzene	4.44	2.33	52	(30-115)
1,4-Dichlorobenzene	4.44	2.36	53	(31-115)
1-Chloronaphthalene	1.78	1.41	79	(48-115)
1-Methylnaphthalene	4.44	3.21	72	(40-119)
2,4,5-Trichlorophenol	4.44	3.84	86	(41-124)
2,4,6-Trichlorophenol	4.44	3.84	86	(39-126)
2,4-Dichlorophenol	4.44	3.43	77	(40-122)
2,4-Dimethylphenol	4.44	2.91	65	(30-127)
2,4-Dinitrophenol	8	10.2	127 *	(62-113)
2,4-Dinitrotoluene	4.44	3.65	82	(48-126)
2,6-Dichlorophenol	1.78	1.39	78	(41-117)
2,6-Dinitrotoluene	4.44	3.45	78	(46-124)
2-Chloronaphthalene	4.44	3.02	68	(41-114)
2-Chlorophenol	4.44	2.94	66	(34-121)
2-Methyl-4,6-dinitrophenol	8	8.58	107	(29-132)
2-Methylnaphthalene	4.44	2.77	62	(38-122)
2-Methylphenol (o-Cresol)	4.44	3.05	69	(32-122)
2-Nitroaniline	4.44	4.12	93	(44-127)
2-Nitrophenol	4.44	3.50	79	(36-123)
3&4-Methylphenol (p&m-Cresol)	6.22	4.97	80	(34-119)
3,3-Dichlorobenzidine	4.44	3.69	83	(22-121)
3-Nitroaniline	4.44	4.10	92	(33-119)
4-Bromophenyl-phenylether	4.44	4.07	92	(46-124)
4-Chloro-3-methylphenol	4.44	3.72	84	(45-122)
4-Chloroaniline	4.44	2.47	56	(17-106)
4-Chlorophenyl-phenylether	4.44	3.75	85	(45-121)
4-Nitroaniline	4.44	3.98	90	(77-120)
4-Nitrophenol	6.22	5.83	94	(30-132)
Acenaphthene	4.44	3.59	81	(40-123)
Acenaphthylene	4.44	3.55	80	(32-132)
Aniline	4.44	0.943J	21 *	(24-89)
Anthracene	4.44	3.72	84	(47-123)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Azobenzene	4.44	3.64	82	(39-125)
Benzo(a)Anthracene	4.44	4.18	94	(49-126)
Benzo[a]pyrene	4.44	4.03	91	(45-129)
Benzo[b]Fluoranthene	4.44	4.64	104	(45-132)
Benzo[g,h,i]perylene	4.44	3.93	88	(43-134)
Benzo[k]fluoranthene	4.44	4.54	102	(47-132)
Benzoic acid	6.22	5.38	86	(53-124)
Benzyl alcohol	4.44	2.82	63	(29-122)
Bis(2chloro1methylethyl)Ether	4.44	2.44	55	(33-131)
Bis(2-Chloroethoxy)methane	4.44	3.15	71	(36-121)
Bis(2-Chloroethyl)ether	4.44	2.41	54	(31-120)
bis(2-Ethylhexyl)phthalate	4.44	4.58	103	(51-133)
Butylbenzylphthalate	4.44	4.74	107	(48-132)
Carbazole	4.44	4.27	96	(50-123)
Chrysene	4.44	4.24	95	(50-124)
Dibenzo[a,h]anthracene	4.44	4.11	93	(45-134)
Dibenzofuran	4.44	3.24	73	(44-120)
Diethylphthalate	4.44	4.10	92	(50-124)
Dimethylphthalate	4.44	4.27	96	(48-124)
Di-n-butylphthalate	4.44	4.31	97	(51-128)
di-n-Octylphthalate	4.44	4.28	96	(45-140)
Fluoranthene	4.44	3.80	86	(50-127)
Fluorene	4.44	3.87	87	(43-125)
Hexachlorobenzene	4.44	3.61	81	(45-122)
Hexachlorobutadiene	4.44	2.86	64	(32-123)
Hexachlorocyclopentadiene	4.44	2.44	55	(34-74)
Hexachloroethane	4.44	2.31	52	(28-117)
Indeno[1,2,3-c,d] pyrene	4.44	4.03	91	(45-133)
Isophorone	4.44	3.04	68	(30-122)
Naphthalene	4.44	2.96	67	(35-123)
Nitrobenzene	4.44	2.56	58	(34-122)
N-Nitrosodimethylamine	4.44	2.56	58	(23-120)
N-Nitroso-di-n-propylamine	4.44	3.31	74	(36-120)
N-Nitrosodiphenylamine	4.44	3.15	71	(38-127)

Print Date: 12/13/2019 3:40:55PM

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42629]

Blank Spike Lab ID: 1545011

Date Analyzed: 12/09/2019 17:38

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007,
1196897008**Results by SW8270D****Blank Spike (mg/Kg)**

<u>Parameter</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>CL</u>
Pentachlorophenol	6.22	6.10	98	(25-133)
Phenanthrene	4.44	3.92	88	(50-121)
Phenol	4.44	3.09	70	(34-121)
Pyrene	4.44	4.49	101	(47-127)

Surrogates

2,4,6-Tribromophenol (surr)	8.89	103	103	(35-125)
2-Fluorobiphenyl (surr)	4.44	79	79	(44-115)
2-Fluorophenol (surr)	8.89	61	61	(35-115)
Nitrobenzene-d5 (surr)	4.44	68.2	68	(37-122)
Phenol-d6 (surr)	8.89	68.4	68	(33-122)
Terphenyl-d14 (surr)	4.44	104	104	(54-127)

Batch Information

Analytical Batch: XMS11885

Analytical Method: SW8270D

Instrument: HP 6890/5973 SSA

Analyst: JMG

Prep Batch: XXX42629

Prep Method: SW3550C

Prep Date/Time: 11/26/2019 14:52

Spike Init Wt./Vol.: 4.44 mg/Kg Extract Vol: 1 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:40:55PM

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
1,2,4-Trichlorobenzene	3.72U	5.26	4.32J	82	5.28	4.31J	82	34-118	0.28	(< 20)
1,2-Dichlorobenzene	3.72U	5.26	3.84J	73	5.28	3.89J	74	33-117	1.40	(< 20)
1,3-Dichlorobenzene	3.72U	5.26	3.90J	74	5.28	3.71J	70	30-115	5.20	(< 20)
1,4-Dichlorobenzene	3.72U	5.26	3.95J	75	5.28	3.74J	71	31-115	5.50	(< 20)
1-Chloronaphthalene	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	48-115	0.00	(< 20)
1-Methylnaphthalene	3.72U	5.26	4.89J	93	5.28	4.81J	91	40-119	1.80	(< 20)
2,4,5-Trichlorophenol	3.72U	5.26	4.81J	91	5.28	4.84J	92	41-124	0.88	(< 20)
2,4,6-Trichlorophenol	3.72U	5.26	4.98J	95	5.28	5.36J	102	39-126	7.50	(< 20)
2,4-Dichlorophenol	3.72U	5.26	5.19J	99	5.28	5.23J	99	40-122	0.84	(< 20)
2,4-Dimethylphenol	3.72U	5.26	4.89J	93	5.28	5.11J	97	30-127	4.30	(< 20)
2,4-Dinitrophenol	44.6U	9.46	44.6U	0 *	9.50	44.6U	0 *	62-113	0.00	(< 20)
2,4-Dinitrotoluene	3.72U	5.26	4.53J	86	5.28	4.17J	79	48-126	8.10	(< 20)
2,6-Dichlorophenol	3.72U	2.11	3.72U	0 *	2.11	3.72U	0 *	41-117	0.00	(< 20)
2,6-Dinitrotoluene	3.72U	5.26	5.29J	101	5.28	5.20J	99	46-124	1.70	(< 20)
2-Chloronaphthalene	3.72U	5.26	4.55J	86	5.28	4.33J	82	41-114	4.70	(< 20)
2-Chlorophenol	3.72U	5.26	4.45J	85	5.28	4.44J	84	34-121	0.26	(< 20)
2-Methyl-4,6-dinitrophenol	29.8U	9.46	29.8U	0 *	9.50	29.8U	0 *	29-132	0.00	(< 20)
2-Methylnaphthalene	3.72U	5.26	4.29J	82	5.28	4.16J	79	38-122	3.10	(< 20)
2-Methylphenol (o-Cresol)	3.72U	5.26	4.41J	84	5.28	4.41J	84	32-122	0.03	(< 20)
2-Nitroaniline	3.72U	5.26	5.66J	108	5.28	5.33J	101	44-127	5.90	(< 20)
2-Nitrophenol	3.72U	5.26	5.25J	100	5.28	5.28J	100	36-123	0.33	(< 20)
3&4-Methylphenol (p&m-Cresol)	14.9U	7.36	14.9U	0 *	7.38	14.9U	0 *	34-119	0.00	(< 20)
3,3-Dichlorobenzidine	7.45U	5.26	5.28J	100	5.28	5.33J	101	22-121	1.10	(< 20)
3-Nitroaniline	7.45U	5.26	5.29J	101	5.28	5.36J	102	33-119	1.30	(< 20)
4-Bromophenyl-phenylether	3.72U	5.26	5.67J	108	5.28	5.25J	100	46-124	7.60	(< 20)
4-Chloro-3-methylphenol	3.72U	5.26	4.92J	93	5.28	5.08J	96	45-122	3.50	(< 20)
4-Chloroaniline	14.9U	5.26	14.9U	0 *	5.28	14.9U	0 *	17-106	0.00	(< 20)
4-Chlorophenyl-phenylether	3.72U	5.26	5.12J	97	5.28	4.90J	93	45-121	4.40	(< 20)
4-Nitroaniline	44.6U	5.26	44.6U	0 *	5.28	44.6U	0 *	77-120	0.00	(< 20)
4-Nitrophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	30-132	0.00	(< 20)
Acenaphthene	3.72U	5.26	5.31J	101	5.28	5.24J	99	40-123	1.20	(< 20)
Acenaphthylene	3.72U	5.26	5.37J	102	5.28	5.36J	102	32-132	0.16	(< 20)
Aniline	29.8U	5.26	29.8U	0 *	5.28	29.8U	0 *	24-89	0.00	(< 20)
Anthracene	3.72U	5.26	5.38J	102	5.28	5.22J	99	47-123	3.10	(< 20)
Azobenzene	3.72U	5.26	5.77J	110	5.28	5.85J	111	39-125	1.50	(< 20)
Benzo(a)Anthracene	3.72U	5.26	5.10J	97	5.28	5.28J	100	49-126	3.40	(< 20)
Benzo[a]pyrene	3.72U	5.26	4.80J	91	5.28	4.77J	90	45-129	0.50	(< 20)

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date: 12/11/2019 15:04
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

Parameter	Sample	Matrix Spike (mg/Kg)			Spike Duplicate (mg/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Benzo[b]Fluoranthene	3.72U	5.26	4.92J	93	5.28	4.76J	90	45-132	3.20	(< 20)
Benzo[g,h,i]perylene	3.72U	5.26	5.44J	103	5.28	5.25J	100	43-134	3.40	(< 20)
Benzo[k]fluoranthene	3.72U	5.26	5.06J	96	5.28	5.20J	99	47-132	2.90	(< 20)
Benzoic acid	22.3U	7.36	22.3U	0 *	7.38	22.3U	0 *	53-124	0.00	(< 20)
Benzyl alcohol	3.72U	5.26	3.88J	74	5.28	3.84J	73	29-122	1.00	(< 20)
Bis(2chloro1methylethyl)Ether	3.72U	5.26	3.95J	75	5.28	4.20J	80	33-131	6.10	(< 20)
Bis(2-Chloroethoxy)methane	3.72U	5.26	5.06J	96	5.28	4.90J	93	36-121	3.10	(< 20)
Bis(2-Chloroethyl)ether	3.72U	5.26	4.06J	77	5.28	4.13J	78	31-120	1.60	(< 20)
bis(2-Ethylhexyl)phthalate	3.72U	5.26	6.42J	122	5.28	6.59J	125	51-133	2.60	(< 20)
Butylbenzylphthalate	3.72U	5.26	6.32J	120	5.28	5.69J	108	48-132	10.40	(< 20)
Carbazole	3.72U	5.26	6.02J	114	5.28	5.83J	110	50-123	3.20	(< 20)
Chrysene	3.72U	5.26	5.49J	104	5.28	5.42J	103	50-124	1.40	(< 20)
Dibenz[a,h]anthracene	3.72U	5.26	5.39J	103	5.28	5.71J	108	45-134	5.50	(< 20)
Dibenzofuran	3.72U	5.26	4.59J	87	5.28	4.44J	84	44-120	3.50	(< 20)
Diethylphthalate	3.72U	5.26	5.50J	105	5.28	5.44J	103	50-124	1.10	(< 20)
Dimethylphthalate	3.72U	5.26	5.94J	113	5.28	6.02J	114	48-124	1.20	(< 20)
Di-n-butylphthalate	3.72U	5.26	5.94J	113	5.28	5.75J	109	51-128	3.30	(< 20)
di-n-Octylphthalate	7.45U	5.26	8.15J	155 *	5.28	7.78J	147 *	45-140	4.60	(< 20)
Fluoranthene	3.72U	5.26	4.55J	86	5.28	4.43J	84	50-127	2.60	(< 20)
Fluorene	3.72U	5.26	5.28J	100	5.28	5.20J	99	43-125	1.40	(< 20)
Hexachlorobenzene	3.72U	5.26	4.59J	87	5.28	4.26J	81	45-122	7.70	(< 20)
Hexachlorobutadiene	3.72U	5.26	4.47J	85	5.28	4.53J	86	32-123	1.20	(< 20)
Hexachlorocyclopentadiene	10.4U	5.26	10.4U	0 *	5.28	10.4U	0 *	34-74	0.00	(< 20)
Hexachloroethane	3.72U	5.26	3.68J	70	5.28	3.88J	73	28-117	4.90	(< 20)
Indeno[1,2,3-c,d] pyrene	3.72U	5.26	5.31J	101	5.28	5.28J	100	45-133	0.66	(< 20)
Isophorone	3.72U	5.26	4.87J	93	5.28	4.58J	87	30-122	6.10	(< 20)
Naphthalene	3.72U	5.26	5.14J	98	5.28	5.05J	96	35-123	2.00	(< 20)
Nitrobenzene	3.72U	5.26	4.29J	82	5.28	4.14J	78	34-122	3.70	(< 20)
N-Nitrosodimethylamine	3.72U	5.26	3.79J	72	5.28	3.54J	67	23-120	6.80	(< 20)
N-Nitroso-di-n-propylamine	3.72U	5.26	4.94J	94	5.28	4.95J	94	36-120	0.33	(< 20)
N-Nitrosodiphenylamine	3.72U	5.26	5.01J	95	5.28	5.18J	98	38-127	3.20	(< 20)
Pentachlorophenol	29.8U	7.36	29.8U	0 *	7.38	29.8U	0 *	25-133	0.00	(< 20)
Phenanthrene	3.72U	5.26	5.37J	102	5.28	5.28J	100	50-121	1.90	(< 20)
Phenol	3.72U	5.26	4.38J	83	5.28	4.39J	83	34-121	0.33	(< 20)
Pyrene	3.72U	5.26	4.98J	95	5.28	5.08J	96	47-127	2.20	(< 20)
Surrogates										
2,4,6-Tribromophenol (surr)		10.5	10.2	97	10.6	10.9	104	35-125	6.40	

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Matrix Spike Summary

Original Sample ID: 1196867001
MS Sample ID: 1545012 MS
MSD Sample ID: 1545013 MSD

Analysis Date:
Analysis Date: 12/11/2019 15:37
Analysis Date: 12/11/2019 16:11
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897001, 1196897002, 1196897003, 1196897004, 1196897005, 1196897006, 1196897007, 1196897008

Results by SW8270D

<u>Parameter</u>	<u>Sample</u>	Matrix Spike (%)			Spike Duplicate (%)			<u>CL</u>	<u>RPD (%)</u>	<u>RPD CL</u>
		<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>	<u>Spike</u>	<u>Result</u>	<u>Rec (%)</u>			
2-Fluorobiphenyl (surr)		5.26	5.56	106	5.28	5.45	103	44-115	2.10	
2-Fluorophenol (surr)		10.5	8.03	76	10.6	7.36	70	35-115	8.70	
Nitrobenzene-d5 (surr)		5.26	4.86	92	5.28	4.81	91	37-122	1.00	
Phenol-d6 (surr)		10.5	9.45	90	10.6	9.31	88	33-122	1.60	
Terphenyl-d14 (surr)		5.26	4.86	92	5.28	5.19	98	54-127	6.60	

Batch Information

Analytical Batch: XMS11889
Analytical Method: SW8270D
Instrument: HP 6890/5973 SSA
Analyst: JMG
Analytical Date/Time: 12/11/2019 3:37:00PM

Prep Batch: XXX42629
Prep Method: Sonication Extraction Soil SW8270
Prep Date/Time: 11/26/2019 2:52:08PM
Prep Initial Wt./Vol.: 22.75g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:40:57PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Method Blank

Blank ID: MB for HBN 1802613 [XXX/42632]
Blank Lab ID: 1545124

Matrix: Soil/Solid (dry weight)

QC for Samples:
1196897008

Results by SW8082A

<u>Parameter</u>	<u>Results</u>	<u>LOQ/CL</u>	<u>DL</u>	<u>Units</u>
Aroclor-1016	25.0U	50.0	12.5	ug/Kg
Aroclor-1221	50.0U	100	25.0	ug/Kg
Aroclor-1232	25.0U	50.0	12.5	ug/Kg
Aroclor-1242	25.0U	50.0	12.5	ug/Kg
Aroclor-1248	25.0U	50.0	12.5	ug/Kg
Aroclor-1254	25.0U	50.0	12.5	ug/Kg
Aroclor-1260	25.0U	50.0	12.5	ug/Kg

Surrogates

Decachlorobiphenyl (surr) 110 60-125 %

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 12:07:00PM

Prep Batch: XXX42632
Prep Method: SW3550C
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.5 g
Prep Extract Vol: 5 mL

Print Date: 12/13/2019 3:40:58PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group

Blank Spike Summary

Blank Spike ID: LCS for HBN 1196897 [XXX42632]

Blank Spike Lab ID: 1545125

Date Analyzed: 12/03/2019 12:17

Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Blank Spike (ug/Kg)

Parameter	Spike	Result	Rec (%)	CL
Aroclor-1016	222	198	89	(47-134)
Aroclor-1260	222	235	106	(53-140)

Surrogates

Decachlorobiphenyl (surr)	222	112	112	(60-125)
---------------------------	-----	-----	-----	------------

Batch Information

Analytical Batch: XGC10544

Prep Batch: XXX42632

Analytical Method: SW8082A

Prep Method: SW3550C

Instrument: Agilent 7890B GC ECD SW F

Prep Date/Time: 11/27/2019 10:48

Analyst: BMZ

Spike Init Wt./Vol.: 222 ug/Kg Extract Vol: 5 mL

Dupe Init Wt./Vol.: Extract Vol:

Print Date: 12/13/2019 3:41:01PM

Matrix Spike Summary

Original Sample ID: 1196876010
MS Sample ID: 1545126 MS
MSD Sample ID: 1545127 MSD

Analysis Date: 12/03/2019 13:09
Analysis Date: 12/03/2019 13:19
Analysis Date: 12/03/2019 13:29
Matrix: Soil/Solid (dry weight)

QC for Samples: 1196897008

Results by SW8082A

Parameter	Sample	Matrix Spike (ug/Kg)			Spike Duplicate (ug/Kg)			CL	RPD (%)	RPD CL
		Spike	Result	Rec (%)	Spike	Result	Rec (%)			
Aroclor-1016	25.8U	229	251	110	228	253	111	47-134	0.56	(< 30)
Aroclor-1260	25.8U	229	227	99	228	226	99	53-140	0.65	(< 30)

Surrogates

Decachlorobiphenyl (surr) 229 241 105 228 237 104 60-125 1.40

Batch Information

Analytical Batch: XGC10544
Analytical Method: SW8082A
Instrument: Agilent 7890B GC ECD SW F
Analyst: BMZ
Analytical Date/Time: 12/3/2019 1:19:00PM

Prep Batch: XXX42632
Prep Method: Sonication Extraction Soil SW8082 PCB
Prep Date/Time: 11/27/2019 10:48:22AM
Prep Initial Wt./Vol.: 22.63g
Prep Extract Vol: 5.00mL

Print Date: 12/13/2019 3:41:02PM

SGS North America Inc.

200 West Potter Drive Anchorage, AK 99518
t 907.562.2343 f 907.561.5301 www.us.sgs.com

Member of SGS Group



1196897

North America Inc.
F CUSTODY RECORD

Locations Nationwide

Alaska	Revised Report	Maryland
New Jersey		- Revision 2
North Carolina		Indiana
West Virginia		Kentucky

www.us.sgs.com

Profile: 334945

CLIENT: Golder Associates					Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.										Page <u>1</u> of <u>1</u>														
Section 1	CONTACT: Jessa Karp PHONE NO: PROJECT/ PWSID/ NAME: Drilling Samples REPORTS TO: E-MAIL: jkarp@golder.com					Preservative Section 3 # C O N T A I N E R S Type C = COMP G = GRAB M = Multi Incremental Soils										REMARKS/ LOC ID													
						me001	B																						
						Geo (AK101)	VOC (SW8260C)	D20 (PPO)	(AK102/03)	SVOC (SW8270D)	PCBs (SW8082)	Lead (SW1020)																	
						Geo (AK101)	VOC (SW8260C)	D20 (PPO)	(AK102/03)	SVOC (SW8270D)	PCBs (SW8082)	Lead (SW1020)																	
						Geo (AK101)	VOC (SW8260C)	D20 (PPO)	(AK102/03)	SVOC (SW8270D)	PCBs (SW8082)	Lead (SW1020)																	
Section 2	RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE																								
	(1AB)	BH-01	11/14/19	9:15		2	X	X	X																				
	(2AB)	BH-02	11/14/19	12:30		2	X	X	X																				
	(3AB)	BH-03A	11/15/19	9:15		2	X	X	X																				
	(4AB)	BH-03A-1	11/15/19	9:15		2	X	X	X																				
	(5AB)	BH-04	11/14/19	15:00		2	X	X	X																				
	(6AB)	BH-05	11/14/19	13:45		2	X	X	X																				
	(7AB)	BH-05-1	11/14/19	13:45		2	X	X	X																				
	(8AB)	Composit	11/15/19	9:30		2	C	X	X	X	X																		
	(9AB)	PW7-25-11				2	X	X	X	X																			
																				Trip Blank									
Section 5	Relinquished By: (1) Jessa Karp		Date 11/15/19	Time 16:00	Received By:					Section 4		DOD Project? Yes <input checked="" type="radio"/> No		Data Deliverable Requirements:															
	Relinquished By: (2)		Date	Time	Received By:					Cooler ID:		Requested Turnaround Time and/or Special Instructions:																	
	Relinquished By: (3)		Date	Time	Received By:					Temp Blank °C: 27° DG3												Chain of Custody Seal: (Circle)							
	Relinquished By: (4)		Date	Time	Received For Laboratory By: Jessa Karp 11/15/19 16:00					or Ambient []																			
										(See attached Sample Receipt Form)		INTACT <input checked="" type="checkbox"/> BROKEN <input checked="" type="checkbox"/> ABSENT <input checked="" type="checkbox"/>																	

SGS**Returned Bottles Inventory****Name of individual returning bottles:**Tessa Karp**Date Received:**11/13/19**Client Name:**Golder Associates**Received by:****Project Name:**ARRC Depot Dr.
Drilling Samples**SGS PM:**

HDPE/Nalgene:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz						
	60-ml or 2-oz						
	other						
Amber glass:	1-L						
	500-ml						
	250-ml or 8-oz						
	125-ml or 4-oz with or without septa	10					
	40-ml VOA vial	12					
	other						
Subtotal:		22					

Note: Returned bottles (regardless of size/pres.) are billed back at \$4/bottle unless otherwise quoted.

Amount to Invoice Client \$:88**1196897**

Wt





SGS Workorder #:

1196897

1 1 9 6 8 9 7

Review Criteria		Condition (Yes, No, N/A)	Exceptions Noted below				
Chain of Custody / Temperature Requirements		<input checked="" type="checkbox"/> Yes	Exemption permitted if sampler hand carries/delivers.				
Were Custody Seals intact? Note # & location		<input type="checkbox"/> N/A	<input type="checkbox"/> Absent				
COC accompanied samples?		<input checked="" type="checkbox"/> Yes					
DOD: Were samples received in COC corresponding coolers?		<input type="checkbox"/> N/A					
Temperature blank compliant* (i.e., 0-6 °C after CF)?		<input checked="" type="checkbox"/> Yes	Cooler ID:	1	@	2.2 °C	Therm. ID: D63
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
		<input type="checkbox"/>	Cooler ID:		@	°C	Therm. ID:
*If >6°C, were samples collected <8 hours ago?		<input type="checkbox"/> N/A					
If <0°C, were sample containers ice free?		<input type="checkbox"/> N/A					
Note: Identify containers received at non-compliant temperature . Use form FS-0029 if more space is needed.							
Holding Time / Documentation / Sample Condition Requirements		Note: Refer to form F-083 "Sample Guide" for specific holding times.					
Were samples received within holding time?		<input checked="" type="checkbox"/> Yes					
Do samples match COC** (i.e.,sample IDs,dates/times collected)?		<input type="checkbox"/> No	Trip Blanks 9A-B were scheduled with PCB, DRO/RRO, and Lead 6020. Proceeding with GRO & VOC.				
**Note: If times differ <1hr, record details & login per COC.							
***Note: If sample information on containers differs from COC, SGS will default to COC information							
Were analytical requests clear? (i.e., method is specified for analyses with multiple option for analysis (Ex: BTEX, Metals)		<input checked="" type="checkbox"/> Yes					
Were proper containers (type/mass/volume/preservative***)used?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> N/A	***Exemption permitted for metals (e.g.200.8/6020A).			
Volatile / LL-Hg Requirements							
Were Trip Blanks (i.e., VOAs, LL-Hg) in cooler with samples?		<input checked="" type="checkbox"/> Yes					
Were all water VOA vials free of headspace (i.e., bubbles ≤ 6mm)?		<input type="checkbox"/> N/A					
Were all soil VOAs field extracted with MeOH+BFB?		<input checked="" type="checkbox"/> Yes					
Note to Client: Any "No", answer above indicates non-compliance with standard procedures and may impact data quality.							
Additional notes (if applicable):							

Sample Containers and Preservatives

<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>	<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>
1196897001-A	No Preservative Required	OK			
1196897001-B	Methanol field pres. 4 C	OK			
1196897002-A	No Preservative Required	OK			
1196897002-B	Methanol field pres. 4 C	OK			
1196897003-A	No Preservative Required	OK			
1196897003-B	Methanol field pres. 4 C	OK			
1196897004-A	No Preservative Required	OK			
1196897004-B	Methanol field pres. 4 C	OK			
1196897005-A	No Preservative Required	OK			
1196897005-B	Methanol field pres. 4 C	OK			
1196897006-A	No Preservative Required	OK			
1196897006-B	Methanol field pres. 4 C	OK			
1196897007-A	No Preservative Required	OK			
1196897007-B	Methanol field pres. 4 C	OK			
1196897008-A	No Preservative Required	OK			
1196897008-B	Methanol field pres. 4 C	OK			
1196897009-A	Methanol field pres. 4 C	OK			
1196897009-B	Methanol field pres. 4 C	OK			

Container Condition Glossary

Containers for bacteriological, low level mercury and VOA vials are not opened prior to analysis and will be assigned condition code OK unless evidence indicates than an inappropriate container was submitted.

OK - The container was received at an acceptable pH for the analysis requested.

BU - The container was received with headspace greater than 6mm.

DM - The container was received damaged.

FR - The container was received frozen and not usable for Bacteria or BOD analyses.

IC - The container provided for microbiology analysis was not a laboratory-supplied, pre-sterilized container and therefore was not suitable for analysis.

NC - The container provided was not preserved or was under-preserved. The method does not allow for additional preservative added after collection.

PA - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt and the container is now at the correct pH. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

PH - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt, but was insufficient to bring the container to the correct pH for the analysis requested. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

QN - Insufficient sample quantity provided.



golder.com